

Lyco Computer

Marketing & Consultants

Since 1981

Great Value





NX-1000

\$16995

NEW! NX1000 Rainbow Color Printer \$225.95

Great Performance Great Price

Panasonic Office Automation

\$19595



1091i Model II

- 192 cps Draft
- 32 cps NLQ
- Friction & Tractor Feed
- 2-Year Warranty

ATARI 520 ST Computer

- Built-in Drive
- Thomson 4120 Monitor

\$69995





PRICE GUARANTEE

Since 1981, we have led the industry by continuing to offer the lowest national prices while providing quality service. Many companies have come and gone trying to imitate our quality and service. If by some oversight we do not have the lowest prices advertised on the products you desire, then we would appreciate the opportunity to rectify this oversight.

PRINTER PAPER

1000 Sheet Lazer \$16.95
1000 Mailing Labels \$8.95
200 Sheets OKI 20 \$8.95
Transparent Labels\$4.95
Banner Paper 45' Roll \$10.95

TO ORDER, CALL TOLL-FREE: 1-800-233-8760 New PA Wats: 1-800-233-8760 Outside Continental US Call: 1-717-494-1030

Hours: 9AM to 8PM, Mon. - Thurs. 9AM to 6PM, Friday — 10AM to 6PM, Saturday

For Customer Service, call 1-717-494-1670, 9AM to 5PM, Mon. - Fri. Or write: Lyco Computer, Inc. P.O. Box 5088, Jersey Shore, PA 17740 See our 2-page ad elsewhere in this Magazine

Risk Free Policy

In-stock items shipped within 24 hrs. of order. NO deposit on C.O.D. orders. Free shipping on prepaid cash orders over \$50 with the Continental U.S. Volume discounts available. PA residents add sales tax. APO, FPO and international orders add \$5.00 plus 3% for priority mail. Advertised prices show 4% discount for cash, add 4% for MasterCard and VISA. Personal checks require 4 weeks clearance before shipping. We cannot guarantee compatibility. We only ship factory fresh merchandise. Ask about USP Blue and Red Label shipping. All merchandise carried under manufacturers' warranty. Return restriction applicable. Return authorization required. We check for stolen credit cards. We accept purchase orders from educational institutions. All items subject to change without notice. prepaid orders under \$50 add \$3.00

1-800-233-8760

American Techna-Vision

For Orders Only - 1-800-551-9995 CA. Orders / Information 415-352-3787

"Providing 8 Bit support with one of the Worlds largest inventories of Atari replacement parts"

- No surcharge for VISA/MasterCard
- Your card is not charged until we ship

800 4 PIECE BOARD SET

Includes Main Board, Power Supply Assembly, CPU Module and 10K Revision B Operating System Module. All boards are new, tested and complete with all components. \$2850

1050 MECHANISM

Factory fresh TANDON mechs. make difficult repairs a snap. Units are complete with Head, Stepper, Spindle motor etc. Just plug in, no difficult alignments or adjustments required.

SUPRA 2400 BAUD MODEM

Fully Hayes Compatible. High quality. Works with all Atari's. 8 bit requires interface.

\$15795

POWER PACKS

Exact replacement transformer for 800/400, 1050, 810, 1200XL, 850 and 1020 units. Replaces older "weaker" units. Atari part #CO17945.

\$ 1450

400 3 PIECE BOARD SET

Includes Main Board, Power Supply Assembly and CPU Module. All boards are new, tested and complete \$ 19⁵⁰ with all components.

810 DISK DRIVE PARTS
Sideboard with Data Sep. . . . \$44.95
Analog Board . . . \$19.50
Rear Power Board (New Style) . \$35.00
Rear/Analog Set (Upgrade) . . . \$47.50
Complete Set (New Style) . . \$67.50
Board set includes instructions for using a Tandon TM-100-1 or MPI B-51
mechanics to build your own disk drive.
(Mechanics NOT included or avail from us)

ATARIWRITER CARTRIDGE

Popular cartridge version turns any 8 bit Atari into a powerful word processor. Written by Atari. Disk drive supported but not required.

For all Atari's except ST \$ 2995

600XL 64K UPGRADE

Easy to install internal modification allows you to hook up a disk drive and run all 800XL software. Kit includes all parts and detailed instructions. Soldering required to install 3 immers.

\$2995

800 10K "B" O.S. Module Older 800 units need the revision "B" Older 800 units need the revision of Operating system to run newer software. Type the following peek in BASIC to see which revision you have. PRINT PEEK(58383).

If the result is 56 order now!

PILOT PROGRAMMING

LANGUAGE PACKAGE
Includes PILOT cart. with "Turtle
Graphics", Pilot Primer and Student
Pilot manuals. PILOT is an excellent
learning or teaching tool.
Works with all Atari's
\$1750 except ST.

PADDLE CONTROLLERS

(Pair). Required for numerous 8 bit programs and applications. Use these to add two changeable variables to your BASIC or machine language programs.

\$650

SERIAL I/O CABLE

High quality 13 pin cable used to connect 8 bit Atari's to disk drives, interfaces, etc.

New low price

\$ 595

800/400 MODULES NEW PARTS COMPLETE WITH IC'S

50 800 Main Board 800/400 CPU with GTIA 800 10K "B" O.S. Module 400 Main Board EACH . 400 Power Supply Board

CX853 16K Ram Module \$14.50 800 Power Supply Board \$14.50

INTEGRATED CIRCUITS

POKEY.....

..... CO14806

CO12294

CO14795

CO14805 CO12296 CO10745

CO10750 CO14377

CO60472

CO10444 CO12298

6507

6532 6810

6502B

\$19.50

\$5.25

· CPU

PIA .

· PIA · CPU

· PIA .

1050 O.S. ROM

1050 5713 STEP DRIVER . .

2793 1050 FDC

DELAY

2600 TIA ...

• CPU

CO21697 - Use CO12296 - Except 130XE 810 O.S. ROM CO11299C . . \$10.00

450 GTIA ANTIC CPI · PIA

REPAIR MANUALS

SAMS Service Manuals for the SAMS Service Mandals for the following units contain schematics, parts listings, labelled photographs showing the location of checkpoints and more! A special checkpoints and more! A special section gives oscilloscope and logic probe readings allowing you to narrow the malfunction down to a specific chip or transistor! 800, 800XL, 130XE, 400, 1025 and 1050.....\$19.50 each 520ST Service Manual. \$37.50

MISC. HARDWARE

1050 Track 0 Sensor \$6.50
1030 Power Pack \$9.50
Fastchip for 800/400 \$15.50
800 256K Upgrade w/o Ram \$89.95 Supra 2400 Baud Modem \$159.95
Atari Joystick \$7.00
850 or PR Modem Cable \$14.50
850 or PR Printer Cable \$12.50
P:R: Connection \$65.00
Printer Interface \$39.95
1/O 13 Pin PC mount \$4.50
I/O 13 Pin Plug Kit \$4.50 ST 6' Drive Cable \$14.00
820 Printer Mechanics. \$9.50
Joystick Extension Cable \$5.00
30 Pin Cartridge Socket . \$4.50
810 Door Latch Assy \$15.00
Serial I/O Cable \$5.95
1027 Transformer CALL U.S. Doubler \$29.95
U.S. Doubler \$29.95 ST Modem Cable \$14.50
ST Drive connector PC mount \$6.50
ST Drive connector plug \$6.50
25 Pin null modern connector \$10.95

COMPUTER BOOKS

Hackerbook	\$5.00
Inside Atari Basic	\$5.00
Atari Basic Ref. manual.	\$5.00
Basic-Faster & Better	\$22.95
Assembly Language Guid	
XE Users Handbook	\$17.95
XL Users Handbook	\$17.95
Advanced Programming	\$19.50
Astrology with type in pro	g. \$5.00
Atari Games/type in prog	
Forth on the Atari	
Mapping the Atari	. \$18.50

ATARI 850 INTERFACE Bare PC Board with parts list and crystal allows you to build your own serial/parallel interface for attaching moderns and printers to all 8 bit Atari computers... \$7.50 Board & all plug in IC's ... \$39.50

ATARI XM301 MODEM

Direct connect 300 Baud modem works with all 8 bit Atari's. No seperate interface required. \$44.95

BASIC CARTRIDGE

Basic Rev. "A" Cart. works with all Atari Computers except ST. Exact replacement for 800/400/1200XL\$15.00

EPROM CARTRIDGES 16K Eprom Board with case. Specify dual 2764 or single 27128 style. Gold contacts. \$6.95

SOFTWARE \$10.00

Q bert carriage	\$ 10.00
Choplifter Cart	\$10.00
Choplifter Cart	\$12.50
Springer Cart	\$5.00
Fun with Art Cart	\$10.00
Donkey Kong Cart	\$5.00
Easterm Front Cart.	\$5.00
Star Raiders Cart	\$10.00
DropZone Disk	\$9.95
Entrace Cost with more	
Edt/Asm Cart, w/o man.	\$10.00
Hard Hat Mack Disk	\$5.00
D-Bug childware Disk.	\$5.00
Word Flyer childware.	\$10.00
	\$7.50
Home filing manager	
Musical Pilot Ed. Disk	\$5.00
Big Math Attack Disk	\$5.00
Chambers/Zorp Disk	\$5.00
Pathfinder Disk	\$5.00
Match Racer Disk	\$5.00
Encounter/Quester Disk	\$5.00
Baja Buggies Disk	\$5.00
Com*putation Disk	\$5.00
	\$5.00
Cyborg Adventure Disk	
Fractions Tutorial Disk	\$5.00
Decimals Tutorial Disk	\$5.00
OFFICE DAT	FFO

SERVICE RATES Flat Service Rates below include Parts & Labor, 60 Day Warranty. 800 Computer . . . \$39.50 \$39.50 850 Interface 810 Disk Drive . . . \$69.50 \$75.00 1050 Disk Drive . . . 800 Keyboard only, \$25.00 Include \$7.00 return shipping and insurance, include \$4.00 shipping for 800 keyboard repair only.

CALL TOLL FREE 1-800-551-9995 IN CALIF. OR OUTSIDE U.S. CALL 415-352-3787

AMERICAN TECHNA-VISION

Mail Order: 15338 Inverness St., San Leandro, Ca. 94579 Repair Center: 2098 Pike Ave., San Leandro, Ca. 94577

Terms: NO MINIMUM ORDER. We accept money orders, personal checks or C.O.D.s. VISA, Master/Card okay. Credit cards restricted to orders over \$20.00. No personal checks on C.O.D. - Shipping: \$4.00 shipping and handling on orders under \$150.00. Add \$2.25 for C.O.D. orders. In Canada total \$6.00 for shipping and handling. Foreign shipping extra. Calif. residents include 7% sales tax. All items guaranteed 30 days from date of delivery. No refunds or exchanges.

Prices subject to change without notice. Send SASE for free price list. Ateri is a reg. trademerk of Ateri Corp



COMPUTER SOFTWARE SERVICES

P.O. BOX 17660, ROCHESTER, N.Y. 14617 ATARI PHONE (716) 467-9326

JUST RELEASED!

Super Archiver II"!

(for ATARI 1050 drives)

NOW! COPYS all ENHANCED DENSITY programs plus retains all of the features of our World Famous SUPER ARCHIVER! (see below). Allows you to COPY or CREATE single or ENHANCED density protection schemes (including PHAN-TOM SECTORS!). Completely automatic; compatible with the BIT-WRITER!; the ULTIMATE BACKUP/PROGRAMING device! Only \$99.95 plus \$4 S/H/I.
NOTICE! If you already own a SUPER ARCHIVER!, you can upgrade to a SUPER ARCHIVER II for only \$29.95 plus \$4 S/H/I (disk only - no additional hardware required!).

THE

"SUPER ARCHIVER"!® \$69.95 \$69.95 (for ATARI 1050 drives)

The new SUPER ARCHIVER, obsoletes all copying devices currently available for the ATARI 1050! It eliminates the need for Patches, PDB files, Computer Hardware, etc. Copies are exact duplicates of originals and will run on any drive; without exaggeration, the SUPER ARCHIVER is the most powerful PROGRAMMING/COPYING device available for the 1050! Installation consists of a plug-in chip and 6 simple solder connections. Softwares included. Features are:

- TRUE DOUBLE DENSITY
- ULTRA-SPEED read/write FULLY AUTOMATIC COPYING
- SUPPORTS EXTRA MEMORY
- SCREEN DUMP to printer TOGGLE HEX/DEC DISPLAY SECTOR OF TRACK TRACING
- AUTOMATIC DIAGNOSTICS
- DISPLAYS HIDDEN PROTECTION
- ADJUSTABLE/CUSTOM SKEWING AUTOMATIC SPEED
- COMPENSATION
- AUTOMATIC/PROGRAMMABLE PHANTOM SECTOR MAKER

ARCHIVER/HAPPY ARCHIVER COMPATIBLE

- . BUILT-IN EDITOR-reads, writes, displays upto 35 sectors/track
- BUILT-IN CUSTOM FORMATTER upto
- 40 sectors/track
 BUILT-IN DISASSEMBLER
- **BUILT-IN MAPPER upto 42 sectors/**
- **DISPLAYS/COPIES** Double Density **HEADERS**
- AUTOMATIC FORMAT LENGTH CORRECTION . SIMPLE INSTALLATION

The SUPER ARCHIVER is so POWERFUL that the only programs we know that can't be copied are the newer ELECTRONIC ARTS and SYNFILE/SYNCALC (34 FULL sectors/track). If you want it ALL... buy the "BIT-WRITER"! also. you'll be able to copy even these programs! Only \$69.95 plus \$4 S/H/I.

DEALER/DISTRIBUTOR/USER GROUP Discounts available call for info. PHONE Orders - MASTER CARD, VISA MAIL - Money Orders, Checks.

ATARI

\$79.95

My

THE SUPER ARCHIVER "BIT-WRITER"!

The Super Archiver "BIT-WRITER"! is capable of duplicating even the "uncopyable" EA and SYN series which employ 34 FULL sectors/tracks. "BIT-WRITER" is capable of reproducing these and FUTURE protection schemes of non physically damaged disks. PLUG-IN circuit boards and 4 simple solder connections. The SUPER ARCHIVER with "BIT-WRITER"! is the ultimate PROGRAMMING/COPYING device for Atari 1050's EXACT DUPLICATES of originals are made! Copies run on ANY drive. Must be used with Super Archiver. Only \$79.95 plus \$4 \$/H/I.

\$69.95

"ULTRA SPEED PLUS"

Imagine a universal XL/XE Operating System so easy to use that anyone can operate it instantly, yet so versatile and powerful that every Hacker, Programer and Ramdisk owner will wonder how they ever got along without it! Ultra Speed Plus puts unbelievable speed and convenience at your fingertips. Use **ANY DOS** to place an ULTRA SPEED format on your disks, boot any drive (1-9) upon power-up, format your RAMDISK in Double Density, activate a built-in 400/800 OS for software compatibility, plus dozens of other features to numerous to mention! Below are just a FEW features you'll find in the amazing OS:

- · ULTRA Speed SIO for
- most modified drives

 ULTRA Speed is toggleable

 Boot directly from RAMDISK
- Special timer circuits not required for 1 or 2 Meg upgrades
- Background colors adjustable Reverse use of **OPTION** key Cold-start without memory
- Built in floppy disk configura-tion editor (1-9)
- · Built in RAMDISK configuration editor (1-9)

 • RAMDISK exactly duplicates
- floppy drive so sector copy-ing and sector editing are now possible
- Built in MINI Sector Copier Toggle SCREEN OFF for up to 40% increase of processing speed
- Toggle internal BASIC
- Rom resident disk loader program (MACH 10 menu)
 DOUBLE DENSITY RAMDISK
- capable
 Entire MEMORY test that pinpoints defective RAM chip
- Boot any drive (1-9) upon power-up or cold-start
- Supports memory upgrades up to TWO MEGABYTES
- one (XL/XE, 400/800, ULTRA SPEED PLUS)

\$29.95

"XF551 ENHANCER!"

\$29.95

The XF551 Atari drive is a fine product with one major flaw...it writes to side TWO of your floppy disks BACKWARDS. This causes read/write incompatibility problems with all other single sided drives made for Atari such as Indus, Trak, Rana, Percom, Astra, Atari 1050, Atari 810, etc. Add the XF551 ENHANCER to the new XF551 drive and your problems are over! This device will restore 100% compatibility while retaining original design qualities of Ataris' super new drive. The XF551 ENHANCER is a MUST for all XF551 Owners. Installation is simple. Only \$29.95 plus \$4 S/H/I.

THE "QUINTOPUS!" \$39.95 \$39.95

The "QUINTOPUS!" is an inexpensive device that provides a tremendous amount of convenience while eliminating the problems associated with the endless "daisy-chaining" of peripherals (eg: drives, interfaces, printers, modems, cassettes, etc.). The "QUINTOPUS!" is an I/O port expander that converts a single I/O output/input into five additional outputs/inputs. Instead of daisy-chaining all of your peripherals (which often times results in passing a signal through 30 feet or more of cable!), the "QUINTOPUS!" allows each device to be connected directly to the computers through only three or four feet of cable. This is particularly useful when attempting to use ULTRASPEED or WARPSPEED data transfer rates. The "QUINTOPUS!" also provides the "extra" I/O ports often needed to connect devices not having daisy-chaining capabilities. Cable resistance and compacitance are greatly reduced thereby significantly improving the opportunity of accurate data transfers! Only \$39.95 plus \$4 S/H/I.

\$59.95 THE "QUINTOPUS!" \$59.95 WITH SWITCHABLE PORTS

This Deluxe version of the "QUINTOPUS!" has all of the above features with the additional benefits of two SWITCHABLE PORTS! This means you can connect two computers to one printer or two printers to one computer; you can switch in a computer/printer combination and while your printing out a long document, switch in a second computer to access a modem, disk drive, cassette deck, etc! Switch multiple combinations of peripherals or computers without the hassel of re-arranging I/O cables simply flip a switch! Only \$59.95 plus \$4 S/H/I.

FIRE SALE!

Recently, one of the adjoining stores to our offices/warehouse had a fire which forced us to re-locate. A large quantity of our software/hardware/documentation suffered heat/smoke/ water damage. We salvaged as much as possible and are offering these items to you at ridiculously LOW PRICES. All items are fully warrantied. NO COD's - Cash, Bank Checks, Money Orders, VISA or MASTER CARD. ALL SALES FINAL. Quantities are limited.

	NORMALLY	FIRE SALE
1. PILL (minus epoxy and shell)	\$ 70	\$ 19
2. SUPER PILL (minus epoxy and shell)	80	22
3. XL FIX (DISK)	50	10
4. XL FIX ROM	70	19
5. ULTRA MENU/DOS	30	19
DISKCRACKER (Newest version)	50	19
7. ELECTRONIC PHANTOM SECTOR MAKER DELUXE	60	35
8. RICHMANS 80 COLUMN WORD PROCESSOR	60	29
MIRACLE (Disk only Version of Impossible)	70	19
10. THE GUARDIAN	40	15
11. IMPOSSIBLE for 800 or 800XL (Kit)	150	49
12. IMPOSSIBLE for 800 or 800XL (Wired)	150	69
13. XL MATE	30	15
14. COMPACTOR	30	15
15. KLONE II (Generic HAPPY backup)	100	75
16. SILENCER	30	19
17. TRANQUILIZER	30	15
18. BLACK PATCH (MASTER)	50	25
19. BLACK PATCH DATA DISKS 1 & 2	20	10
*Order 5 items or more and we will pay the freia	htl	

Order 5 items or more and we will pay the freight!

These SPECIALS are for C.S.S. customers only - NO DEALER DISCOUNTS - NO RAINCHECKS - LIMITED QUANTITIES

*SHIPPING! Add \$4 for Shipping/Handling/Insurance within the U.S.A. UPS BLUE LABLE (2nd DAY AIR) available for \$3 extra per shipment.

CALL TODAY! (716) 467-9326 COMPUTER SOFTWARE SERVICES 9 am - 5 pm (EST) WEEKDAYS P.O. Box 17660 Rochester, N.Y. 14617




First Look Inside XE Game System. Page 42


FEATURES

AUGUST 1988, VOL. 7, NO. 4

- 22 NUMBERPRINT by Marc Escola Dollars and cents where you want them
- 24 CLASSIC CARTRIDGES II by Matthew Ratcliff Ms. Pac-Man, Donkey Kong Jr., Dig Dug and more. . .
- 26 POWER MANAGER X-10 by Charles Cherry Atari home controller connection
- 42 FIRST LOOK INSIDE XE GAME SYSTEM by Matthew Ratcliff XEGS hardware surprises revealed
- 43 XE-GM1 RAMDRIVE by Matthew Ratcliff Review of first 128K upgrade for XEGS







DEPARTMENTS

- SUPER DISK BONUS
- 9 KEYED-UP! by Raymond Citak Musical ear training . . . along with laughs! GAME OF THE MONTH
- 17 BLACK BOX by Kenneth Arromdee Rays that probe the unknown! **EDUCATION**





- 19 PRESCHOOLERS' NEW SOFTWARE GUIDE by Gregg Pearlman Rating 37 Atari 8-bit educational games FEATURE APPLICATION
- 20 BSRk by Walter Lazear Home control for both ST and 8-bit 8-BIT PRODUCT REVIEWS





- 41 SILICON DREAMS, SIX-SYSTEM BOX
- 64 TECH TIPS: Window Opener, Partial Screen Clear, Fast Cursor

SOFTWARE LIBRARY

29 TYPE-IN LISTINGS SECTION

ST RESOURCE


21 ST BSRk by Charles Jackson GEM home control in GFA BASIC


BSRk. Page 21

- 49 ST EDUCATIONAL SOFTWARE by Jim Pierson-Perry ABZoo, Invasion, Preschool KidProgs
- 51 ST NEW PRODUCTS
- **52 ST GAMES GALLERY**

Gunship, Gone Fish'n, GFL Football, Alien Fires

- 54 PROLONG ST MOUSE LIFE by Patrick McShane One school's maintenance method
- 55 HARD-DISK BACKUPS by Martin Brown Pros and cons of different methods
- 56 POWER ADD-ONS FOR GFA BASIC 3-D graphics plus a treasure of turbo routines
- **60 ST TOOLBOX** dBMan 4.0, OmniRes






Prolong ST Mouse Life. Page 54

- 4 MASTHEAD
- 4 IO BOARD
- 33 CATALOG
- 11 NEW PRODUCTS

- **61 SHOPPERS MARKET**
- **62 CLASSIFIED ADS**
- **63 ADVERTISERS LIST**
- **64 TECH TIPS**





Publisher James Capparell Associate Publisher John Taggart

Editorial

Nat Friedland, Editor; Charles Jackson, Technical and Online Editor; Gregg Pearlman, Assistant Editor; Heidi Brumbaugh, Programs Editor; Carolyn Cushman, Editorial Assistant.

Contributing Writers Charles Cherry, Harvey Bernstein, Stephen Everman, Marian Lorenz, Bill Marquardt, Lt. Cmdr. Rich Moore, Allan Moose, Steve Panak, Jim Pierson-Perry, David Plotkin, Paul Pratt, Matthew Ratcliff, Stephen Roquemore, Jeffrey Summers MD, Rick Teverbaugh.

Art Gregory Silva, Art Director: Iim Warner. Design/Production Manager; Debra Stella, Ad Production Coordinator; Julianne Ososke, Collateral Printing Coordinator; Mary Rhomberg Peloquin, Contributing Artist; Terrific Graphics, Typesetting.

Circulation

Manny Sawit, Director; Dixie Nicholas, Subscription Coordinator; Dennis Swan, Distribution Coordinator.

Antic Publishing, Inc.

James Capparell, President and Chairman of the Board: Donald F. Richard and Richard D. Capparella, Directors; Lee Isgur, Advisor to the Board; John Taggart, Associate Publisher; John Cady, Controller; Jack Powell, Product Development; Lisa W. Kipp, Catalog Sales; Ken Warner, Retail Sales; Scot Tumlin, Technical Support; Lorene Kaatz, Credit and Collections Manager; Evelyn Heinzman, Accounts Payable; Brenda Oliver, Accounts Receivable; Juliah Cook, Administrative Assistant

Advertising Sales Gail McCall, Advertising Sales Coordinator (For Area Sales Representatives, see page 79.)

> General Offices (415) 957-0886 Antic, 544 Second Street San Francisco, CA 94107

Credit Card Subscriptions & Catalog Orders (800) 234-7001 Visa or MasterCard only!

> Dealer Sales (800) 234-7123

Subscription Customer Service (614) 383-3141 Antic, P.O. Box 1919, Marion, OH 43306

August, 1988, Volume 7, Number 4

Antic—The Atari Resource (ISSN 0745-2527) is published monthly by Antic Publishing. Editorial offices are located at 544 Second Street, San Francisco, CA 94107. ISSN 0745-2527. Second Class Postage paid at San Francisco, California and additional mailing offices. POSTMASTER: Send address change to Antic, The Atari Resource, P.O. Box 1919, Marion, OH 43306.

Subscriptions: One year (12 issues) \$28. Canada and Mexico add \$8, other foreign add \$12. Disk Edition (12 issues with disks) \$59.95, all foreign add \$25. (California residents add 6½ % sales tax for disk subscriptions

Editorial submissions should include text and program listings on disk and paper. Submissions will be returned if stamped, self-addressed mailer is supplied. Antic assumes no responsibility for unsolicited editorial material.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Antic is a registered trademark of Antic Publishing, Inc. An Information Technology Company Copyright ©1988 by Antic Publishing All Rights Reserved. Printed in USA.

XL/XE-ONLY CARTRIDGES

The June 1988 Antic review of Atari's 12 New Entertainment Cartridges erred in claiming that all new cartridges work on any Atari 8-bit computer. Some current releases require XL/XE models-or a previous Atari upgraded to at least 64K memory.

So far, the new generation of Atari game cartridges that need a minimum of 64K memory are: Flight Simulator II, Lode Runner, Hardball, One on One, Fight Night, David's Midnight Magic and the upcoming Food Fight.

WORDPERFECT HANGS IN

Despite any recent rumors, WordPerfect Corp. has not announced that we are withdrawing from the Atari market and have no current plans to do so. We do have some concerns about piracy, but they are not limited exclusively to the Atari market.

We have long held the philosophy that copy protection is an unacceptable solution to piracy problems. We believe that most people are honest and we feel that it is inappropriate to penalize them for the actions of the smaller group of dishonest people. I too have felt the frustration of having a copy-protected disk become "unreadable," not to mention the inconvenience to hard disk owners. The decision to make this a corporate policy was made several years ago when we were contemplating what to do about the IBM PC market.

> Dan Lunt Vice President, Marketing WordPerfect Corporation

XMM801 V-GRAPH FIX

I recently subscribed to your magazine and just received your Best of Antic disk as a bonus-and I found a program I could use right away. V-Graph was just what I needed to complete a report.

The program isn't compatible with the Atari XMM801 printer, but the fix is easy. Change line 690 to:

690 FOR U=0 TO 39:? #3; CHR\$(27);"V";CHR\$(128);CHR\$(1); David Schoch Scotia, NY

WRITE-IN WORKED

Thanks to Antic's "Write a letter to Springboard" campaign, I now own the Newsroom program and have made my first newsletter with it. Newsroom works fine with my Atari 130XE and the documentation is great. The program is very easy to use.

I certainly hope that Atari XL/XE owners will support this fine product. The entire package with the three Clip Art disks costs only \$74.99 including shipping. It's well worth the money and will work with almost any dot-matrix printer.

Thanks to Antic, another fine software product is now available for the Atari 8bit computer. Keep up the good work.

> Frank Carey Troy, MI

64K NEEDED

In the May 1988 Antic, the review of Guild of Thieves says that it requires 48K and a disk drive. This isn't true—it requires not only 64K, but an Atari 1050 disk drive or equivalent. Many titles from Mindscape and Datasoft also require 64K memory.

> David Patnychuk Greencastle, PA

AUTOTYPO UPGRADE

When typing in Antic programs, I use AutoTYPO (Antic, November 1986) so I don't have to look back and forth at the monitor to see if the TYPO codes match. It significantly reduces typing time. However, there is one minor flaw.

If, after entering the TYPO code, you type in a program line but forget the line number, no warning occurs, and you might finish typing in the program without ever realizing your mistake. This can be corrected if you add the following line:

32115 IF LINE\$(1,1)<CHR\$(49) OR LINE\$(1,1)>CHR\$(57) THEN SOUND 0.95,10.8:FOR X=1 TO 75:NEXT X:SOUND 0,0,0,0:B=0

The TYPO code for that line is WV. Now, when you forget the line number, a pleasant tone alerts you to re-enter the line properly.

> Gary Coppola Budd Lake, NJ

PADDLE PRAISE

Recently I became acquainted with Baudville's Blazing Paddles (reviewed in Antic, January 1987) and Shapes and Fonts. They're truly amazing. With the help of Baudville employee Faye Vanden Berge, I've discovered so many things Blazing Paddles can do. I can't begin to give Blazing Paddles all the praise it deserves.

> Fave Hanners Linden, MI

RIBBON REVIVAL

Computer users sometimes find that their printers are no longer supported or the ribbons are either hard to find or too expensive to replace. Here's a quick and easy fix:

You can find inexpensive ink rollers at stores that sell calculators and typewriters. Purchase one that's the approximate width of your printer ribbon. Apply a little glue to the side of the ribbon cartridge where

the ribbon passes through after passing the print head. Position the ink roller so that it just touches the ribbon as it returns to the cartridge. As the printer works, the ribbon runs over the ink roller and enters the cartridge where the ink soaks into it. By the time the ribbon leaves the other end of the cartridge, it has a fresh new covering of ink that continues to renew itself as long as the ink roller remains inked. On overused, dried-out ribbons, this works better if you run the printer's self-test for one or two pages.

> William Culver Shickshinny, PA

RAM ON

When I bought AtariWriter Plus over a year ago, I was dismayed that I couldn't run it from a RAMdisk because the program always wanted the Mail Merge and Proofreader programs on drive 1. However, I booted MYDOS, and though my disk was already configured for a D8: RAMdisk, I set the RAMdisk to drive 1 with the Omniview 256K "Install 1" RAMdisk

To my surprise, my physical D1: and D2: were kicked up to D2: and D3:-I still don't know if this was done by Omniview or MYDOS. Then I copied all the AtariWriter Plus files (except DOS.SYS and DUP.SYS) onto the RAMdisk and placed the AtariWriter Plus disk into my physical drive 1-now D2:. Then I ran AUTO-RUN.SYS from the RAMdisk. The program booted at lightning speed and made a quick check of the physical drive to verify the copy protection. Then it was ready to

Even more suprisingly, I found that while under the control of AtariWriter Plus, the two physical drives were treated as D1: and D2:, but when I selected Proofreader or Mail Merge, they loaded instantly from the RAMdisk, and returned

continued on page 8

B&C_{ComputerVisions}

3257 Kifer Road Santa Clara, CA 95051 (408) 749-1003

STORE HOURS TUE - FRI 10am - 6pm SAT - 10am - 5pm CLOSED SUN - MON

SUPER SPECIALS RECONDITIONED ATARI MERCHANDISE All merchandise has been tested and reconditioned and is in like-new condition except where noted by the letter "B" after the price. The "B" price indicates product may have scratches or other superficial surface marks. 30 day warranty.				
ATARI TRAK BALL \$9.95 A	ATARI SPACE AGE JOYSTICK	STANDARD ATARI JOYSTICK \$4.50 A	1020 COLOR PLOTTER/PRINTER \$29.95 A 40 Columns wide	\$19.95 each (on cartridge) Ball Blazer Battle Zone Blue Max Fight Night Hardball Jungle Hunt Pole Position Galaxian
SPICE UP THE ACTION IN YOUR ARCADE GAMES!	\$5.00 A GUN TRIGGER ACTION!	STOCK UP ON A FEW SPARES	Includes paper and color pen set	Pole Position Galaxian Millipede Dig Dug Ms. Pac Man Final Legacy
400 (16K) COMPUTER \$29.95 A	600XL (16K) COMPUTER \$49.95 A	800 (48K) COMPUTER \$79.95 A	NUMERIC KEY PAD \$7.95 A	850 INTERFACE \$89.95 A
48K UPGRADE KIT \$25.00	64K UPGRADES \$19.95 - solder in \$34.95 - plug in	INCL. BASIC CART & MANUAL	INCL. HANDLER DISK USE WITH THE BOOKKEEPER AND BASIC	LIMITED SUPPLY
1030 MODEM WITH EXPRESS \$29.95 A GET ON-LINE TODAY!	\$5.00 each (on cartridge) Basic Rev. A Donkey Kong Missile Command Pac Man Star Raiders Music Composer	810 DISK DRIVE \$120.00 A INCLUDES POWER SUPPLY, I/O CABLE & DOS 2	ATARI BOOKKEEPER \$14.95 - NO BOX (\$19.95 WITH RECON KEYPAD) \$24.95 - IN BOX (\$29.95 WITH RECON KEYPAD)	DISKETTES AS LOW AS 20 CENTS 10 FOR \$4.00 1000 FOR \$29.00 1000 FOR \$200 MOST ARE UNNOTCHED WITH OLD SOFTWARE

SHIPPING INFORMATION - Prices do not include shipping and handling. Add \$5.00 for small items (\$8.00 Min. for Canada). Add \$8.00 for disk drive. Calif. res. include 7% sales tax. Mastercard and Visa accepted if your telephone is listed in your local phone directory. Orders may be pre-paid with money order, cashier check, or personal check. Personal checks are held for three weeks before order is processed. C.O.D orders are shipped via UPS and must be paid with cash, cashier check or money order. International and APO orders must be pre-paid with cashier check or money order. \$20.00 minimum on all orders. All sales are final - no refunds - prices are subject to change. Phone orders accepted TUESDAY THROUGH FRIDAY from 10:00 am to 6:00 pm PST.

We carry a complete line of ATARI products and have a large public domain library. Write or call for free catalogue. (408) 749-1003 TUE - FRI 10AM - 6 PM

Lyco Computer Marketing & Consultants

Since 1981

Air Orders Processed Within 24 Hours

Lyco Means Total Service.



Mark "Mac" Bowser, Sales Manager

I would personally like to thank all of our past customers for helping to make Lyco Computer one of the largest mall order companies and a leader in the industry. Also, I would like to extend my personal invitation to all computer enthusiasts who have not experienced the services that we provide. Please call our trained sales staff at our toll-free number to inquire should not diverse profuct line and weekly excelled. about our diverse product line and weekly specials.

First and foremost our philosophy is to keep abreast of the changing market so that we can provide you with not only factory-fresh merchandise but also the newest models offered by the manufacturers at the absolute best possible prices. We offer the widest selection of computer hardware, software and accessories.

Feel free to call Lyco if you want to know more about a particular item. I can't stress enough that our toll-free number is not just for orders. Many companies have a toll-free number for ordering, but if you just want to ask a question about a product, you have to make a toll call. Not at Lyco. Our trained sales staff is knowledgeable about all the products we stock and is happy to answer any questions you may have. We will do our best to make sure that the product you select will fit your application. We also have Saturday hours — one more reason to call us for all your computer needs.

Once you've placed your order with Lyco, we don't forget about you. Our friendly, professional customer service representatives will find answers to your questions about the status of an order, warranties, product availabili-

Lyco Computer stocks a multimilion dollar inventory of factory-fresh merchandisa. Chances are we have exactly what you want right in our ware-house. And that means you'll get it fast, in fact, orders are normally shipped within 24 hours. Free shipping on prepaid orders over \$50, and there is no deposit required on C.O.D. orders. Air freight or UPS Blue/fied Label shipping is available, too, And all products carry the full manufacturers' warranties.

I can't see why anyone would shop anywhere else. Selection from our huge in-stock inventory, best price, service that can't be beat—we've got it all here at Lyco Computer

TO ORDER, CALL TOLL-FREE: 1-800-233-8760 New PA Wats: 1-800-233-8760 Outside Continental US Call: 1-717-494-1030

Hours: 9AM to 8PM, Mon. - Thurs. 9AM to 6PM, Friday — 10AM to 6PM, Saturday

For Customer Service, call 1-717-494-1670, 9AM to 5PM, Mon. - Fri. Or write: Lyco Computer, Inc. VISA" P.O. Box 5088, Jersey Shore, PA 17740

C.O.D. Risk-Free Policy: • full manufacturers' warranties • no sales tax outside PA • prices show 4% cash discount; add 4% for credit cards • APO, FPO, international: add \$5 plus 3% for priority • 4-week clearance on personal checks • we check for credit card thetf • sorry, compatibility not guaranteed • return authorization required • due to new product guarantee, return restrictions apply • price/availability subject to change • prepaid orders under \$50 in Continental US, add \$3.00

JL ATARI **520 ST Computer**

 Built-in Drive

Thomson 4120 Monitor



JL ATARI

1040 ST Color System



HEADSTART

COLOR SYSTEM

- plug in and use immediately IBM-XT compatible
- 2-360K Drives
- Free 1-year limited warranty



*includes color monitor

HANDWANE	
520ST FM Mono	95
520ST FM Color	95
1040ST Mono\$799.9	95
1040ST Color \$975.9	95
130XE Computer\$139.5	95
SX 551 Drive\$174.9	
SF 314 Disk Drive\$219.9	
SHD 204 20 Meg Drive\$579.9	95
	520ST FM Mono \$6 / 5. 520ST FM Color \$6 99. 1040ST Mono \$799. 1040ST Color \$975. 130XE Computer \$139. SX 551 Drive \$174.

/ ATARI

520 ST-FM Monochrome System



JL ATARI

1040 ST Mono System



THOMSON © 4120 Monitor

- 14" RGBI/video composite/analog
- Compatible with IBM and Commodore
- RGB data cable





ST 225 20 Meg Hard Drive.... ST 251 40 Meg Hard Drive......\$349.95 *DTC Controller Kit for PC/XT \$ 39.95 ST 238 30 Meg Hard Drive \$245.95* **DTC RLL Controller Kit for PC/XT ST 125 20 Meg 3.5 Hard Drive...\$239.95 ST 125 20 Meg Internal Card

Add \$10.00 for Western Digital Controllers

-800-233-8760



NX-1000

- 144 cps Draft
- 36 cps NLQ
 EZ Font Panel
- Control

\$16995

NX-1000 Rainbow Color Printer \$225.95 SEIKOSHA

SP-180AI



- ●100 cps Draft
- 20 cps NLQ
 Std. Par, and IBM Graphics
 - Compatible

Panasonic

1091i Model II

- 192 cps Draft

 32 cps NLQ



(2-Year Warranty)

PRINTERS

Seikosha	
SP 180Ai	\$129.95
SP 180VC	\$129.95
SP 1000VC	\$139.95
SP 1000AP	. \$169.95
SP 1200VC	. \$155.95
SP 1200Ai	. \$165.95
SP 1200AS RS232	. \$165.95
SL 80Ai	\$329.95
MP5420FA	\$1079.95
SK3000 Ai	
SK3005 Ai	. \$419.95
SPB 10	\$CALL
SL 130Ai	. \$599.95

Epson LX800 \$185.95 FX86E \$279.95 FX286E ... \$424.95 EX800 ... \$399.95 LQ500 .. \$339.95 \$819.95 LQ2500 LQ850 \$525.95 LQ1050 \$715.95

Panasonic

	1080i Model II	\$169.95
	1091i Model II	\$195.95
	1092i	\$299.95
	1592	\$409.95
	1595	\$459.95
	3131	
	3151	\$479.95
	KXP 4450 Laser	\$1649.95
	1524 24 Pin	
í	Fax Partner	

Citizen

· · · · · · ·	
120 D	\$169.95
180 D	\$189.95
MSP-40	\$309.95
MSP-15	\$349.95
MSP-50	\$399.95
MSP-45	\$459.95
MSP-55	\$539.95
Premiere 35	\$499.95
Tribute 224	\$649.95
Tribute 124	\$489.95

Panasonic



1092i

- 240 cps Draft 48 cps NLQ
- Adjustable Push Tractor

Okidata

\$129.95
\$189.95
\$189.95
\$219.95
\$209.95
\$225.95
\$249.95
\$339.95
\$449.95
\$449.95
. \$585.95
\$819.95
\$955.95

Tachiha

IUSIIIDa	
321SL	\$489.95
341 SL	\$659.95
P351 Model II	\$899.95
351 SX 400 cps 5	1019.95

STAR

SIMI	
NX-1000	\$169.95
NX-1000C	\$179.95
NX-1000 Color	\$225.95
NX-1000C Color	\$229.95
NX-15	\$309.95
NR-10	\$339.95
NR-15	\$439.95
NB-15 24 Pin	\$699.95
NB24-10 24 Pin	\$399.95
NB24-15 24 Pin	\$579.95
Laser 8	\$CALL

Brother

M1109	\$164.95
M1709	\$475.95
Twinwriter 6 Dot &	
Daisy	\$899.95
M1724L	\$619.95
HR20	\$345.95
HR40	\$599.95
HR60	\$709.95

MATARI

ACCESS

JL ATARI'ST JL ATARI'ST

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Triple Pack	\$11.95
Leader Board Pack	. \$9.99
Activision:	
Music Studio	\$19.95
Solid Gold Vol.#1	
Batteries Included:	
Paperclip 80 Col	\$31.95
Broderbund:	
Print Shop	\$25.95
Print Shop Compan	\$22.95
Graphic Lib. I, II, III	
Bank St. Writer	
Electronic Arts:	
Pinball Con Set	\$8.95
Lords of Conquest	
Starfleet I	
Chess Master 2000	
Microleague:	
Microleag. Baseball	\$22.95
General Manager	\$16.95
Stat Disk	
Microprose:	

Conflict in Vietnam \$22.95

F-15 Strike Eagle \$19.95

Kennedy Approach \$13.95 Silent Service \$19.95 Top Gunner \$13.95

Battle of Antetiem \$28.95

Strategic Simulations:

Access:	
Leader Board	
Tournament #1	. \$11.95
10th Frame	. \$22.95
Activision:	
Champion. Baseball	. \$22.95
GFL Football	. \$22.95
Music Studio	. \$27.95
GBA Basketball	. \$22.95
Beyond Zork	\$28.95
Zork Trilogy	\$27.95
Broderbund:	
Superbike Challenge .	\$11.95
Electronic Arts:	
Arctic Fox	\$25.95
Starfleet I	\$32.95
Chess Master 2000	\$25.95
Gridiron	\$32.95
Marble Madness	\$23.95
Ерух:	
Sub Battle Simulator .	\$22.95
World Games	\$22.95
Wrestling	\$11.95
Winter Games	\$11.95
Firebird:	
Pawn	\$13.95
Starglider	

Golden Path \$11.95

Guild of Thieves \$25.95

Timeworks:	
Wordwriter ST \$44.9	5
Partner ST \$27.9	
Data Manager ST \$44.9	5
Unison World:	
Art Gallery 1 or 2 \$14.9	5
Print Master \$19.9	5
Fonts & Borders \$17.9	5
Art Gallery Fantasy \$13.9	5
Microleague:	
Microleague Baseball \$33.9	5
General Manager \$16.9	5
Wrestling \$25.9	15
Microprose:	
Silent Service \$22.9	15
F-15 Strike Eagle \$24.9	95
Gunship \$28.9	95
Strategic Simulations:	
Phantasie \$22.9	95
Phantasie II \$22.9	95
Wargame Con. Set \$19.9	95
Phantasie III \$22.9	95
Sublogic:	
Flight Simulator II \$30.9	35
Scenery Disk \$14.9	
Here are opportunities to enjoy below cost savings	on
items currently not in	
production due to newer	
replacement models. Call for updated product list.	
species present non	

Monitors

Thomson

230 Amber TTL/12"	. \$79.95
4120 CGA	\$219.95
4160 CGA	\$254.95
4460 EGA	\$349.95
GB 200 Super Card	\$184.95
4570	\$399.95

NEC

Multisync	II	 \$589.95

Blue Chip

BCM	12"	Green	TTL	 \$64.9
всм	12"	Amber	TTL	 \$69.9

Magnavox

	BM7652 .	\$7	79.95
	BM7622 .	\$7	79.95
	7BM-613	\$7	75.00
	7BM-623	\$7	79.95
	CM8502 .	\$17	79.95
	CM8505 .	\$19	99.95
	9CM-053	\$30	39.95
	CM8762 .	\$23	39.95
1	8CM-515	\$24	49.95
	CM9043 .	\$32	29.95
í	0014 072	CAI	20 05

Modems

Avatex

1200e	\$69.95
1200i PC Card	\$69.95
1200hc Modem	\$89.95
2400	\$179.95
2400i PC Card	\$169.95

Hayes

Smartmodem 300	\$149.95
Smartmodem 1200	\$285:95
Smartmodem 2400	\$425.95

95 Avatex



with cable purchase continued from page 5

instantly when I selected the return option.

The Proofreader needs to have the dictionary disk in the physical drive, so I would appreciate it if anyone could tell me how to use MYDOS (or any other DOS) to partition my Newell 256K XL into two RAMdisks so I can run the dictionary disk from RAM too.

John Kolak Fort Polk, LA

BIO A+

I used *MegAnimator* (Antic, February 1988), *Mr. Smoothy* and *Big Letters!* (March 1988) and *UltraFont* (August 1986) to create a project for my biology class. Using the VCR hookup instructions in *Big Letters!*, I brought in a videotaped show and got an A+, for which I think Antic deserves some credit.

Tim Kirby Pittsburgh, PA

SOLAR ATARI

Our home is in a secluded National Wildlife Refuge area and we electrify it including our 8-bit Atari system—with solar panels on a freon tracker. Two cannisters hold freon that travels from one to the other through a small tube. The sun's heat converts the freon from liquid to gas which rises to the higher cannister. Thus the tracker follows the sun across the sky, giving us the maximum power from our panels.

Our Heart Interface 1200X Inverter converts our 12 VDC to 110 VAC. This allows us to use our computer system as well as other 110VAC appliances. As long as the wattage of the appliance does not exceed the limit of the inverter and it is not something that must run for long periods of time, like a freezer, you can use anything you'd usually use in the home.

The big problem of this system is that we have to be very careful about what we use after sunset. Our battery bank holds about 840 amp hours of power. The less

you drain them, the longer the batteries last, so we try to be careful and not use many 110VAC things in the evening, including our 130XE, Indus disk drive and Panasonic printer.

The meter box on one of our doors is our control center for all our power. It controls the changing of our batteries so they don't get overcharged (which can ruin them real fast!). It also serves as our fuse box, just like the one in an average house. Every line that runs to different parts of our house is fused as it goes to the box. The batteries are connected to the box also as our "power line." We can shut the whole system down or just shut off the house power, or the solar panels, or whatever.

Ron and Mary Kearns Arizona

WEFAX OVERSEAS

I live in West Germany. Regarding *Weather Maps from Space* (Antic, September 1986), is it possible for me to receive WE-FAX signals overseas?

Brandon Zanone APO NY

Yes! Here are some books to belp you find the signals. The New Weather Satellite Handbook by Dr. Ralph Taggart is the definitive text on WEFAX. It's available from the author for \$12.50 (add \$2 for orders outside the U.S. Write: Dr. Ralph Taggart, 602 S. Jefferson, Mason, MI 48854. The Shortwave Facsimile Frequency Guide is available for \$14.95 from: University Electronics, Inc., 4555 Groves Road, Suite 13, Columbus, OH 43232.

The Weather Fax Guide is a free catalog from: Atlantic Surplus Sales, 3730 Nautilus Avenue, Brooklyn, NY 11224. But a free leaflet called the Weather Satellite Fact Sheet is a "must-have": Radio Nederlands, P.O. Box 222, Hilversum, The Netherlands.—ANTIC ED

PRAISE I.C.

I recently installed a 128K upgrade from Innovative Concepts for my 65XE. I read about it in an ad in **Antic**, December 1987.

continued on page 10



Best

Program—Any kind!
Article—Real experiences using power-upgraded Atari 8-Bit!



Runner-Up Prizes in Each Category ICD R-Time Clock/Calendar Cartridge plus SpartaDOS Construction Set

All entries MUST be received by August 1, 1988. Send to: Contest '88, Antic Magazine, 544 Second Street, San Francisco, CA 94107.

See Complete Contest Rules in June 1988 Antic or send self-addressed, stamped envelope to above address for Contest Rules Sheet.

Program By RAYMOND CITAK

Keyed-Up!

Musical ear training. . . plus laughs!

Antic's August 1988 Super Disk Bonus is a music education program disguised as a goofy game. Keyed-Up! gives you practice at hearing the difference between scales in major and minor keys. As you try to keep a bird from getting zapped on an electrified wire fence, you're actually learning the relationship between sounds and key signatures—those sharps or flats at the start of a musical composition.

Your joystick controls a bird flying above a roadside fence that consists of five wire strands representing the five lines of the treble staff. Between each fencepost is a key signature. There are 15 scrolling fence sections—seven with one to seven sharps, seven with one to seven flats, and one blank section with no sharps or flats.

As the bird starts flying, a letter indicating the first note of the scale appears at the lower center of the screen. Using the joystick, land the bird on the section of fence that shows the correct key signature for the scale and note indicated.



If you land correctly, you gain points and a new scale will be played. If you land on the wrong section of fence, watch the birdie—the fence is electrified! Play continues for three minutes.

You must listen carefully to the scale being played and try to tell the difference between the major and natural minor scales. There are three levels of difficulty and an online help screen that can be accessed anytime. Beginners should first play the major option, then the minor, to accustom their ears to the difference. The third note of the scale is the most important one to listen for.

The Keyed-Up! program consists of more than 100 sectors of assembly language code, which would be a mind-numbing chal-

lenge to type correctly. Author Raymond Citak is a piano instructor at the University of Wyoming in Laramie. He is a longtime Atari programmer making his first appearance in Antic.

Your August 1988 Antic Disk—featuring Keyed-Up! as well as every type-in program from this issue plus other special bonuses—will be shipped to you within 24 hours after receiving your order. Just phone Toll-Free to the Antic Disk Desk at (800) 234-7001. The monthly disk is only \$5.95 (plus \$2 for shipping and handling) on vour Visa or Master-Card. Or mail a \$5.95 check (plus \$2 shipping and handling) to Antic Disk Desk, 544 Second Street, San Francisco, CA 94107.

Programmers: Antic wants to see your most ambitious programs, even those too large or complex for printing as a type-in listing. High-quality programs in any language that has a runtime version are now eligible for consideration as a Super Disk Bonus.

This Month's Disk is FREE when you phone the Disk Desk to order your Antic 12-issue subscription for only \$59.95.

continued from page 8

I'm totally satisfied with the upgrade and IC's customer service. For the nominal price of \$29.95 I received all the parts I needed as well as easy-to-follow instructions. My thanks to a company which backs up Atari products with quality upgrades.

Alex Tatistcheff APO NY

JUNGLE RULES!

My personal net worth at forced retirement from *Entrepreneur Jungle* (Antic, March 1988) was \$110,322,048,793. I made my first \$1 billion at year 32, my first \$10 billion at year 34 and my first \$50 billion at year 39. Only twice was I convicted of racketeering—all other times, I was acquitted. Maybe I'll try the *real* stock exchange. Imagine the Wall Street Journal headline, "Kid Stock Whiz Sweeps Market—Credits it all to Antic Magazine!" Fred Beondo

STICK WRITER

We have two people here who are almost completely paralyzed after accidents, with minimal head and arm movement and no speech. Do you know of any Atari products that will help them communicate with other people? What we have in mind is a keyboard accessed by the joystick, allowing them to build sentences and activate a voice synthesizer or printer.

J.E. Lawton Invercargill Southland, New Zealand

Stick Writer (Antic, March 1986) is a joystick-driven word processor for the handicapped. It works with S.A.M. Handler (Antic, February 1985) to activate the S.A.M. software speech synthesizer which was widely sold several years ago. In order to save time in this emergency situation, we have sent a disk with the two Antic programs to you in New Zealand.—ANTIC ED

QUICK B

Is there a way to use Compuserve "Quick B" protocol when downloading from ANTIC ONLINE?

Bob Loconto CompuServe ID 73147,613

Not yet, we're still working on it.—ANTIC

Antic welcomes your feedback, but we regret that the large volume of mail makes it impossible for the Editors to reply to everyone. Although we do respond to as much reader correspondence as time permits, our highest priority must be to publish I/O answers to questions that are meaningful to a substantial number of readers.

Send letters to: Antic I/O Board, 544 Second Street, San Francisco, CA 94107.





MICROTYME

A DIVISION OF MICRO PERIPHERALS, INC.

P.O. BOX 369 • KETTERING, OHIO 45409

19

35

36

34 12

46

36

19

20 MILLE





ATARI		MODEMS	
ST's Calar or Mona	CALL	SX-212 - 300 / 1200 C/	ALI
Supra 20, 30, 60 Meg	CALL		
SH 204 20 Megabyte	CALL	AVATEX 2400 NEW CA	ALI
130 XE	CALL	SUPRA 2400 . CA	
XF-551 Disk Drive.	CALL		
1020 Color Printer / Plotter	. 29		
Power Supply 1050/551	19	INTERFACES	
Power Supply XE/XL	29	P:R: CONNECTION	69
Power Supply for Indus GT	23	SUPRA MICROSTUFFER (64K)	59
XEP-80 80 Column ¹ .	CALL	SUPRA/MPP 1150 CA	
		XETEC Graphix AT	
DDINITERO		Microprint	39
PRINTERS			
PANASONIC:		MONITORS	
KX-P1080i, 120 cps			90
KX-P1091i, 160 cps			95
KX-P1092i, 240 cps	339		99
KX-P110 Ribbon, Blk	9	IVAF Composite Color	99
STAR:			
NX-1000 OTHERS	CALL	ACCESSORIES	
	. CALL	Disk File (holds 1001) 51/4	
CITIZEN:		Power Strip, Spike & Surge	16
MSP-10	CALL	Epyx 500XJ Joystick	15
EPSON:		6' Atari Serial I/O Cable	
LX-86			
FX-286E	CALL	U.S. DOUBLER no DOS	29
			Ü
HOURS: M.	E Q a	m.0 nm EST	

PRINTER SUPPLIES MAILING LABELS, White, 500 pk. PAPER, Micro Perfs 500 shts.

8-BIT SOFTWARE

 WE CAN'T LIST 'EM ALL!

 Action
 4

 Action Tool Kit
 1

 Alternate Reality
 2

 Alternate Reality
 3

 Atari Writer Plus
 3

 Atari Writer 80
 3

 Auto Duel
 3

 Award Ware
 1

 B-Graph
 2

 Basic XE
 3

 Basic XL
 3

 Basic XL Tool Kit
 1

 Bop 'n' Wrestle
 2

 Champ LodeRunner
 1

Chessmaster 2000

F-15 Strike Eagle

Flight Simulator II

Scenery Disks

Fight Night

Fraction Action Gemstone Warrior Gettysburg 39 Gunslinge Hardball Hitchhiker's Guide Home Accountant 27 Karateka 18 Kıckstart Last V-8 Leader Board 22 Loderunner 46 Mastertype Mega Font II 16 Mercenary

Mercenary Data Disks

Millionaire

Moon Mist

Movie Maker

Music Const. Set

Scenery Disk Set (#1-6)

Never Ending Story NINJA Page Designer Paper Clip w/Spell Pawn Phantassie I or II Pinbalt Const. Set Planetarium 23 PrintShop PrintShop Companion . Graphics Libraries . PS Interface 18 R-Time-8 Cart 48 Racing Destruction Rambo XL 28 Reforger 88 Rubber Stamp 20 Silent Service 24 27 Sixgun Shootoul Sparta DOS-X Cart 49 ea 12 Speed King Spy vs. Spy I & II 21

Star Fleet

Strip Poker

Star Raiders II

Strip Poker Data Disks

Super Boulderdash

		-
	Syn-Calc	31
7	Syn-File Plus	31
)	Timewise	3
3	Top Gunner	. 17
5	Touchdown Football	. 11
ò	Trail Blazer	. 21
	Triple Pack	14
3	Tycoon	21
3	Typesetter	22
1	Ultima III, IV (CALL
ò	Video Poker	7
3	Video Vegas	
3	Wargame Const. Set	. 19
	Warship	. 39
}	Wizard's Crown	. 26
)	XLENT Word Processor	. 20
)	ZORK Trilogy	39

ST SOFTWARE

OVER 500 TITLES IN STOCK. LARGEST SELECTION IN THE COUNTRY!

HOURS: M-F 9 am-9 pm EST SAT 10 am-4 pm

TO ORDER, CALL TOLL FREE 1-800-255-5835

Ohio Residents, Order Status or Tech. Info, Call (513) 294-6236

13

ea 13

TERMS AND CONDITIONS

• NO EXTRA CHARGES FOR CREDIT CARDS! • We do not bill until we ship • Minimum order \$20 • C.O.D. - \$3.00 Ship/Handl. must be prepaid • Ohio residents add 6% sales tax • Please allow 3 weeks for personal or company checks to clear • Shipping/Handling: (Call for Quote). Hardware, minimum \$4.0 software and most accessories, minimum \$3.0 overright shippinent available at extra charge • We ship to Alaska, Hawaii, Puerto Rico (UPS Blue Label Only), APO, and FPO • Canadian orders, actual shipping plue \$5.0, minimum \$5.0 All defective products require a return authorization number to be accepted for repair or replacement • No free trials or credit • Returns subject to 15% re-stocking charge • Due to changing market conditions, call toll free for latest price and availability of product. FOR YOUR PROTECTION, WE CHECK CARD ORDERS FOR FRAUD.

New Products notices are compiled by the Antic staff from information provided by the products' manufacturers. Antic welcomes such submissions, but assumes no responsibility for the accuracy of these notices or the performance of the products listed.

N.E.R.D.S. BIOLOGY DISKS

(printing software) N.E.R.D.S. Software 18 Wendy Drive Farmingville, NY 11738 Requires Print Shop \$9.95 (\$16 for both), 48K disk (516) 698-0445

The first N.E.R.D.S. Biology Disk contains about 115 graphics relating to human and animal circulatory, digestive, endocrine, respiration and reproductive systems. The second disk has another 115 icons dealing with microbiology, insects, basic biochemistry and plants. These graphics can be printed out in different sizes and positions. Broderbund's Print Shop software is required.

AMYGDALA .

(newsletter) Amygdala P.O. Box 219 San Cristobal, NM 87564 \$15 for 10 issues (\$25 overseas)

Amygdala is a newsletter devoted exclusively to fractals and the Mandelbrot set. Each issue contains black and white illustrations of fractals, an extensive bibliography and reviews of fractal-generating computer programs. The optional \$15 slide supplement (\$25 overseas) consists of finely detailed color slides of fractals.

GATO =

(entertainment software) Atari Corp. 1196 Borregas Avenue Sunnyvale, CA 94088-3427 (408) 745-2000 \$22.95, 64K cartridge

You're the captain on a World War II GATO-class submarine, patrolling the South Pacific theatre. You've undertaken classified search, destroy and rescue missions in Atari's new cartridge conversion of **GATO** by Spectrum Holobyte. Positions, courses and maneuvers of your ship and others are calculated in real-time simulation. GATO also features 3-D perspective.

CROSS TOWN CRAZY 8

XLEnt Software P.O. Box 5228 Springfield, VA 22150 (703) 569-8881 \$19.95, 48K disk

Cross Town Crazy 8 is the classic card game with a new twist. You can play against as many as three computer opponents—or challenge your friends on line via modems. Cross Town Crazy 8 was written for both 8-bit and ST by longtime Antic contributor Patrick Dell'Era, author of Diskio Plus (December 1985).

NO THRILLS II

(disk drive interface) Irata Verlag USA 1272B Potter Drive Colorado Springs, CO 80909 (303) 596-0135 \$130

With a **No Thrills Interface**, you can hook up either an IBM-compatible or ST disk drive to your Atari 8-bit, gaining vastly increased capacity and speed at less expense. The No Thrills Interface is roughly the size of a printer interface.

ASTRONAUTS

(entertainment software) Bensley Consulting P.O. Box 301 217 West Walnut Westfield, IL 62474 (217) 967-5465 \$19.95, 48K disk

Astronauts is a kind of space travel trivia quiz compiled with Turbo BASIC. In this unprotected program, you can choose questions on the Mercury, Gemini, Apollo and Shuttle missions. For example: You're given an astronaut's name—which missions was he involved in?

HYPERDRIVE =

(disk drive) Wuztek 4521 Campus Drive, Suite 400 Irvine, CA 92715 (714) 733-0189 \$229, Atari XL/XE

HyperDrive stores 720K on a 3.5-inch disk and includes a printer interface with an 8K RAM buffer. Store more than eight times as much information on one XL/XE disk—running MYDOS, SpartaDOS or any DOS that can recognize and use the extra storage space. (Unfortunately, this doesn't include Atari DOS 2.0 and 2.5.) With the optional \$100 Hyperspeed cartridge, transfer speed increases to 150,000 baud.

ADLINE BBS MARKETING

(online service)
Reamer-Williams and Associates
4131 S.W. Viewpoint Terrace, Suite 1
Portland, OR 97201
(503) 224-5494
\$25 registration

Adline offers computer-related products and services exclusively through local bulletin boards. Now you can shop online through your local BBS. And if you're a sysop, you can earn money—just post the Adline Marketing packages online and receive a percentage of sales. And you don't have to worry about handling orders.

If you're interested send in your one-time \$25 registration fee along with: type of BBS hardware and software; number of weekly callers; number of BBS phone lines; BBS name, phone number and address; and voice number of the sysop.

Return the favor. When you call a manufacturer or supplier about a product you've seen advertised or otherwise mentioned in ANTIC, please tell them so. This will help us to continue to bring you the latest information about products that will make your Atari computer an even more valuable investment in the future.

—ANTIC ED

When you want to talk Atari

XL/XE HARDWARE	ST HARDWARE	PRINTERS
INTERFACES ICD P:R Connection		Atari 1027 LQ XL/XE
850 Interface	ATARI SM1224 RGB COLOR MONITOR Includes: 520 ST FM with 3½" drive built-in, mouse, power supply and 1224 color monitor. 1040 RGB/Color System	Atari XM-M801 XL/XE Dot Matrix \$189 XM-M804 ST Dot Matrix 199.00
Atari 130XE \$135	1040 Monochrome System	XDM 121 Letter Qlty. XL/XE
Atari 65 XE	Atari XF551 Drive (XL/XE)	Premier-35 35 cps Daisywheel479.00 Epson LX-800 150 cps, 80 col
Axlon 32K Mem. Board (400/800) .19.99 Atari 80 Column Card	SupraDrive SupraDrive	FX-286E 240 cps, 132 col Call LQ-500 180 cps, 24-wire Call LQ-850 330 cps, 80 col Call EX-800 300 cps, 80 col Call NEC P2200 pinwriter 24-wire 369.00 P660 pinwriter 24-wire 459.00
XMM301	Atari SHD204 20 Meg for ST \$579 I.B. 51/4 ST Drive	P760 pinwriter 132 col
2400 Baud ST	GTS 100 3½" DS/DD (ST)189.00 GT Drive (XL/XE)179.00 GTS1000 5¼" DS/DD ST199.00	KX-P1080i 144 cps, 80 col 179.00 KX-P1091i 194 cps, 80 col 199.00 Star Micronics



20 Meg Hard Drive (XL/XE) 679.00 20 Meg Hard Drive (ST) 559.00

30 Meg Hard Drive (ST) 689.00

Supra

MONITORS

CM8505 14" Composite199.00

NX-1000 140 cps, 80 column . . . 179.00

NX-15 120 cps, 132 column 319.00

P321-SL 216 cps, 24-wire 499.00

COMPUTER MAIL ORDER

.....you want to talk to us.

XL/XE SOFTWARE	ACCESSORIES	ST SOFTWARE
Access Executive Disk 19.99 Accolade Hardball 19.99 Atari Atariwriter Plus 35.99 Filemanager 11.99 Music Painter 11.99	MD1-M SS/DD 5¼" 8.49 MD2-DM DS/DD 5¼" 8.99 MF-1DDM SS/DD 3½" 11.99 MF2-DDM DS/DD 3½" 18.49 Sony MD1D SS/DD 5¼" 6.99 MD2D DS/DD 5¼" 7.99 MFD-1DD SS/DD 3½" 11.99 MFD-1DD SS/DD 3½" 17.99 Allsop Disk Holders Disk File 60-5¼" 9.99 Disk File 30-3½" 9.99 Curtis Emerald 39.99 Safe Strip 19.99 Universal Printer Stand 14.99 Tool Kit 22.99	Comnet ST Term 19.99 Dac 59.99 Electronic Arts 59.99 Gridiron Football/Auto Duel. (ea.) 26.99 Isgur Portfolio 119.00 Firebird Silicon Dreams 19.99 The Sentry 19.99 Infocom 34.99 Michtron Major motion 25.99 Microprose Gunship 28.99 F-15 Strike Eagle 24.99
ACCESS Leaderboard Golf \$1399	BBS Express (ST)	Miles Software ST Wars
Atari Program Exchange Misc. Programs (cassettes) at 1.99	Rambo XL	Paradox Wanderer (3D)
Broderbund Graphics Library I, II, III	ST SOFTWARE	Psygnosis Barbarian/Deep Space (ea.) 25.99 Soft Logik Corp. Publishing Partner 54.99 Strategic Simulations Rings of Zilfin/Phantasie III (ea.) 23.99 Sublogic Flight Simulator II 32.99 Timeworks
Jewels of Darkness	ATARI Geometry Vol. II \$1699	Swiftcalc/Wordwriter (ea.) 46.99 Partner ST 37.99 PrintMaster Plus
Origin Systems Ultima 4	Abacus PC Board Designer	100 mm m m m m m m m m m m m m m m m m m
Sublogic Flight Simulator II	Antic CAD 3-D	UNISON WORLD Printmaster Plus Word Perfect Corp Word Perfect 4.1

In the U.S.A. and in Canada

Printshop Interface21.99

Call toll-free: 1-800-233-8950

Outside the U.S.A. call 717-327-9575, Fax 717-327-1217

Educational, Governmental and Corporate Organizations call toll-free 1-800-221-4283

CMO, 101 Reighard Ave., Dept. B6, Williamsport, PA 17701

OVER 350,000 SATISFIED CUSTOMERS . ALL MAJOR CREDIT CARDS ACCEPTED . CREDIT CARDS ARE NOT CHARGED UNTIL WE SHIP

POLICY: Add 3% (minimum \$7.00) shipping and handling. Larger shipments may require additional charges. Personal and company checks require 3 weeks to clear. For faster delivery, use your credit card or send cashier's check or bank money order. Credit cards are not charged until we ship. Pennsylvania residents add 6% sales tax. All prices are U.S.A. prices and are subject to change, and all items are subject to availability. Defective software will be replaced with the same item only. Hardware will be replaced or repaired at our discretion within the terms and limits of the manufacturer's warranty. We cannot guarantee compatibility. All sales are final and returned shipments are subject to a restocking fee. We are not responsible for typographic or photographic errors.

800-558-0003

800-558-0003

130XE COMPUTER



XF551 DISK DRIVE **DOUBLE DENSITY**

NEW

80 COLUMN WORD PROCESSING PACKAGE

FOR XE/XL COMPUTERS XET-80 COLUMN & ATARI WRITER 80

BOTH FOR

NEW

XDM-121 Letter **Quality Printer** W Built in Interface 12 CPS-Daisy Wheel \$199

AVATEX 1200 HC MODEM & P. R. CONNECTION With ATARI Modern Cable

\$169

MISCELLANEOUS HARDWARE

PR Connection 82.95 US Doubler 49.95 **Animation Station** 59.95 Atari XM 301 Modem CALL Supra 1150 Interface CALL R50 Interface CALL Graphic AT Interface 39.95 Avatex 1200HC CALL Avatex 1200E CALL Avatex 2400 HC CALL



Panasonic Office Automation/ NEW 1080i - II PRINTER Now at 144 CP8 ONLY



Now at 192 CPS

Love Note Maker

Micro League Baseball. ..

Mastertype. . Math Blaster



NEW NX-1000 RAINBOW

> **New Low Cost COLOR Printer**

ACCESSORIES

Anti-Glere	
Screen	19.95
Blank Disks	CALL
Disk Notcher	.5.95
Dust Covers	CALL
6 Way Surge	
Protector	19.98
Monitor Cable	.9.95
Printer Stand	14,95
Swive/Tilt Monitor	
Stand	19.95
Teakwood Disk	
Holders	9.95
Printer Ribbons	CALL
Modem Cable	
Printer Cable	
1000 Sheet Printer	
Paper, 1	9.95
•	

Finan Mail 0

ELECTRONIC ARTS

of Adventure	10,95
smaster 2000	25.95
aumauga,	23.95
olał Cookbook	10.95
Order Monsters	10.95
Beacon	26.95
Maker	10.95
Construction	10.95
of Conquest	22.95
ill Construction	10.95

on One	10.95
g Destruction	10.95
nel/Toburk	
eet 1	
Boulder Dash	10.95
ndown Football	
s of Gold	

INFOCON	
Ballyhoo	25.9
Hitchlker	17.9
Lurking Horror	22.9
Moonmist	
Wiehbringer	
Zork Trilogy	

XLENT SOFTWAR	RE
Megafont II	16.95
Xlent Word Processor	
Page Deelgner	18.98
Megafiler	18.95
Picture Disk	14.98
PS Interface	18.98
Rubber Stamp	18.98
Typesetter	21.98

SSI	
Battle of Antietam 32.95	10 L
Battleoruiser 39,95	1986
Broadsides27.95	1987
Carrier Force 39.95	60's
Computer Ambush 39.95	70's
Eternal Dagger 25.95	Ace
Fighter Command 39,95	All S
Field of Fire 25.95	Apst
Gettyburg 39.95	Atari
Imperium Galacticum 25.95	Awa
Kampgruppe 39,95	Blaz
Phantasie 1 or 2 25.95	Bop'
Panzer Grenider25.95	Boul
Rebel Charge 32,95	Char
Shiloh 25.95	Cyol
Sons of Liberty 25.95	Deep
USAAF39.95	Dem
Wargame Constr. Set 19.95	Elect
Wership39.95	Elect
Witzard's Crown 25.95	Fleet
	Fight
	Fligh
and a second	Frac
indreds of	Gaur

We Carry Hundreds of Programs for the ATARI 400/800/XE/XL If You Don't See it Here CALL

MISCELLANEOUS			
10 Little Robots 18.95	MLB Boxcore/Stat		
1986 Team Disk For MLB 14.95	Net Worth		
1987 Team Disk For MLB 14.95	News Room		
60's World Series For MLB 14.95	Pitfall		
70's World Series For MLB 14.95	Print Driver Const. Set 18.95		
Ace of Aces 18.95	R Time 8 Cart 54.95		
All Star Roster Disk 14.95	Race Car Arithmetic		
Apshal Trilogy 14.95	SPY vs SPY 182 10.95		
Atariwriter Plus 39,95	Spy vs Spy 3 17.95		
Award Ware10,95	Spell It 32.95		
Blazing Paddles 22.95	SpinnakerCALL		
Bop'n' Wrestle (64K) 19.95	Spittire 4023.95		
Boulder Dash Const, Kit 17.95	Spitfire Ace 19.95		
Champ. Loderunner, 19.95	Strlp Poker21.95		
Cycle Knight 16.95	SuperHuey 16.95		
Deeper Dungeons/Gauntlet 17.95	Summer Games 14.95		
Demon Attack/Pitfell 10.95	Synoalo 32.95		
Electronic Checkbook 14.95	Synfile 32.95		
Electronic Data Manager 14.95	Triple Pak 14.95		
Fleet System 2 39.95	Trailblazer 19.95		
Fight Night 10,95	Universe 32.95		
Flight Simulator 2 33.95	Video Title Shop		
Fraction Action 18.95	Video Vegas		
Gauntlet (64K)22.95	Word Attack32.95		
General Mgr. MLB 19.95	DATASOFT		
Gultar Wizard 18.95			
Hardball 18.95	Alternate Reality/ City 20.95		
Home Planetarium 27.95	Alt RealityDungeon 26.95		
Infiltrator 19.95	Bismark		
Jupiter Mission 1999 32.95	Video Title Shop20.95		
Leaderboard DuoPak 10.95	JOYSTICKS		
Linkword German29,95	(NOTE: Prices good when with any other purchase)		
I lokword italian and	former floor much man and orner butchess)		

MICROPROSE

Crusade in Europe	25.95
Conflict in Vietnem	25.95
Decision in Desert	
F-15 Strike Eagle	22,95
Kennedy	
Approach	16.95
Silent Service	22.95
Top Gunner	16.95

OPTIMIZED SYSTEMS

Action	CALL
Basic Xe	CALL
Basio XI	CALL
Mac 65 XI	CALL

BRODERBUND

AutoDuel (64K)	34,95
Bank Street Writer	32.95
Graphic Llb 1,2,or 3	16.95
Karateka	19.95
Print Shop	28.95
Print Shop Companion	22.95
Ultima III	25.95
Utima IV	38.95

ACTIVISION

Cross Country Race	11.95
Hacker	11.95
Music Studio	22,98
Ghostbusters	11.95

Mon-Fri 9am-9pm CST Sat 11am-5pm



800-558-0003

onsumer_Llectronics

P.O. BOX 17882, MILWAUKEE, WI 53217 ORDER LINES OPEN

Mon.-Frl. 9AM-9PM CST Sat. 11AM-5PM. CST

TELEX NUMBER 9102406440 (ANSERBACK = COMPUT MILW UG

No surcharge for MasterCard or Visa

Unite Joystick.

SIIk Stick

Epyx 500XJ



Visa

19.95

.5.95

..8.95

.7.95

12.95

inquiries, or for Wisc. Orders

800-558-0003

Alternate Reality Apshal Trilogy Autoduel B-24

Balance of Pov

Bard's Tale ... Beyond Zork Black Cauldro

Colonial Conquest

Defender of Crown Deja Vu

Build of Thieves

Kings Quest 1,2 or 3 ...

Lords of Conquest Lurking Horror

Ogre Phantasie 1,2 or 3 ...

Portal President Elect '88 ... Questron II ...

Plundered Hearts.

Police Quest ...

Mercenary Moebius 8T ...

Hacker II Jinxter

Dark Castle

SINCE 1082 omputAbility

800-558-0003

ST HOST

CONTROLLER **ADAPTOR** CALL FOR PRICES

ATARI SF 314 DISK DRIVE DOUBLE SIDED/ 1 MEGABYTE STORAGE CALL

PANASONIC PANASONIC 10801 - II PANASONIC 10911 - II 189 329 309 489 PANASONIC 10921 PANASONIC 3131 PANASONIC 3151 PANASONIC 1524 579

ANASONIC 1595

★ SPECIAL ★ Atari SC1224 RGB Color \$299 **Limited Quantities**

> 14 95 25.95

32.95

32.95 25.05

25.95

29.95

24.95

29.95

25.95

32.95 . 32.95 . 14.95

25.95

38.95

25.95

25.95

32.95

A-Calc Prime ..

Financial Cookbook

Inventory Master Isour Portfolio.

Logistix Jr. Logistix 8r.

Non Dask

Micro Lawver ...

Payroll Master

* SPECIAL * **CASIO HT-700 MIDI KEYBOARD** \$169.95

*** **Cyber VCR Compatible** Sony 8mm VideoEquipment Call for the lowest prices

STAR MICRONICS NX-1000 NX-1000 Rainbow 239 NY-15 300 NR-15 479 NEL-24/10 430 NB-24/15 (24 wire)

PC Ditto Package

* PC Ditto * ST / PC 5 1/4" Diek Drive

\$279

SUPRA 20 MEG HARD DRIVE ONLY \$539

ST MODEM PACKAGE

- . ST MODEM CARLE
- . FLASH TELECOM PACKAGE

\$195

We Have What You Need For Your ST.

MICHTRON	
BBS 2.0	49.95
Business Tool	
Calendar	
Comerman	
Echp	
Eight Ball	
Financial Future	
Fright Run	
9FA Artist	
GFA Basic	
9FA Book	
8FA Companion	
GFA Compiler	
GFA Draft	
GFA Draft +	
GFA Object	
GFA Vector	
Bokkrunner2	
Hard Disk Backup	
International Soccer	
Juggler Utility	
Jupiter Probe	
Karate Kid II	
Leatherneck	
M-Cache	
M-Dlek +	
Major Motion	
Make It Move	
Master Cad	
Match-point	
Mi-Term	
Michtron Utilities	39.95
Mighty Mail	
Omega Run	
Personal Money Mor	
Pinbail Factory	25.95
Realtizer1	50.95
Score Writer	25.95
Shuttle 2	
Slaygon	
Soccer	25.95
Tanglewood	
The Animator	
Time Bandits	
Trimbase	
Tune Up	32,95

COTTRICATO MANCE	
Fonts & Borders/P.M	21.95
Library 1/Certificate Maker	21.95
Megafont ST	24.95
PM Interface	18.95
Print Shop	31.95
Printmaster Plus	24.95
Rubber Stamp	18.95
Typesetter Elite	
ST LANGUAGES	
Alice Pascal	49.95
Cambridge Lisp	139.95
Cambridge Lisp Fast Basic (Philon)	
	48.95
Fast Basic (Philon)	48.95 69.95
Fast Basic (Philon)	48.95 69,95 99.95
Fast Basic (Philon)	48.95 69,95 99.95 54.95
Fast Basic (Philon) 180 Pascal Lattice C LDW Basic 2,0	48.95 69.95 99.95 54.95 49.95
Fast Basic (Philon) 180 Pascal Lattice C LDW Basic 2,0 Macroassembler	48.95 69.95 99.95 54.95 49.95
Fast Basic (Philon) 180 Pascal Lattice C LDW Basic 2,0 Microassembler Mark Williams C.	48.95 69.95 99.95 54.95 49.95 114.95
Fast Basic (Philon) 180 Pascal Latiloe C LDW Basic 2,0 Macroassembler Mark Williams C MArk Williams CBD	48.95 69.95 99.95 54.95 49.95 CALL 49.95
Fast Basic (Philon) 180 Pascal Latiloe C LDW Basic 2,0 Macroassembler Mark Williams C Mark Williams CB Metacommoo Make	48.95 69.95 99.95 54.95 49.95 CALL 49.95 34.95
Fast Basic (Philon) 180 Pascal Lattice C LDW Basic 2.0 Macroassembler Mark Williams C MArk Williams GD Metacommoo Make Mildero C shell	48.95 69.95 99.95 54.95 49.95 CALL 49.95 34.95 67.95

8T PRINT UTILITIES
Art Gallery 1 or 2

24.95

Award Maker

repet officerse	20.03
Rings of Zilfin	
Roadwar 2000	
Roadwar Europa	29.95
8.D.I	
Shadowgate	32,95
8hilo	39.95
8inbad	32.95
Space Quest	32.95
Starglider	29.95
StationFall	25.95
8undog	24.95
Tasa Times	25.95
The Pawn	29.95
Thexdar	22.95
Tracker	29.95
Ultima III or IV	38.95
Uninvited	32.95
Universe II	32,95
War Ship	39.95
MUSIC	-
MUOIG	40.05
Bach Song Bach	. 19.95
Copylst 1.5	
CZ Droid	
CZ Patch	
Digi-Drum	
Dr. Drum	
Dr. Keys	. 19.95
Dr. Patches	. 34,95
Easy Score	.07.95
Fingers	. 34.95
Keyboard Contr Sequencer	
Midl Maze	. 25.95
Music Construction 8st	. 33.95

Uninvited	
Universe II	
War 8hip	39.95
MUSIC	
Bach Song Bach	
Copylst 1.5	149.95
CZ Droid	64.95
CZ Patch	69.95
Digi-Drum	24.95
Dr. Drum	19.95
Dr. Keys	
Dr. Patches	
Easy Score	
Fingers	34.95
Keyboard Contr Sequencer	149.95
Midl Maze	25.95
Music Construction 8et	33.95
Music Studio	32.95
Pro Sound Designs	89.95
ST Replay	74,95
STTELECOMM	
SI (ELECOMM	

8T TELECOMM		
220 8T	. 32.95	
QMI BBS ST	. 31.95	
BBS Express	. 58.05	
Deluxe Minicom	. 30.05	
I.8 Talk	. 33.95	
Minicom		
8T Talk Ver 2.0	CALL	

ST EDUCATIONAL	
1st Letters and Words	33.9
AB - Zoo	19.9
Adv. of 8Inbad	
Aesop Fables	31.9
Algebra 1 or 2	34.9
Alf About America	
Animal Kingdom	24.9
Arakis (each)	18.9
Arithmetic	34.9
Buzzword	27.9
Calculus	34.9
Decimal Dungeon	24.9
First Shapes	33.9
Fraction Action	
Invasion	19.9
Kid Talk	33.9
Kinderama	24.9
Magical Myths	31.9
Math Talk	33.9
Math Talk Fractions	
Math Wizard	24.9
Mathematicians Tool Kit	
Mavis Beacon Typing	26.9
Mother Goose	19.9
Pre School Kids Programs	25.9
Probability	34.9
Read & Rhyme	24.9
Read-A-Rama	31.9
Space Math	25.9
Speller Bee	33.9
Trigonometry	34.9
True Stat	34.9
Winnie the Pooh	16.9
ADVANCED ORDERS Arabian Nights	
Arabian Nights	31.9
Discreet Math	
Chostly Grammers	31.9
Lands of the Unicorn	21.9
Logic Master	31.9
Planetarium	44.9

Paradid	
Swiftcalc ST	
Bylvia Porter	
VIP Professional	99.9
INFOCOM 8	ī
Bureaucracy	
Enchanter	19
Hitchiker	
Hollywood Hijiros	
Infocom Invisiciues	
Leather Goddess	
Lurldng Horror	25.
Moonmist	
Stationfall	
Trinity	25.
Wishbringer	11.
Zork I	25.
Zork II or III	

, 39,95

14.95

124.95

. 57.95

. 89.95 . 39.95

18.95

DESK TOP PUBLISHING	1
Desk Top Publisher 89.	9
Partner Fonts 1 or 2 19.	
Partner Forms19.	9
Publishing Partner 64.	9
Publishing Partner Pro 127.	8

3D Break-Thru	25.95
3D Developer's Disk	
3D Font Package 1 or 2	17.95
3D Plotter & Printer Driver	17.95
A-Calc Prime	25.95
A-Chart	14.95
A-Ram	9.95
A-8eka	
Architecural Design Disk	19.95
Base Two	
CAD - 3D	
Cartoon Dealgn	19.95
C.O.L.R. Obj. Editor	
Crystal	
Cyber Control	
Cyber Paint	
Cyber Sculpt	CALL
Cyber Studio, The	64.95
Cyber VCR	
Datamaps	
Datmaps II	
Flash 1.5	
Future Design Disk	
G.1.8.T	
Genesis	
Human Design Disk	
LC8 Wanderer	
Macro Mouse	
Maps and Legends	
Navigator, The	
P.I.E	
PHA\$ar	
Oulcktran	
Red Alert	
Shadow	
Shoot the Moon	
Spectrum 512	
Starstruck	
Stereo CAD 3-D	
Stereotek 3D Glasses1	
Video Titling Design	19,95

1st Cadd
3-D Graphics 34.95
Advanced Art Studio 29.95
Aegie Animator48.95
Athena II 67.95
Circuit Maker 49.95
Degas Elite
Drafix114.95
Draftx Data Plotter 26.95
Dsk Tp Pub Lib/Easy Draw 64.95
Easy Tools 32.95
Font Pak 1 for Easy Draw 25.95
GFA Artist
Neochrome
Master CAD St 124.95
Paintworks 25.95
Personal Draw Art I19,95
Pro Sprite Designer 39.95
Quantum Paint29.95
8T Art Director
8T Sprite Factory
Technical Draw Art I
ST WORD PROCESSORS
1st Word-Plus

15.95

Full 3.5" D8/DD/10Pk)

Note: Buy diskettes at these low prices when added to any other order.

ST GRAPHICS

1st Word-Plus	64.
Fontz	CA
Microsoft Write	89
Regent Word II	48
8T Becker Text 8T	
Thunder	26
Word-Up	CA
Word Perfect	C/
Wordwriter 8T	48

'86 Team K For MLBB	16.95
3-D Helicopter	32.95
Airball	25.95
Airball Construction Kit	17 95
Allen Fires	26 95
Arctic Fox	26 05
Arena	14.05
Atari Planetarium	20.05
Awesome Arcade Act. Pack	22 06
Barbarian	00.60
Battledroldz	22,65
Bermuda Project	೧೯ ೧೯
Bismark	20,65
Block Buster	OE OE
Boulder Dash Cons Kit	C8.C2
Boulder Dash Gons Kit	17.00
Brattacus	32.95
Breech Scenario Disk	17.95
Bridge 5.0	22.95
Bubble Ghost	14.95
Card Sharks	CALL
Carrier Command	29.95
Champ Baseball '88	
Champ. Wrestling	14.95
Chessmaster 2000	29.95
Death Sword	17.95
Deep Space	19.95
Dive Bornber	25.95
F-15 Strike Eagle Female Data Strip Poker	25.95
Female Data Strip Poker	16.95
Flight Simulator II	33.95
Gato	24.95
Gauntlet	32.95
Gen Mgr/for MLB	19.95
GFL Football	25.95
Global Cmmdr	26.95
Gone Fishing	
Gridiron Football	
Guardians of Infinity	22 95
Gunship	32 95
Hardball	24 95
Harrier Combat Simulater	32 05
Hunt for Red October	33.05
Ikari Warrior	
Impossible Mission II	7E OF
Indoor Sports	20.02
Into the Eagle's Nest	OZ. 80
IND UIE Eagle's Nest	20.95
Japan Scenery Disk	17.95
Karateka	22.95
Leader Board	
Lock On	
Marble Madness	23.95

Maine Madiess	
ST UTILITIES	
Back Pak	. 64.95
Desk Cart	.72.95
Electro Calendar	. 35.95
Fast	. 31.95
Flashback	
HD Sentry	. 32.95
K-8witch	
Labelmaster Elite	27.95
M.S. Dos&G.W. Basic(IBM 5.25) .	.79.95
Micro Cookbook	. 32.95
Partner 8T	. 32.95
PC Ditto 3.0	. 69.95
Smooth Talker	. 33.95
8t Doctor	. 24.95
Tempus	
Time Link	
Video Wizard	
Write 90	

at accessories	
Arti-Glare Screen19.	95
Dustcovers CA	11
Flip'n' File II- Micro19.	95
3.5 Drive Clean Kit	
6 Way Surge Protector19.	
6 FT 8F 354/314 Cable 19.	
Mouse Pad8.	95
Mouse House 6.	

Ìï	E GAMES		_
	Master Ninja	22	.95
	Metrocross	12	.95
	Metropolis 2000 st	22	.95
	Micro League Baseball	39	.95
	Mortville Manor	22	.95
	Night on the Town	22	.95
	Obliterator	24	.95
	Paper Boy	32	.95
	PinRallWizard	21	95
	Plutos	19	.95
	Q-Ball	18	,95
	Road Wars	20	.95
	Roadrunner	32	.95
	Rockford		
	Rogue	24	CV,
	RPV	24	CV,
	Scrabble	20	C9.
	Scruples	20	20
	Serkry	20	95
	Silent Service	25	95
	8kyfox	14	.95
	Skyopn	25	.95
	Snv vs Snv 3	17	.95
	Spy vs Spy 3	19	.95
	ST Karate	22	.95
	8T Wars	24	.95
	Star Fleet 1	38	.95
	Star Fleet H	38	.95
	Star Raiders	20	.95
	Stray Cats	12	.95
	Stray Cats	25	.95
	Sub Battle Simulator	25	.95
	Super Bike Challenge	19	,95
	Super Cycle	14	.95
	Super Star Hockey	32	.95
	Temple of Doom	32	.95
	Tenth Frame	25	.95
	Terrorpods	24	.95
	Test Drive	24	cv.
	Three Stooges		
	Tonic Tile	20	OF
	Trafiblazer		
	Twilights Ransom	20	05
	Two on Two Basketball	25	95
	Universal Military Simulator	37	.95
	Urldlum	25	.95
	Vegas Gambier	21	.95
	Video Vegas	24	.95
	Wargames Constuction Kit	22	.95
	Western Europe Scen, Disk	17	.95
	Winter Challenge	10	.95
	Winter Games	14	.95
	Wiz ball	14	.95
	World Games	24	.95
	WWF Micro Wrestling	39	.95
	Xevious	19	.95
	ST DATABASES		
	Data Manager 8T	AP.	0E
	DB Man 4.01	50	QE.
	Regent Base 1.1	70	95
	Superbase Gem	94	95
			05

ABACUS	- 3
Abacus Books	CALL
Assempro	39.95
Becker Text	64.95
Change Electra Spell	14,95
Chart Pak 8t	32.95
Datatrieve	32.95
Delete Power Plan	CALL
Electra - spell	25.95
Forth MT.	
Paintpro	32.95
Powerplan	

67.95

The Informer

MasterCard Te Order Call Free

Personal Pascal 2.0 True Basic True Basic Dev. Kill



P.O. BUX 17682,MILWAUKEE,WI 63217

ORDER LINES OPEN Mon-Pri 9em-9pm CST Sat 11 am-5p





No surcharge for

414-357-8181

800-558-0003 order, Personal and company checks allow 14 business days to clear. School P.O.'s welcome, C. insture. Wi realdents pieces include 5% sales taz. HI, AK, FPO, APO, Puerto Rico and Canadian tooms, C.O.D. charges are \$3.00. In Continental USA Include \$3.00 for software orders 5% shipping Canadian orders, please add 6% shipping, Minkmum \$6.00. All other foreign orders add 15% active. With sections included the management of the section of th

CHOOSE YOUR FREE GIFT!



Subscribe to ANTIC and get The Best of ANTIC Disk FREE!

 Bannertizer-Print giant text posters
 Diskio Plus-Turbo operating system • Rapid Graphics Converter–Translates ALL pictures • Fader II-Flashy desktop video • Son of Infobits-Easiest database • Plus many more of the most popular ANTIC programs-All on one Disk!

> Every issue of ANTIC brings you news of software for Business, Personal Productivity, Graphic Arts, Programming Tools, Education and more...

OR...

Subscribe to ANTIC plus Disk and we'll send you this Atari Mini Card Solar Calculator, a \$5.95 value, absolutely FREE! Plus every month with your magazine you'll receive a disk loaded with programs like:

- 3D Wire Frame
- Memory Improver
- Banner Creator
- Modem Checkers
- ST Concentration
- ST Battleship Combat



* Credit Card Sized

★ Instruction Booklet Included

Only in ANTIC—

Your #1 ATARI Resource. Subscribe by phone—Call 800-234-7001 (6am-6pm PST.) MasterCard and VISA Only.



By KEN ARROMDEE

Black Box

Rays that probe the unknown!

Probe the mysterious black box with your joystick rays and deduce the location of hidden particles by cleverly analyzing graphic clues. This BASIC program works on all 8-bit Atari computers of any memory size, with disk or cassette.

lack Box is an computer upgrade of an enjoyable board game that doesn't seem to be still manufactured. You're exploring a "black box" containing up to eight "particles" in unknown locations randomly selected by the computer. The object is to discover those locations by probing the box as few times as possible.

Type in Listing 1, BLACKBOX.BAS, check it with TYPO II and SAVE a copy before you RUN it. If you have trouble typing the special characters in line 1090, don't type them in. Instead, type Listing 2, check it with TYPO II and SAVE a copy to disk. When RUN, Listing 2 creates this hard-totype line and stores it in a file called LINES.LST.

To merge the two programs, disk users LOAD "D: BLACKBOX.BAS" and then ENTER "D:LINES.LST". Cassette users should CLOAD Listing 1, then insert the separate cassette used for Listing 2 and ENTER "C:". Remember to SAVE the completed program before you RUN it.


PROBE & GUESS

You probe the box by sending a "ray" into it from one of the sides. The ray would normally travel in a straight line. The hidden particles interfere with the ray, changing (or halting) its path through the box.

Use these effects as clues to determine the position of each particle. Here are the possible effects:

- 1. If a particle is directly in front of a ray, the ray is absorbed. This is represented by a red square.
- 2. If one particle is on the left of the area directly in front of a ray and another is on the right, the ray is reflected back along its path to the starting point. This is represented by a purple circle.
- 3. If a single particle is on the left or right of the area directly in front of a ray, the ray will bounce off its corner. This means that two markers (letters) are placed where the ray enters and exits the box.
- 4: A ray that is neither reflected nor absorbed has two markers placed and counts as two turns.

You start the game by probing the box with rays sent from outside the box (The black box is actually displayed



here as a grid.) Move the cursor, a green square, with your joystick and send a ray through the box by pressing the joystick button.

Press [SELECT] when you're ready to guess where the particles are. Your cursor will turn yellow. Move the cursor over the box grid and press the joystick button to mark (or erase) your guesses.

After you think you know where all the particles are hidden, press the [SPACEBAR] to see their actual locations. Particles are represented as red boxes. Then you can start a new game by pressing the joystick button.

Ken Arromdee is an electrical engineer from Ventor, New Jersey. Listing on page 31

GOT A MERCEDES THAT WON'T TURN LEFT?

or a great database with a killer limitation or bug? Now there's an 8-BIT program that works, and does all those things required in a small -ANTIC Awards '88 WINNER business...

"IBM power without the price . . . I really can't think of any feature associated with running a business that has been left out—except for the huge prices charged for comparable software on MS-DOS computers.

"... the most time consuming review I have ever done, due to the number of features... Turbobase finally gives what 8-bit owners have been clamoring for for years; true, powerful business software...set up a fully capable business system for less than \$1,000...customer support is superb...Practicality-excellent. Documentation proglant." -COMPUTER SHOPPER, Aug. '87

Why settle for mere IBM performance when you can get that on an 8-bit with Turbobase? Designed by the author of Turbobase to maximize ST database performance, we present...

\$99. *Introductory Price

The ultimate in power/flexibility without learning a programming language! Requires B/W monitor—full use of the superior definition of the B/W screen provides features not available with color: WYSIWYG report generator/high-res illustrations make com-

tures not available with Guid.

He will be a supplied to mailing/GL/PS/AR/AP/statements/COGS/aging/estimating/order entry/UPS tables/ordering/inventory/valuations/WIP/scheduling/teacher's grades w.sd./patient regist.-recall/graphs/calendars/others. Review/modify these with overwrite. Easy to set up church/library/clubs/routing/home budget/taxes/any general database. Use your invoices/any other forms. Standard file transfers from other programs/remote

This is the simplest program on the market to set up serious integrated applications from scratch with complete business capability! Expertise/programming not required! Full instructions in less than 100 pages.

- Pale any info from anywhere incading tables such as UPS tables, during entry Scienclary entry front found Secondary update. Double entry in one step, immigli-are customizable paint.
- full names, acct, numbers, or any labers All conveniences such as review with overwrite repearing entires in one tecord, dokup, als mouse where useful etc. etc. Logic math danniq entry or nutput.
- 'WYSIWYG' Output formatter for spread sheet Wishwas Output Infiniture or spical sixees account PL Ladance commission statements, alone for letters all reports. Continuous printing of those from acts of up to 15 000 names/numbershabe s. Fax bite use of dates aberestings brack it search citems, and sorting on any field.

(407) 857-6014

MICROMISER SOFTWARE, 1635-A HOLDEN AVE., ORLANDO, FL 32809

THE INCREDIBLE BACK ISSUE SALE!

ANTIC Back Issues

HOW TO ORDER

Ordering individual magazines or disks is easy! AMS stands for Antic Magazine. ADS stands for Antic Disk. Follow these product codes with the month and year you want. For example, to order the March 1987 disk and magazine, write:

AMS0387 For Antic Magazine March 1987 ADS0387 For Antic Magazine March 1987

WHAT IS AVAILABLE

Individual back issue disks and magazines are available for July 1983 through the current issue. September 1984 magazine is sold out.

Individual Antic disks are \$5.95 each, Antic magazines are \$4.00 each. Remember to include shipping and handling charges (see below)

6 month back packs only \$20.00 each

Get a complete set - order both magazines and disks in our special BACK PACK SALE

DISK

JULY THRU DECEMBER 1983 DBP8302

JANUARY THRU JUNE 1984 DBP8401

JULY THRU DECEMBER 1984 DRP8402

JANUARY THRU JUNE 1985 DBP8501 JULY THRU DECEMBER 1985 DBP8502

JANUARY THRU JUNE 1986 DBP8601

JULY THRU DECEMBER 1986 DBP8602

JANUARY THRU JUNE 1987 DBP8701 MAGAZINES

JULY THRU DECEMBER 1983 MBP8302

JANUARY THRU JUNE 1984 MBP8401

JULY THRU DECMEBER 1984 MBP8402

JANUARY THRU JUNE 1985 MBP8501 JULY THRU DECEMBER 1985 MBP8502

JANUARY THRU JUNE 1986 MBP8601

JULY THRU DECEMBER 1986 MBP8602

JANUARY THRU JUNE 1987 MBP8701

Available only in six month sets shown above.

START Back Issues

MAGAZINES DISKS START #3 WINTER '86 SMS1286 **SDS1286** START #4 SPRING '87 *SMS0387 SDS0387 START #5 SUMMER '87 SMS0687 SDS0687 START #6 FALL '87 SMS0987 SDS0987 START #7 WINTER '87 SMS1287 SDS1287 *SOLD OUT

Start magazines are \$4.00 each. Start disks are \$10.95 each. Remember to include shipping and handling charges (see below)

SHIPPING AND HANDLING INFORMATION Please include \$1.00 for each magazine ordered Please include \$3.00 for 1-10 disks \$6.00 for 10 or more disks

ST RESOURCE PROGRAMS (From Antic)

	ISSUE	DISK #
COMPENDIUM #1	8/85-1/86	SB0101
COMPENDIUM #2	2/86-5/86	SB0102
COMPENDIUM #3	6/86-9/86	SB0103
COMPENDIUM #4	10/86-2/87	SB0106
COMPENDIUM #5	3/87-7/87	SB0107
Compendium disks are	\$10.95 each.	

VISA AND MASTERCARD HOLDERS

CALL TOLL FREE 800-234-7001
OR SEND YOUR CHECK OR MONEY ORDER TO
ANTIC PUBLISHING
BACK ISSUES
544 SECOND STREET
SAN FRANCISCO, CA 94107

Please indicate by product code which issues you would like. California residents add 6½% sales tax.

Coming in September 1988 Antic

Video Title Shop:

8-bit animation software breakthrough

Player/Missile Graphics Studio

Ultimate type-in animation tool

Class Scheduler

Vanquish school-registration headaches

Color Vision Test/Game

2 New ST Word Processors:

Microsoft Write and WordUp

BV GREGG PEARLMAN

Pre-Schoolers' New Software Guide

Rating 37 Atari 8-bit educational programs

If you're searching for just the right software for children aged 3 to 6, you might want to look into the 1988 Survey of Early Childhood Software.

Hundreds of educational programs, including 37 for the 8-bit Atari, are rated for ease of use, educational value, instructional design, computer compatibility, skills required and amount of adult supervision needed.

For the 8-bit Atari, the 10 top-rated programs are:

SCORE	TITLE	PUBLISHER
78	First Shapes	First Byte
76	Kid's Stuff	Stone & Associates
75	Make a Match	Springboard
74	First Letters	First Byte
73	Music Maestro	Springboard
73	Stickybear Opposites	Weekly Reader
70	Stickybear Shapes	Weekly Reader
69	Story Machine	Spinnaker
68	Learning With Leeper	Sierra On-Line
68	Grandma's House	Spinnaker

\$20. High/Scope Educational Research Foundation, 600 N. River Street, Ypsilanti, MI 48198. (313) 485-2000.

HACK BACK

Special OFFER The Alpha Systems HACK PACK contains all our finest products for making Back-up copies

thest products for making Bode-up depies
Analyzing, Understanding and Protecting your
Atan programs. It comes complete with Atan
Protection Techniques (Book and Disk I), Advanced Protection Techniques (Book and Disk II), The
Chipmunk, The Scanalyzer, The Impersonator and Disk Pack 1000. Worth over \$150 Get them all
for the special price of Just \$99.95

Atari Software Protection Techniques Vol I & II

These Book and Disk packages defaul the most advanced copy protection methods in use loday. They guide you through the methods used to create the protection as well as the copying techniques to get around them. They include information on Phreaking + Hacking + On-line security + Black boxes + Self-destructing programs - Pirate bulletin board systems + Logic bombs + New piracy lows + Hardware data keys + Weak sectoring (Phantom, Fuzzy and unstable sectors) + Overfilled fracks - CRC errors + Bank Select cartridges and MUCH, MUCH MORE. The disks include automatic program protectors, Protection Scanners, directory hiding and more

ROOK Land DISK I

BOOK I and DISK I \$24.95
BOOK II (Advanced protection) and DISK II \$24.95
Special Offer, Order both sets for Only \$39.95

Automatic Disk Back-Up System. Make perfectly running unprotected back-up copies of hundreds of the most popular Atori programs. Chipmunk's sophisticated programming Automatically finds and REMOVES copy protection from most Atori programs. Back-up even heavily protected programs with ease. Finally, a back-up system that needs no special hardware or skills.

(If you need a full list of what Chipmunk copies, call or write for our free catalog) \$34.95

Scanalyzer Automatically scan & analyze commercial programs. Unlock program learn from the masters \$29.95

Impersonator Cartridge to Disk back up system. Create running back-up copies of any cartridge

Get more from your games with CHEAT Tired of spending days trying to beat a game? Tired of getting stuck just when you need another life? Cheat is an innovative new product that gives you the chance you need to beat your favorite games. Cheat works with hundreds of Alari games to give you unlimited lives or power. End the frustration and get hours more enjoyment from your games. (Call or write Alpha Systems for our free catalog with a full list of the programs that work with Cheat)

ONLY \$24.95

BASIC TURBOCHARGER

NOW for the first time a BASIC programmer can get the power, flexibility and incredible speed of machine language. BASIC TURBOCHARGER is a **book and disk package** that contains over 150 ready to use machine language routines. Complete instructions show how to add them to your own BASIC programs to get these features and more: • Smooth Scrolling • Player/Missile control • Load & Save Picture files • Sorting and Searching • Special Effects Graphics • Incredible Speed • Much, Much More • Over 150 programs. You've heard of the power of Assembler, now harness if for your own \$24.95



24 HOUR 216-374-7469 VISA & MASTERCARD, ORDER BY PHONE, OR SEND MONEY ORDER TO:

An All New Parrot sound digitizer for your Afari. Parrot II is a sophisticaled new hardware device that plugs into your joystick port. Parrot II has two inputs, One for a microphone and one for a powered source such as a tape player, radio or Compact Disk

The Powerful Parrol II software lets you record sounds into your computer and play them back on any Atori. Parrol II turns your computers keyboard into a musical instrument with nine different sounds covering three octaves each. The sounds can be anything, a dogs bark, a piano, a complete drum set, a symphony or your own voice.

Parrot II lets you modify the sounds on a graphic display to create brand new sounds and special effects. Best of all, the sounds and voices can be put into your own programs that can be used on any standard Atari. Explore the world of digital sound and music. ONLY \$59.95

Pre-Recorded Sound Disk More pre-recorded sounds for Parrot \$4.95
PARROT II Demo Disk (Does not require Parrot to run) \$5.00

POP-N-ROCKER

pop-n-rocker

a fast paced, multi-player trivia game that mixes questions with real songs (digitized with Parrot). Be the first to identify the songs and answer the music trivia questions. Pop-N-Rocker comes with three data disks and lets you add new questions so it will never get old. You can use a Parrot Sound digitizer to add new songs tool Use any kind of music from Rock to Classical to Nursery Rhymes. A new concept in entertainment and a perfect add-on for Parrot

\$24.5

COMPUTEREYES & MAGNIPRINT II +

Turn your computer into a digital portroit studio. This complete package lets you capture, save & print digital images from your Video Camera, VCR or TV. COMPUTEREYES hardware plugs directly into your joystick ports for easy use. Print your picture on a 6 foot poster. \$119.95

ComputerEyes camera system
Comes complete with everything above, plus a black and white video camera and connecting cable. \$329.95

iphics 9 Software – Add a new dimension to your COMPUTEREYES ures – captures images in 16 shades of grey. \$12.00 Graphics 9 Software -

Magniprint II +
Easily the most powerful print program available today. Print graphics from almost any format in hundreds of shapes, sizes, and shades. Supports color printing and lets you create glant posters. Magniprint II + lets you stretch and squeeze, invert, add text, adjust shading and much more. Works with EPSON, NEC, Citch, Parasonic, Gemini, Star, XMM801, and compatible printers. (850)

Graphics Transformer

Now you can combine the most powerful features of all your graphics programs. Create print shop icons from a Koala pad picture, from a photo digitized with ComputerEyes, or any picture file Graphics Transformer lets you Shrink, Enlarge and Merge pictures for unequaled flexibility. \$22.

YOUR ATARI COMES ALIVE

SAVE MONEY Finally an alternative to buying expensive computer add-ons. Your Atari Comes Alive shows you how to **built them yourself**. This 'How-To' **book and disk package** gives you compile step by step instructions and programs needed to built and control these exciting devices and MORE:
- Light Pen - Light & Motor Controllers - Alarm Systems - Voice Recognition - Environmental Sensors
- Data Decoders - More than 150 pages **Your Atari Comes Alive**\$24.95

ALPHA SYSTEMS 1012 SKYLAND DRIVE MACEDONIA, OH 44056 FREE BONUS: DELUXE SPACE GAMES (3 games on a disk) Free with any order of 3 or more items. Include \$3.00 shp & hdig US Canado) Ohio res. add \$1/2% selse tax. Foreign orders add \$8.00 shp & hdig. Cali or write for free cataloig. Customer Sevince Line (216) 467-5665 M+F 9-3

GIANT WALL SIZED POSTERS.

BSRk delivers the main features of the commercial PowerManager home controller software reviewed in this issue. Use your Atari to program a series of timed sequences on the X-10 Powerhouse Computer Interface for BSR on/off units. The **BASIC** program works with all Atari 8-bit computers with at least 48K. It requires an Atari 850 or P:R: Connection interface, a disk drive, the model CP290 Powerhouse interface and X-10 BSR modules. An ST version of BSRk is also published in this issue. It will work in high or medium resolution.

> Walter Lazear Bv

Type-in home control software



X-10 wall-plug module and Powerbouse RS-232 serial controller let your Atari (8-bit or ST) automatically brew your first morning coffee—or any other on/off electrical operation.

Type-In Software

BSR modules such as the popular X-10 products plug into electrical outlets and use the household wiring to transmit programmed signals for switching any standard electrical equipment on and off. Full details about the X-10 system are explained in this issue's review of Terrific Corp.'s PowerManager software.

Walt Lazear describes himself as a Chesapeake Bay sailor who finances his cruising by working as a systems analyst specializing in networks and communication protocols. He has enjoyed bis Atari 800 for over five years.

BSRk (BSR kontroller) is essentially a simple, menudriven disk database manager that sends its data to the X-10 PowerHouse, which has its own memory and microprocessor. BSRk does much of the same job as PowerManager—but on a smaller scale and with fewer features. The key differences are:

- 1. BSRk requires an interface with a serial port, such as the Atari 850 or ICD's P:R: Connection. PowerManager plugs directly into the Atari's joystick port 2 with a special cable that comes with the package.
- 2. BSRk can control 16 devices and 24 on-off events. PowerManager handles 256 devices and 128 on-off events.
- 3. PowerManager can load previously saved libraries of scheduled activities. Only a single library can be saved as part of the BSRk program.

GETTING STARTED

You need to use the IBM PC version of the X-10 Powerhouse CP290 interface, which comes with a generic RS-232 cable. This cable connects to your Atari 850 via your own modem cable (an RS-232C cable with a female DB25 connector on one end and a male DB13 connector on the other).

Plug one end of this cable into the R1: port on the 850. Plug the other end into the cable that came with your X-10. Finally, plug the other end of your X-10 cable into the back of your X-10, and plug your X-10 into a wall socket.

You must keep all your BSRk files together on a separate disk that has been formatted with DOS 2 or DOS 2.5. Type in Listing 1, BSRK.BAS, check it with TYPO II and SAVE a copy to your BSRk disk. This is the main program.

Next, type in Listing 2, BSRHAND.BAS, check it with TYPO II and SAVE a copy to your BSRk disk. When RUN, Listing 2 creates a file called BSRHAND.OBJ, a machine language program which first sets-up the RS-232 serial handler program, then RUNs BSRK.BAS. Antic Disk Subscribers will find a copy of BSRHAND.OBJ on the monthly disk

Finally, copy BSRHAND.OBJ to your BSRk disk and rename it AUTORUN.SYS. At this point you should have just

Figure 1

BSRK DATABASE FIELDS

BSRK DATABASE FIELDS		
FIELD	LEGAL VALUES	
Status	I = inactive, $A = active$.	
Device ID	BSR module number 1-8.	
Location	Any text.	
Days	Selected from a menu.	
Time On	24-hour time.	
Time Off	24-hour time.	
Level	0=brightest, 8=dimmest.	
Mode	N=normal (exact time), S=security (within an hour).	

ST BSRk

GEM bome control in GFA BASIC

By Charles Jackson, Antic Technical Editor

The ST Version, BSRK.BAS, is written in GFA BASIC, and works the same way as its 8-bit cousin. Antic Disk owners will find BSRK.PRG, a runtime version of BSRK, on this month's disk. This version can be used even if you don't own GFA BASIC.

When RUN, BSRK.PRG clears your desktop, then displays a menu bar with three choices—Desk, Records and Files. Use the Desk menu to access your desk accessories.

The Options menu contains choices to initialize your BSRk database, set the interface's time, load the database into the interface, and to quit the program.

Use the Records menu to update your BSRk database, show all of the records in the database, and to show only the active records.

Start by pulling down the Options menu and clicking on "Initialize". You need to initialize the database file only once. Be Careful! This function erases any previous database from your disk and creates a blank, new one.

Next, pull down the Records menu, click on "Update" and specify record 1. Select each field and type the proper data, as shown in Figure 1. When you have entered the entire record, choose menu item 9 to return to the main screen.

For a quick summary of records, pull down the Records menu. From here you can click on Show Active to conveniently display only the active records, or Show All to display all of the records in the database.

Now, pull down the Options menu and click on Load BSR Interface to send your records to the X-10 Powerhouse's memory.

Finally, click on Set Time to set the current date and time. Now you may turn off your ST and let your X-10 Powerhouse control your house.

four files on your BSRk disk: DOS.SYS, DUP.SYS, AUTO-RUN.SYS and BSRK.BAS.

GOING BSRk

Start by choosing item 1, Init Database, from the BSRk menu. You need to initialize a disk database and index continued on page 23

NumberPrint

Dollars and cents where you want them

NumberPrint is a clever, handy subroutine that correctly lines up numbers for neat printouts. It automatically

sets right justification for proper column alignment, floating dollar signs and commas, and filler characters for check printing. This BASIC program works on all works on all should be a size, with disk or cassette.

ant to spruce up your program's reports? How about printing numbers using floating dollar signs, commas, and fill characters? No more checking numbers to see if you need to precede them with blanks, so that your amounts print out correctly in columns. No more converting numbers into string format and struggling to right-justify them so that the cents don't end up where dollars should be.

NumberPrint knows where to place numbers for correct printouts. All you have to do is create an edit pattern and call the NumberPrint subroutine from your main program.

GETTING STARTED

Type in Listing 1, NUMPRINT.BAS, check it with TYPO II and SAVE a copy before you RUN it. (Antic Disk owners will also find a bonus file this month, NUMPRINT.M65, the MAC/65 assembly language source code for NumberPrint.)

By MARC ESCOLA

If you have trouble typing the special characters in lines 1010-1040, don't type them in. Instead, type in Listing 2, check it with TYPO II and SAVE a copy. When you RUN Listing 2, it creates these hard-to-type lines and stores them in a file called LINES.LST.

To merge the two programs, disk users LOAD "D:NUM-PRINT.BAS" and then ENTER "D:LINES.LST." Cassette users: CLOAD Listing 1, then insert the separate cassette used for Listing 2 and ENTER "C:". Remember to SAVE the completed program before you RUN it.

The table below shows how NumberPrint translates the proper edit pattern into the printed result you want.

Number	Edit Pattern		Result
10	"XX,XXX.XX"	6.6	10.00"
22.5	"X\$,XXX.XX"	6.6	\$22.50"
5	"**,XXX.XX"	"**	* * * 5.00''

You must first place the subroutine's data into a string. Now you will need a string where your edited number will be placed. Fill this string with the desired pattern. You will also need a temporary variable for the subroutine to use. Place the number you wish to edit into the temporary variable and then call the USR function. Your number is now in the string and ready to print.

Setting up your own edit pattern is easy. Use the X character for each spot where you wish a digit to be placed. Use as many Xs as the largest number you will use. If your number will contain fractions (decimal places) you can use the optional period [.] character. Place the period at the left of the digits that will represent it. The subroutine will fill these positions with zeros if your number has no fractions.

Fractions will be dropped if no period is in the string. Note that no rounding-off is performed. Commas or any other characters (except for optional and inverse) can be placed anywhere in the string to separate digits.

NumberPrint has two other optional characters which you can include—the dollar sign [\$] and the asterisk [*]. These characters, if placed in the second position in the string, will automatically float up to the most significant digit. This is very useful if your program is printing checks.

Another handy way to use NumberPrint is for placing filler characters. The default character is a blank. Place the desired character in the first position of the string and if the number is smaller than the digits in the string, the spaces will be replaced with this character. Note that use of either the float position or the fill position takes the place of one of your X's. This means that if your number is too large, it will cut off these options. If you always wish to have these options in effect you should have enough Xs to fill in the string completely.

Marc Escola of Portland, Oregon is senior application programmer for a major retail company. A member of the Portland Atari Club, he has been programming Atari 8-bit computers since 1983. This is his first publication in Antic.

Listing on page 35

RSPL

continued from page 21

files only once. This Init function erases any previous database from your disk and creates blank, new ones.

Next, choose item 3 to Update Records. Specify record 1, select each field and enter your data choices, as explained in *Figure 1*. Exit that Update, then *again* select Update Records from the main menu, but this time specify record 2. Repeat for as many BSR modules and on/off times as needed.

At any time you can use choice 4, Show Active, to conveniently display all of the active records, or choice 5 to Show All of the records in the database.

Next, choose item 6, Load BSR Interface, to actually send your records to the X-10 Powerhouse's memory.

Finally, set the current date and time with choice 2. Now you can unplug your 850 or P:R: Connection from the Powerhouse—which will remember the events you sent it and activate them when appropriate. Now, it's time to sit back and enjoy your house gone BSRk.

PROGRAM TAKE-APART

BSRk is very modular and subroutine-oriented. This aids in debugging the initial code and extending the functionality later.

50 Initializes the 810 interface to 600 baud and even parity.

100 Writes characters from MSG\$ to the X-10 with inter-character delay.

150 Reads a character from the X-10.

200 Reads sync and status characters.

250 Computes the checksum across the START to FINISH portion of MSG\$.

300 Display column headers for record listings.

350 Displays a record in columns.

400 Set up constants, arrays, and labels.

450 Overwrites a record on disk.

500 Reads a record from disk.

550 Reads index file from disk and fills CHAR() and SECT() arrays.

600 Breaks 24-hour time into hours and minutes.

650 Sends the default housecode (A) to the X-10 to clear its memory.

700 Main loop. Display menu, get user choice, call appropriate routine.

1000 Initializes disk database by writing blank records and initializing the index.

2000 Prompts for hours and minutes and sends that time to the X-10.

3000 Retrieves record from disk, displays it, prompts for individual field changes, rewrites record to disk.

4000 Displays records that will be downloaded to the X-10 (status = active).


5000 Displays all records in the database.

6000 Clears the X-10, composes messages from active records, and sends them to the X-10.

7000-Exit BSRk to BASIC.

Listing on page 36 ST Listing on page 37


Classic



Donkey Kong



Donkey Kong Jr.



Pac-Man

Cartridges II



Ms. Pac-Man



Dig Dug



Qix

Ms. Pac Man, Donkey Kong Jr., Dig Dug and more... BY MATTHEW RATCLIFF

Here are some more of the classic Atari game cartridges that are still available for your new Atari XE Game System—or for any other Atari 8-bit computer. Just like the other 10 popular cartridge classics we reviewed in the July 1988 Antic, these games are rated on a four-star system.

Classic Atari game cartridges have become easier to find at retail outlets since the release of the XEGS computer last Christmas. You can also order cartridges directly from the Atari Corp. Atari's warehouse stock has been repackaged in uniformly designed boxes and is now priced from \$19.95 to \$22.95 each. Meanwhile, many dealers are still selling out their old packages at prices below the current list.

DONKEY KONG



A very large simian creature has run amok and stolen the hero's sweetheart in this superb port from the original coin-op **Donkey Kong**. Kong doesn't look anything like a Donkey—this game originated in Japan, loosely translating as "Crazy Kong" in English.

You'll make Mario the construction worker climb the girders to retrieve his true love. On the first level you must jump barrels and fireballs and climb ladders toward the fierce Kong and Mario's bewildered darling. Along the way Mario can jump up and grab some hammers to bash a few barrels, although the longer it takes to get to the top, the smaller bonus score you'll earn and the faster Kong tosses barrels at you. Once you've reached the top, it's true love again—until Kong becomes furious and snatches the lady off to the next level.

Higher yet on the girders, Kong and Mario's girlfriend await. Kong sends down fireballs as you help Mario climb up and across the grid of beams. For bonus points along the way, Mario can pick up personal effects dropped by his kidnapped cutie. When Mario jumps over the pins in the girder, he deftly pulls them out. Once all six pins are removed, the structure falls, taking Kong with it and giving him a serious bonk on the head.

But Kong has one tough noodle, and he moves on to another level, similar to the first screen, but he's much more aggressive with the barrel tossing. If Mario survives this level, he and Kong duke it out on yet another portion of the superstructure where moving elevators, bouncing girders and other hazards continue to challenge Mario.

Donkey Kong is a notably chivalrous game scenario among all too many shoot-em-ups. Eventually Kong defeats Mario, but there's always the [START] key to try again for more points.

DONKEY KONG JR.



Donkey Kong was a smash hit in the arcades, so Nintendo, the original maker of the Donkey Kong and Mario Brothers video game series, followed up with **Donkey Kong Jr.** In this scenario, Donkey Kong Senior is under lock and key, guarded by the victorious Mario.

In this game you assume the role of poor Kong Junior, desparately trying to save Papa Kong from the vengeful Mario. There are four challenging levels—the vine, chain, jump board and hideout scenes.

On a scale of 1 to 10, I would rate the difficulty level of Donkey Kong at 5, whereas Donkey Kong Jr. is easily an 8 or 9. Only a few times have I gotten past the first screen, in which Junior must jump up onto vines and climb them, knocking down fruits, which can clobber the snapjaws—vine-climbing piranhas. He must jump across platforms and climb until he finally reaches Mario's platform at the top. Here Junior must jump quickly, grab the key and release Papa—briefly. Mario always manages to recapture Donkey Kong Senior, taking you to the next level of game play.

At the chains level Junior must insert six keys into six locks, pushing them up the chains while avoiding birds and more snapjaws. All six keys are needed to unlock Papa Kong, but Mario doesn't waste any time in recapturing him.

At the jump board and hideout levels things get even hairier, with more and stronger foes for poor Junior to conquer along the way.

I recommend this game for master arcade gamers with lightning reflexes. Both Donkey Kong games are superb conversions of the original coin-arcade hits.

PAC-MAN



Not every video game has a breakfast cereal, a kids' noodle snack and a Saturday morning cartoon named after it, but **Pac-Man** does. Mr. Pac is into eating dots, and the ghosts are out to eat him. Along the way Pac-Man can eat the flashing power pills for bonus points, briefly turning the tables on the nasty ghosts.

This is a perfect conversion of the Arcade classic, much better than the "flicker-matic" version done for the Atari 2600. It can get boring once you've mastered the lower levels, but you can always speed it up at the options screen before starting.

The maze screen remains the same at every level. The arcade original was quite susceptible to "pattern playing." Once you had the basic actions of the ghosts down pat, you could play a certain "pattern" at each level and really rack up the points. However, in the home computer version, these patterns don't seem to show up, and the game is more challenging.

MS. PAC-MAN



The art of video gaming traditionally had been a young man's fancy, but Pac-Man attracted a lot of ladies. Bally (originators of the Pac-Man family) noticed this too, and built a new, more sophisticated, feminine version of a great game.

In Ms. Pac-Man that cute little muncher, complete with lipstick and a bow, gobbles dots and power pills, just like her male counterpart, as ghosts chase her about. Unlike Pac-Man, where fruit bonuses are in fixed locations, Ms. Pac-Man must chase them around on the screen. Also, the screens in this rendition differ between levels, making it harder to master all the escape routes from the ghosts.

Ms. Pac-Man is more sophisticated than Pac-Man, maybe a bit more playable and not quite as monotonous. *One* of these games is a must for any complete gamer's cartridge library, but I don't think they're dissimilar enough to purchase both. Maybe Atari could release them both in one super cartridge.

DIG DUG



Digging for gold isn't a simple job anymore. The hills are infested with all sorts of nasty little creatures, and you're just the high-tech exterminator to do the job.

The introductory music and sound effects of this game are captivating. Your job is to dig through the ground and zap all the little bugs and fire-breathing creatures before they zap *you*. The **Dig Dug** game screen is like looking into Pee Wee Herman's ant farm. If you dig into a cavity occupied by a bug, the critter attacks. You must fire first, zapping it with your lightening-bolt stun-gun. Three zaps are always needed to kill one of these baddies. Wait too long between zaps and the bugs will recover and grab you. Dig under what looks like a buried eggplant, with the bad guys in hot pursuit, and they'll get it in the chops.

You can't wait around too long, or the bugs, in ghost continued on page 28

Power Manager

X-10

By Charles Cherry

Atari
bome
controller
connection



ne interesting application that was never previously available for any Atari is computer control of the X-10 PowerHouse home controller system. X-10 provides its own software for the Apple II, Commodore 64 and IBM,

but left out the Atari. This unfortunate lack has now been corrected by Terrific Corp., whose **PowerManager** provides all the features available on other computers.

MEET THE X-10

For those Atarians not familiar with the X-10 home control system, here's a brief overview:

A master controller turns lights and appliances (or anything else with an electric switch) on and off. A separate slave module is used for each item to be controlled, whether it's a lamp, appliance, wall socket, wall switch or thermostat. The lamp and wall switch modules also provide 16 levels of dimming.

The signals that control the slave modules travel through the normal house wiring. That's the real magic of the X-10 system—no additional wiring is needed. Just plug in the modules and you have remote control. I once worked with a small traveling theater company which used the X-10 system for stage lighting. We just plugged everything into the wall and were ready to go. No need to run cables everywhere. It was great.

X-10 PowerHouse hardware is reasonably priced and widely available from all kinds of stores that sell household electronic supplies. The controllers and modules are sometimes on sale for next to nothing. Even if you pay full price, the system's "power without the price" is an unbeatable value. The X-10 could be called the Atari of remote control systems.

Several different X-10 controllers are made, from simple manual ones to complex timers, wireless transmitters and even a telephone operated controller. The controller we're concerned with is the model CP290, PowerHouse RS-232 Computer Interface. With this controller—and the proper software and cable—your computer controls the PowerHouse system. The PowerManager provides the proper software and a cable that connects your Atari to the CP290.

THE POWERMANAGER

August 1988

The PowerManager cable plugs into joystick port 2. This saves you the cost of an RS-232 interface (such as an Atari 850 or a P:R: Connection). But it means you must be careful with the cable. Don't leave it plugged in when you run other software. Likewise, don't leave things like your PaperClip key plugged in when you run PowerManager.

The software is very similar to what's available for the other computers, except that X-10 software uses graphics—pictures of rooms into which you put icons of your lamps and appliances. PowerManager, however, identifies the devices numerically. Personally, I think PowerManager got it right. The X-10 pictures are cute, but they don't look like my house and there's no logical way to indicate devices that aren't in a room, like the porch lamp, the garage light or the automatic sprinkler system.

The X-10 interface is limited to 16 devices. Eight can be manually controlled by switches on the interface and all 16 can be controlled by the computer. Actually, many more than 16 can be controlled by the computer. It seems that since the signals travel on the house wiring, there's a chance that you will also control your neighbor's X-10 system, if you are connected to the same local transformer (those big boxes on top of utility poles, usually serving

about half a block).

To prevent this, each device can be set for a "house code." You and your neighbors decide who gets what code: "You're A, I'm B and the Murdocks are C." There are 16 house codes. If more families on your block get X-10 systems, you're out of luck. However, it's unlikely that many of your neighbors are using the PowerHouse system. This means all those house codes are available for you—16 house codes with 16 devices each, adds up to 256 devices. Now *that's* a respectable remote control system.

You can use the PowerManager software in two different ways. First, you could control your house directly from the keyboard or joystick. More likely, you will choose to program the interface to run from its internal timer. You can schedule as many as 128 different events. Each event can control one, several, or all of the 16 devices in one house code. You schedule each event for a specific time and have it automatically repeat on one or more days of the week. Or you can program events to occur on each scheduled day within an hour of the set time. This makes your home looked more lived-in while you are on vacation.

When your schedule is complete, you can save it to disk. You can build a library of schedules for various situations, such as summer, winter, vacations, etc. Once you select a schedule and upload it to the X-10 interface, the interface runs on its own. So you can use your computer for other things. The interface even has a 10-hour battery backup in case of power failure.

A FEW COMPLAINTS

I found the logic structure of the menus inconvenient. You can only set the time and the default house code upon first booting. The arrow keys and [RETURN] are inconsistent and you cannot exit from a menu when you want to.

Another problem is the clock. It changes from a.m. to p.m. and back at 1 o'clock, not 12, so 12:30 in the afternoon must be entered as 12:30 AM, and 12:30 at night must be entered as 12:30 PM.

Also, I kept getting the following cryptic message: "*Error: Interface was powered down.*" I couldn't understand this, since the interface was plugged in and seemed to be working fine. In fact, everything worked just as it should have. Later when I read the X-10 programming guide, I realized the PowerManager was saying that the memory of the interface had been erased—it had been unplugged and "forgot" its previous programming. I don't think that qualifies as an error.

PUTTING THE SYSTEM TO WORK

The PowerMaster X-10 was designed for home control and it works well there. I particularly enjoy waking to the glorious sound of my monster stereo instead of my tinny little clock radio. The system makes coffee and toast in the morning and it warms up the electric blanket before continued on next page

27

e big boxes on top of utility poles, usually serving continued on next pag

POWER MANAGER X-10

continued from previous page

bedtime. It has eliminated the need for a \$75 programmable set-back thermostat, and it remembers to turn on the porch light before my wife gets home and turn it off when we go to bed. When I get some relays and solenoids, I'll build an automatic cat feeder.

Home control is sort of a game. It's fun to plan your 21st-century house. This programmable system can replace many expensive dedicated systems to control sprinklers, solar heating, fans, security systems, etc. And it's all done with little or no rewiring. However, the X-10 is not limited to the home. (Remember, we used it for a theater.)

BEYOND THE HOUSE

Any application requiring remote control is a candidate for the X-10. And if that remote control needs to be programmed, an Atari with the PowerManager is a cost-effective solution. The individual modules are limited to switching 15 amps or dimming 300 watts, but they can drive relays to control larger loads like floodlights and electric signs.

Of course, the system is a natural for science fair projects and other experimental control systems. You should be warned, however, that in the scheduled mode, it's only accurate to within one minute. In the direct mode, you can get about 10-second accuracy, but that brings up another problem. There's no information on using this system in your own programming. The X-10 software for other computers includes a utility program to help you write BASIC applications. We could use the same for the PowerManger.

Writing custom software using the Atari's joystick and paddle inputs can create a simple data acquisition and process control system. A moisture sensor can trigger a pump, a phototransistor can turn off the lights, the vast array of security detectors (motion sensors, magnetic field detectors, infrared sensors) can be used to set off the appropriate responses.

(Antic would be interested in publishing software/hardware articles about interesting, original X-10 PowerManager uses.—ANTIC ED)

POWERMANAGER
Terrific Corp.
17 St. Mary's Court
Brookline, MA 02146
(617) 232-2317
\$44.95, 48K disk. (Includes cable)

X-10 POWERHOUSE CP290 X-10 (USA) Inc. 185A Legrand Avenue Northvale, NJ 07647 (800) 526-0027 (201) 784-9700—New Jersey \$49.99

"The most useful program for the Atari since Print Shop!" FORMS GENERATOR for the Atarl 800, 800XL, 65XE, 130XE Designed by Jeff Brenner, columnist for Computer Shopper magazine, of "Applying The Atari" fame, and author of book and magazine articles in COMPUTEI, ANALOG and others. LOOK WHAT YOU CAN DO WITH FORMS GENERATOR: Purchase merchandise by mail? Next time, send a customized purchase order form! Does your home or business ever need statements, invoices, proposals, job work orders, gift certificates, etc.? No problem! Use FORMS GENERATOR's scrolling spreadsheetstyle screen to design almost any form to suit your exact needs. What you see on-screen is what you get on paper! Use the text mode with any 80-column printer, or the high-res graphics mode with the Epson, Gemini/Star, Okidata, Panasonic or Prowriter for remarkably realistic forms. BUT THAT'S JUST THE BEGINNING: Once you've designed a form, you can program FORMS GENERATOR to make all calculations automatically! Imagine: after you enter quantities, descriptions and prices, FORMS GENERATOR moves about the form calculating extended prices, subtotals, and even the sales tax! Like magic! (Sample invoices included). You can also use FORMS GENERATOR for record keeping, since you can save filled forms to disk! Read what our customers have written: "Excellent ... easy to use and ran perfect(Iy) ..." T.W. Wethersfield, Connecticut; "I was most impressed with your FORMS GENERATOR program ..." J.E. King, South Carolina: "Love it!" C.R. Cortland, Ohio. Our "down to planet Earth" price: Only \$23.95 (product #ATA611). For C.O.D. Orders C.A.L. (516) 932-5330 Or send coupon below. ☐ YES! Please rush me FORMS GENERATOR (product #ATA611) with complete documentation, 90-day free Send coupon to replacement warranty, full customer service support and Twenty-fifth 20-page Atari software catalog. I am enclosing \$23.95 + \$2.74 (for first class shipping and handling.) Centuru™ □Check/Money Order enclosed □C O D. (add \$2 50) □ MasterCard □ Visa Name Address _ Software Division City . State Dept. AT 1 Card No. __Exp. Date 234 Fifth Avenue Suite 301 Signature _Phone # New York NY 10001 New York State residents add 8% sales tax *The Print Shop and Atari are registered trademarks of Broderbund Software and Atari Corp., respectively. — Prices and availability subject to change without notice.

CLASSIC CARTRIDGES II continued from page 25

fashion, will fly through walls after you. The last bug at each level always hightails it for the exits—zap him for bonus points.

Each level has more bugs to bonk. They're more vicious and they move faster. Eventually the mines and bugs are the death of you.

All too many games are simply an exercise in wrist wrenching in pursuit of a higher score. Dig Dug is a bit too cutesy, but it's a faithful conversion of the popular original coin-op game.

QIX **

In Qix, you must protect your land from the invading grid bugs. On a large, mostly blank display you begin drawing boxes. If you're brave, holding the fire button during the draw slows you down for more points. Each time your drawing line reaches a previously drawn edge, the land is filled and reclaimed as yours. Land reclaimed slowly, in red, is more valuable than that gained quickly.

This game is an accurate conversion of the coin op, but seems just too slow. If you liked the arcade original, then this classic deserves a place in your cartridge library. If Atari ever re-releases Qix, they should consider speeding it up.

\$19.95 to \$22.95 each. Atari Corp., 1196 Borregas Avenue, Sunnyvale, CA 94086. (415) 745-2000.

This Month's Antic Disk FREE—when you call toll-free to (800) 234-7001 and order your new or upgraded Antic Magazine/Disk and order your new ord VISA or Mastercard only.

SOFTWARE LIBRARY

GAME OF THE MONTH
BLACK BOX
► BONUS: LIGHT GUN SPRAY-PAINTER
XE GAME SYSTEM MANAGER
► DOLLARS AND CENTS WHERE YOU WANT THEM
NUMBER PRINT
► FEATURE APPLICATION BSRk X-10 HOME CONTROLLER
ST RESOURCE > ATARI HOME CONTROLLER CONNECTION BSRk ST
BSRK S1
TYPING SPECIAL ATARI CHARACTERS
HOW TO USE TYPO II
DISK SUBSCRIBERS: Programs for 8-bit Atari computers can be used immediately. Just follow instructions in the accompanying magazine articles. ST Owners: See monthly disk's ST Help File for instructions on how to transfer programs to 3-1/2 inch disk.
DOS COMPATIBILITY: All 8-bit programs published by Antic are tested to work with Atari Disk Operating System (DOS) 2.0S and 2.5—not with the incompatible DOS 3.0. DOS 2.0S is available on each Antic Monthly Disk. Copy the DOS.SYS and DUP.SYS files.
No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electron-

August 1988

ic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher.

TYPING SPECIAL ATARI CHARACTERS

Antic printed program listings leave a small space between each Atari Special Character for easier reading. Immediately below you will see the way **Antic** prints all the standard Atari letters and numbers, in upper and lower case, in normal and inverse video.

The Atari Special Characters and the keys you must type in order to get them are shown in the two boxes below.

NORMA	L VIDEO
FOR TYPE THIS THIS	FOR TYPE
TCTRL,	GTRL S
CTRL A	CTRL T
CTRL B	CTRL U
CTRL C	CTRL V
CTRL D	GTRL W
CTRL E	CTRL X
CTRL F CTRL G	CTRL Y
CTRL G	CTRL Z
G CTRL I	ESC ESC
CTRL J	ESC CTRL =
CTRL K	ESC CTRL +
CTRL L	ESC CTRL *
CTRL M	CTRL .
CTRL N	CTRL;
CTRL O	SHIFT =
CTRL P	ESC SHIFT
☐ CTRL Q ☐ CTRL R	CLEAR SC DELETE
- CIRL R	ESC TAB

RSE VIDEO
THIS THIS
FOR TYPE THIS CTRL X CTRL Y CTRL Z ESC SHIFT DELETE ESC SHIFT INSERT ESC CTRL TAB ESC SHIFT TAB ACTRL ASHIFT SESC CTRL CTRL CTRL CTRL CTAB CTRL CTRL CTRL CTRL CTRL CTRL CTRL CTRL
ESC CTRL DELETE ESC CTRL INSERT

Whenever the CONTROL key (CTRL on the 400/800) or SHIFT key is used, *bold it down* while you press the next key. Whenever the ESC key is pressed, *release* it before you type the next key.

Turn on inverse video by pressing the Reverse Video Mode Key . Turn it off by pressing it a second time. (On the 400/800, use the Atari Logo Key ... instead.)

Among the most common program typing mistakes are switching certain capital letters with their lower-case counterparts—you need to look especially carefully at P, X, O and 0 (zero).

Some of Atari Special Characters are not easy to tell apart from standard alpha-numeric characters. Usually the Special Characters will be boxed. Compare the two sets of characters below:

SPECIAL		S	STANDARD		
	∠ CTRL F		/		
3	CTRL G		SHIFT +		
	CTRL N	_ =	SHIFT -		
	CTRL R	- 🗎	-		
	CTRL S	+ 🖽	+		

HOW TO USE TYPO II (8-BIT)

TYPO II automatically proofreads Antic's type-in BASIC listings for 8-bit Atari computers. It finds the exact line where you made a program typing mistake.

Type in TYPO II and SAVE a copy to disk or cassette. Now type GOTO 32000. When you see the instruction on the screen, type in a single program line without the two-letter TYPO II code at the left of the line number. Press the [RETURN] key.

Your line will reappear at the bottom of the screen with a two-letter TYPO II code on the left. If this code is not exactly the same as the line code printed in the magazine, you mistyped something in that line.

To call back any line previously typed, type an asterisk [*] followed (without in-between spaces) by the line number. then press [RETURN]. When the complete line appears at the top of the screen, press [RETURN] again. This is also the way you use TYPO II to proofread itself.

To LIST your program, press [BREAK] and type LIST. To return to TYPO II, type GOTO 32000.

To remove TYPO II from your program, type LIST "D:FILENAME", 0,31999 [RETURN] (Cassette owners LIST "C:). Type NEW, then ENTER "D:FILENAME" [RETURN] (Cassette—ENTER "C:). Your program is now in memory without TYPO II and you can SAVE or LIST it to disk or cassette.



GAME OF THE MONTH

BLACK BOX

Article on page 17

LISTING 1

5 REM BLACK BOX 10 REM BY KEN ARROMDEE 15 REM (C)1988, ANTIC PUBLISHING 20 DIM Q\$(1):Q\$=CHR\$(34) 30 GOSUB 1470 40 GRAPHICS 0:POKE 709,0:POKE 710,10:P

TRAP 80:? "How many particles? (8 m aximum) ";:INPUT #16;P 60 IF P>8 THEN ? "The maximum is 8.":G 0T0 50 70 IF P>0 AND P=INT(P) THEN TRAP 65535

70 IF P>0 AND P=INT(P> THEN TRAP 65535 :GOTO 90 80 ? "Please type an integer.":GOTO 50

90 TRAP 110:? :? "Do you want the black box to be":? " 8 by 8 or 10 by 10?":? :? " (Type 8 or 10) "; 92 INPUT #16; SIZE 95 IF SIZE <> 8 AND SIZE <> 10 THEN 110 100 TRAP 40000: GOTO 120 110? "Type an 8 or 10.": GOTO 90 120 GOSUB 1080 130 OLDX=1: OLDY=-1: OLDDIR=4: X1=1: Y1=1: TURNS=0: IF SIZE=10 THEN OLDX=0: X1=0: Y1=0

140 IF SIZE=10 THEN COLOR 171:FOR I=1 TO 10:FOR J=1 TO 10:PLOT I,J:NEXT J:NE

Don't type the TYPO II Codes!

| XT I:GOTO 180 150 COLOR 3:PLOT 1,1:COLOR 4:PLOT 2,1: DRAHTO 9,1:PLOT 2,10:DRAHTO 9,10 160 COLOR 5:PLOT 10,1:COLOR 7:PLOT 1,1 0:COLOR 8:PLOT 10,10:COLOR 6:PLOT 1,2: DRAHTO 1,9:PLOT 10,2:DRAHTO 10,9 170 COLOR 171:FOR I=2 TO 9:FOR J=2 TO 9:PLOT I,J:NEXT J:NEXT I 180 POKE 623,4:POKE 53256,3:POKE 53261,255:POKE 5325,73:POKE 53256,3:POKE 53261,255:POKE 53256,3:POKE 53261,255:POKE 53256,3:POKE 705,128:POKE 532 62,255:POKE 53258,3:POKE 705,128:POKE 532 63,255:POKE 53258,3:POKE 706,128:POKE 532 63,255:POKE 53250,208 210 POSITION 14,2:? #6;"BUBDES" ;TURNS 230 POSITION 14,2:? #6;"BUBDES" ;TURNS 230 POSITION 13,5:? #6;"BUBDES" 240 POSITION 13,5:? #6;"BUBDES" 250 POSITION 13,5:? #6;"BUBDES" 250 POSITION 13,5:? #6;"BUBDES" 250 POSITION 14,7:? #6;"BUBDES" 250 POSITION 14,7:? #6;"BUBDES" 250 POSITION 14,7:? #6;"BUBDES" 250 POSITION 14,10:? #6;"BUBDES" 250 POSITION EΒ AA 200 A=1NI(NND(0)*51ZE)+2-(51ZE=10):
NT(RND(0)*51ZE)+2-(51ZE=10)
290 LOCATE X,Y,D:IF D(>171 THEN 280
300 COLOR 172:PLOT X,Y
310 NEXT I X=INT (RND (0) *51ZE) +2- (51ZE=10) : Y=1 NEXT I LET LETTER=ASC ("A") continued on next page

330 X=OLDX:Y=OLDY:DIR=OLDDIR 340 LOCATE X+1,Y+1,UNDER:POSITION X+1, Y+1:? #6;"B" 350 FOR DELAY=1 TO 30:NEXT DELAY 360 IF STRIG(0)=0 AND UNDER=32 THEN 55 PI ΩT FD 370 S=STICK(0)
380 POSITION X+1,Y+1:? #6;CHR\$ (UNDER)
390 IF PEEK(764)=33 THEN 1250
400 IF PEEK(53279)=5 THEN FOR I=1 TO 4
0:NEXT I:GOSUB 1330
410 IF 5=15 THEN 340
420 ON DIR GOTO 430,460,490,520
430 Y=Y+(5=13)-(5=14):IF Y=(5IZE=8)-1
THEN Y=-1:X=(5IZE=8):DIR=4
440 IF Y=9+(5IZE=10) THEN Y=10:X=(5IZE=8):DIR=2
450 GOTO 340 LD TF S=STICK(0) DM 1020 1030 X D 58 1040 CN 1.050 1060 PM 1070 BG TP 450 GOTO 340 460 X=X+(5=7)-(5=11):IF X=(5IZE=8)-1 T NE AH HEN X=-1:Y=8+(SIZE=10):DIR=1 470 IF X=9+(SIZE=10) THEN X=10:Y=8+(SI ZE=10):DIR=3 KC ZE=10):DIR=3
480 GOTO 340
490 Y=Y+(5=13)-(5=14):IF Y=(5IZE=8)-1
THEN Y=-1:X=8+(5IZE=10):DIR=4
500 IF Y=9+(5IZE=10) THEN Y=10:X=8+(5IZE=10):DIR=2
510 GOTO 340 O.L 88 FI DK HII 1140 X=X+(5=7)-(5=11):IF X=(5IZE=8)-1 T 1150 X=-1:Y=(SIZE=8):DIR=1 IF X=9+(SIZE=10) THEN X=10:Y=(SIZE EΗ 1160 530 ZF 1170 KG =83 : DIR=3 1180 1190 540 GOTO 550 POSITION X+1,Y+1:? #6;" ":MOVE=1 560 OLDX=X:OLDY=Y:OLDDIR=DIR:IF SIZE=1 CD KG MF THEN 610 0 IF X=10 THEN X=9 0 IF Y=10 THEN Y=9 ΧT DP 589 IF X=-1 THEN X=0 IF Y=-1 THEN Y=0 ON DIR GOTO 630,670,710,750 YΙ 590 UQ UZ 600 ER JIII 610 SR 620 REM DIR 1=MOVING RIGHT 630 LOCATE X+2,Y+1,FRONT:LOCATE X+2,Y, LEFT:LOCATE X+2,Y+2,RIGHT 620 630 LOCATE X+2,Y+1,FRONT:LOCATE X+2,Y, LEFT:LOCATE X+2,Y+2,RIGHT 640 GOSUB 930 650 X=X+1:GOTO 780 660 REM 2=MOUING UP 670 LOCATE X+1,Y,FRONT:LOCATE X,Y,LEFT :LOCATE X+2,Y,RIGHT 680 GOSUB 930 690 Y=Y-1:GOTO 780 700 REM 3=MOUING LEFT 710 LOCATE X,Y+1,FRONT:LOCATE X,Y,RIGH T:LOCATE X,Y+2,LEFT 720 GOSUB 930 730 X=X-1:GOTO 780 YN HO ИИ **Z**5 L.P HC 720 GUSUB 930 730 X=X-1:GUTU 780 740 REM 4=MOVING DOWN 750 LOCATE X+1,Y+2,FRONT:LOCATE X+2,Y+ 2,LEFT:LOCATE X,Y+2,RIGHT 50 Y=Y+1

IF X>=(SIZE=8) AND X<=8+(SIZE=10)

Y>=(SIZE=8) AND Y<=8+(SIZE=10) THE 780 2411 AND 610 N 610
790 IF SIZE=10 THEN 850
800 ON DIR GOTO 810,820,830,840
810 X=X+1:GOTO 850
820 Y=Y-1:GOTO 850
830 X=X-1:GOTO 850 EB BL GP GF RF 840 TURN5=TURN5+2:G05UB 10000 860 POSITION X+1,Y+1:? #6;CHR\$(LETTER):POSITION OLDX+1,OLDY+1
870 ? #6;CHR\$(LETTER):LET LETTER=LETTE
R+1:GOTO 900 EU GH FII 80 GOSUB 10000:TURNS=TURNS+1:POSITION OLDX+1,OLDY+1:? #6;CHR\$(138):GOTO 900 EU R1> 58 UA GOSUB 10000:TURNS=TURNS+1:POSITION OLDX+1,OLDY+1:? #6;CHR\$(9):GOTO 900 200 POSITION 13,5:IF TURNS>9 THEN POSI 1435 900 POSITION 13,5:IF TURNS)9 INEN POSITION 12,5
910 ? #6;"EMMODE ";TURNS
920 GOTO 330
930 IF FRONT=172 OR FRONT=140 THEN POP
:GOTO 880:REM ABSORPTION
940 IF MOVE=1 THEN IF LEFT=172 OR RIGH
T=172 OR LEFT=140 OR RIGHT=140 THEN POP
P:GOTO 890:REM REFLECTION
950 IF (LEFT=172 OR LEFT=140) AND (RIG ши R1> 1440 U.C. 10:? RU 1460 LA NB HT=172 OR RIGHT=140> THEN POP :GOTO 89 0:REM REFLECTION 5A 960 MOVE=MOVE+1 KD 970 IF LEFT<>172 AND RIGHT<>172 AND LE

FT<>140 AND RIGHT<>140 THEN RETURN :RE M NOTHING AHEAD 980 IF RIGHT=172 OR RIGHT=140 THEN 104 1000 DIR=DIR-1:IF DIR=0 THEN DIR=4 990 REM BOUNCE RIGHT COTO 610 REM BOUNCE LEFT DIR=DIR+1:IF DIR=5 THEN DIR=1 POP GOTO 610 REM GUARACTER REDEFINITION 1080 GRAPHICS 18:POKE 106.PEEK(106)-3: CHBASE=PEEK(106)+1:GRAPHICS 18:POKE 75 6, CHBASE: CHBASE=CHBASE*256 1090 DV=USR (ADR ("NATION TO THE PORE T 708,26:RETURN 1110 FOR I=CHBASE+8*CHNUM TO CHBASE+8* CHNUM+7:READ D:POKE I,D:NEXT I:GOTO 11 1120 DATA 1,255,153,153,255,255,153,15 3,255 1130 DATA DATA 3,0,0,0,31,31,24,24,24 DATA 4.0,0,0,255,255,0,0,0 DATA 5,0,0,0,248,248,24,24,24 DATA 6,24,24,24,24,24,24,24,24 DATA 7,24,24,24,31,31,0,0,0 DATA 8,24,24,24,248,248,0,0,0 DATA 9,60,82,137,197,163,145,74,6 1200 DATA 10,255,129,189,165,165,189,1 29,255 1210 DATA 11,255,129,129,129,129,129,1 1220 DATA 12,255,129,129,129,129,129,1 1270 POSITION 13,8:? #6;"MRMMMR":POSITION 15,9:? #6;"MO":POSITION 14,10:? # 6;"REDO " 6;"BBDD0"
1280 IF STRIG (0) THEN 1280
1290 POSITION 0,0:? #6;"B"
1300 FOR I=CHBASE+96 TO CHBASE+103:POK
E I,PEEK (1-8):NEXT I
1310 POKE 764,255:GOTO 130
1320 REM GUESS MODE
1330 POSITION 14,10:? #6;"BBDD0"
1340 S=STICK (8)
1350 X1=X1+(5)=5 AND 5<=2>-(5)=9 AND 5 1350 X1=X1+(5)=5 AND 5(=7)-(5)=9 AND 5
<=11):IF X1>8+(5IZE=10) THEN X1=(5IZE= 1360 IF X1<(SIZE=8) THEN X1=8+(SIZE=10 1370 Y1=Y1+C5=5 OR S=9 OR S=13>-C5=6 O R S=10 OR S=14>:IF Y1>8+C5IZE=10> THEN Y1=C5IZE=8> 1380 IF Y1< (5IZE=8) THEN Y1=8+(5IZE=10 1390 LOCATE X1+1, Y1+1, UNDER1: POSITION X1+1, Y1+1:7 #6;"!"
1400 IF STRIG (0) THEN 1410
1405 FOR I=1 TO 30: NEXT I: UNDER1=UNDER 1+32* (UNDER1>160) -32* (UNDER1>160) 1410 FOR I=1 TO 10:IF PEEK(53279)=5 TH EN 1437 1415 NEXT I 1420 POSITION X1+1, Y1+1: ? #6; CHR\$ CUNDE OH 1430 IF PEEK (764) = 33 THEN POP : GOTO 12 GOTO 1340 1437 POSITION X1+1, Y1+1:? #6; CHR\$ CUNDE FOR I=1 TO 30:NEXT I:POSITION 14, #6;"BWIESE":RETURN GOTO 1330 REM TITLE PAGE GRAPHICS 18:POKE 710,0:POKE 709,4 1470 GI 0:POKE 0:POKE 708,6 1480 DL=PEEK(560)+PEEK(561)*256:POKE D L+10,6 1490 POSITION 6,3:? #6;"[INDEX | DOX" 1500 POSITION 3,5:? #6;"BY KEN ARROMDE 1510 POKE DL+13,2:POSITION 10,8:? #6;"
PRESS TRIGGER TO PLAY"

UM 1530 IF STRIG (0) THEN 1530 AU 1540 RETURN H5 9999 REM RANDOM DELAY QX 10000 FOR I=1 TO 60-6*MOVE+40*RND(0):N EXT I:RETURN

LISTING 2

AX 10 REM BLACK BOX, LISTING 2
NU 20 REM BY KEN ARROMDEE
GD 30 REM CC) 1985,1988 ANTIC PUBLISHING
EU 40 REM CLINES 10-250 MAY BE USED WITH
OTHER BASIC LOADERS IN THIS ISSUE.

IJ 50 REM CHANGE LINE 70 AS NECESSARY.)
PR 60 DIM FN\$(20), TEMP\$(20), AR\$(93):DPL=P
EEK(10592):POKE 10592,255
HO 70 FN\$="D:LINES.LST":REM THIS IS THE N
AME OF THE DISK FILE TO BE CREATED
RD 80 ? "MOISK OF MASSETTE?";:POKE 764,25

PY 90 IF NOT (PEEK(764)=18 OR PEEK(764)=
58) THEN 90
TH 100 POKE 764,255:GRAPHICS 0:? "AN
TIC'S GENERIC BASIC LOADER"
MY 120 ? ,"BY CHARLES JACKSON"
KB 130 POKE 10592,DPL:TRAP 200
140 ? :? :? "Creating ";FN\$:? "...Plea
se stand by."

1030 DATA 083069041155

BONUS: LIGHT GUN SPRAY-PAINTER Article on page 42

XE GAME SYSTEM MANAGER

LISTING 1 PB 10 REM DRAWGUN.BAS REM BY MATTHEW RATCLIFF REM (C)1988, ANTIC PUBLISHING ΙG QH XMAX=0:YMAX=0:CH=764 U X 60 LPENH=564:LPENU=565 80 GRAPHICS 8+16:POKE 709,0:POKE 710,1 0+7*16:POKE 712,12 HN 90 X=PEEK (LPENH) 100 IF (X<=27) THEN X=227+X TD 110 X=X-86 110 REM SCALER -> (227-86+27)=168 120 DIT 130 X=319*X/168:REM 86 <= LPENH <= 227
130 X=319*X/168:REM 86 <= LPENH <= 227
140 IF X<0 THEN X=0
150 IF X>319 THEN X=319 FM JD Y=PEEK (LPENU) Y=Y-17 169 HC. 170 REM SCALER -> (111-17)=94 Y=191*Y/94:REM 17 <= LPENH <= 111 180 190 IN MY TESTS 200 IF Y<0 FE 200 IF Y<0 THEN Y=0
GX 210 IF Y>191 THEN Y=191
NL 220 IF STICK(0)=14 THEN LOCATE X,Y,A:C
OLOR 0:PLOT X,Y:COLOR 1:PLOT X,Y:COLOR
A:PLOT X,Y:GOTO 90
AG 230 COLOR 1:PLOT X,Y:GOTO 90

LISTING 2

PG 10 REM XEGSMGR.BAS
IG 20 REM BY MATTHEW RATCLIFF
30 REM CC 1985,1988 ANTIC PUBLISHING
EV 40 REM CLINES 10-250 MAY BE USED WITH
OTHER BASIC LOADERS IN THIS ISSUE.

IJ 50 REM CHANGE LINE 70 AS NECESSARY.)
PR 60 DIM FN\$(20),1EMP\$(20),AR\$(93):DPL=P
EEK(10592):POKE 10592,255
70 FN\$="D'XEGSMGR.EXE":REM THIS IS THE
NAME OF THE DISK FILE TO BE CREATED
RD 80 ? "MDISK OF MASSETTE?";'POKE 764,25

PY 90 IF NOT (PEEK(764)=18 OR PEEK(764)=
58) THEN 90
TH 100 IF PEEK(764)=18 THEN FN\$="C:"

Don't type the TYPO II Codes! UB | 110 POKE 764,255:GRAPHIC5 0:? "AN TIC'5 GENERIC BASIC LOADER"
MY 120 ?, "BY CHARLES JACKSON"
KB 130 POKE 10592,DPL:TRAP 200
PU | 140 ?:? :? "Creating ";FNs:? "...plea se stand by." 150 RESTORE : READ LN: LM=LN: DIM A\$ (LN): C=1160 AR\$="":READ AR\$ 170 FOR X=1 TO LENCAR\$> STEP 3:POKE 75 BQ YC. 2,255
180 LM=LM-1:P05ITION 10,10:? "(Countdo wn...T-";INT(LM/10);")
190 A\$(C,C)=CHR\$(VAL(AR\$(X,X+2)):C=C+
1:NEXT X:GOTO 160
200 IF PEEK(195)=5 THEN ? :? "GTOO MANY DATA LINES!":? "CANNOT CREATE FIL 2,255 210 IF C<LN+1 THEN ? :? "GTOO FEW DATA LINES!":? "CANNOT CREATE FILE!":END 220 IF FN\$="C:" THEN ? :? " Prepare ca SSette, press [RETURN]" CM υQ 230 OPEN #1,8,0,FN\$ 240 POKE 766,1:? #1;A\$;:POKE 766,0 250 CLOSE #1:GRAPHICS 0:? "無何可谓明明明明 PV AL JD 1000 DATA 2443 1010 DATA 2552550000522510520322190571 69000141198002032254058173250003240003 076025054032184059076049052 076025054032184059076049052
1020 DATA 2522191772210320841171141100
32160207206160032066065083073067032252
155004162025160052032174058
1030 DATA 0760830522522191782210320841
17114110032160207198198032066065083073
067032252155004162059160052
1040 DATA 0321740580761170522522191792
21032082117110032243229236230160244229
243244032032032252155004162
1050 DATA 0931600520321740580761510522
52219180221032082079077032079047083032 T H 116111032082065077032032252 1060 DATA,1550041621271600520321740580 76185052252219181221032082065077032079

047083032116111032082079077

СВ	1070 DATA 0320322521550041621611600520		055072474059075000055040040
	32174058076219052252219182221032077105	OR	
YD	115115105108101032067111109		321101011119032100105114041155004162060
1 10	1080 DATA 1090971101000322521550041621 95160052032174058032219059032219058169	KA	160056032174058032087058173
5 14	029133082162000169011157066		32110057162016169993157966993169994152
L. U	1090 DATA 0031691521570680031690581570 69252052247053003169022157072003169000	FA	074003169000157075003169193
	157073003032086228032087058	I H	86228016072162000169009157066003169193
MN	1100 DATA 0721690021330620322190581042 01049208048173001211041253141001211169	-	1157068003169054157069003169
	160133106032219057169000141	EA	1400 DATA 0151570720031690001570730030 32086228076197056067097110039116032111
TM			11121011110032102105108101257
	94193211201195160207206160155004162052 160053032174058076085057201	JN	
DΩ	1120 DATA 0502080491730012110090021410		58162016169012157066003032086228076053 055162016169007157066003169
	01211169192133106032219057032219058169 001141248003076117053160194	MD	1420 DATA 0001578688831692241528698831
HG	1130 DATA 1932112011951602071981981601		69000236056231057157072003169004157073 003032086228162016169012157
	55004162104160053032174058076085057201 051208030032078053173001211	QG	1430 DATA 0660030320862280760260570820
PK	1140 DATA 0090011410012110322190571730		65077032079047083032070111110116032108 111097100101100046155004162
	01211041127141001211169001141068002076	UI	1440 DATA 0041600570321740580760710570
MU	000080201052240022201053208 1150 DATA 0091650090410011330090761162		71047093032069120105116032091050093032
	28076254059032011058076000052173000007	5H	076111097100032100105102102 1450 DATA 1011141011101160321021111101
EB	201083208084169002133082165 1160 DATA 0090410011330090322190570762		16063155004162036160057032174058032082
LU	35053160210193205160207175211160206239	TZ	058201049208012169005133214 1460 DATA 0322190581982142082490962010
CI	244160233238243244225236236		50240006032011058076001057076057055177
GL	1170 DATA 2292281611550041622101600530 32174058076014054170170160248053243054	ΥP	001004201058240043173002004
	211240225242244225160196207	11	1470 DATA 2010582400361690681411930541 73185054141194054169058141195054162013
MK	1180 DATA 2111602332381602452432291611		160000185000004153196054201
	70170155004162245160053032174058096076 211054169002133082032219058	ME	1480 DATA 1552400282002022082422400221 62016160000185000004153193054201155240
EV	1190 DATA 1730000072010832401550760720		008201000240004200202208238
	54160197216212197210206193204160195193	HF	1490 DATA 1620001891930542010462400222
ZK			01155240009201000240005232224016208236 160000185188054157193054232
	62042160054032174058076107054067079078	ХL	1500 DATA 2001920052082440961620961690
5 A	086069082084032082079077032 1210 DATA 0790830320270310320820650770		12157066003032086228162096169232057227 058003157066003169083141000
	32063155004162082160054032174058076154	UL	1510 DATA 004169058141AA1AA169AA157A
RI	054040084121112101032039089		69003169000157075003157068003169028157 074003076086228169002133082
	97110100003211211410111511503 2082069084	YN	1520 DATA 1690391330830322190580760410
RZ	085082078041032155004162117		58168281286214193284281196168283197217
NE	1230 DATA 1600540321740580320870582016 89240043201078240006032011058076000052	MK	160253155004162025160058032
пт	032219057076085057068049058	****	83032210197212213210206032084079032002
RI	1240 DATA 0420460700780841550680490580 70073076069078065077069046069088084155	MJ	00700300400508ZN84155NN4167
F" >4	155155162000172086061189106	113	96162000169005157066003169000157068003
EX	1250 DATA 0601570000062321362082460320 0006076006055032252210193205160207175	aL	1 07004157069003169070157072
	211160200225244054239055238	30	1550 DATA 0031690001570730030320862281 73000004096162016169005157066003169000
HQ	1260 DATA 2282362292421692912382432442	PE	157068003169004157069003169
	25236236229228252155004162232160054032 174058076046055032252160226	PE	1560 DATA 0201570720031690001570730030 32086228096212249240229160163160166160
IE	1270 DATA 2491602052252441702102252441	D 4	440242229243243160210197212
- 1	60230242239237160193238244233227161160 160252155004162016160055032	RJ	1570 DATA 2132102061911420680031342121 40069003132213160000140072003140073003
XL	1280 DATA 1740580760860550322521601962		1//212201004240011238072003
	33243235160244239160236239225228160230 239238244160230242239237191	DD	1580 DATA 2080032380730032002082391690 11162000141066003076086228076223058155
ZM	1290 DATA 1602521550041620561600550321		162000169009157228058227059
	74058076121055032040049045056044032048 061069120105116044032110111	CH	1590 DATA 0660031692221570680031690581
PU	1300 DATA 0321081110971999411559941529		57069003169001157072003169000157073003 032086228096169007133082032
	96160055032174058032087058201155240004 201048208001096201057144006	UH	1600 DATA 2190580321840590760350502504
AT	1310 DATA 0320110580760530552010491760		60160212232229160216197199211160205225 238225231229242160160252155
	06032011058076053055141185054162016169	GJ	1610 DATA 0041628111688598321748588768
EY	012157066003032086228162016 1320 DATA 1690031570660031690061570740		69059252194249160205225244244232229247 160210225244227236233230230
	U316900015707500316918415706800316905A	GB	1620 DATA 1602521550041620451600590724
FW	157069003032086228152016036 1330 DATA 0762220550791121011100321011		74058076103059252160160160195239240249 242233231232244160177185184
	14114111114046155004162209160055072174	5R	1630 DATA 1841601601602521550041620791
LT	058162016169012157066003032 1340 DATA 0862280762400552350560530550		00057032174058076137059252160160160192
	32121058152048033162000169009157066007	IK	238244233227160205225231225 1640 DATA 2502332382291601601602521550
MI	169000157068003169004157069 1350 DATA 0031690201570720031690001570		U416211316U059032174058076171059757177
113	73003032086228076242055162016169012157	50	1650 DATA 2272392372402252442332262362
	066003032086228076058056070		47452155004162147160059072174050072240
PL	1360 DATA 1111101160321021051081010321	OL	1660 DATA 1461461461461461461461461461461
	16111032108111097100063155004162038160	1	46146146146146146146146146133155004
34	* ANTIC SOFTWARE LIBRARY		

162187160059032174058096076 83006173031208201007208005173226006208 1670 DATA 2460591541462240592190601461 010169224162228032183006238 46146146146146146146146146146146146146 1740 DATA 2260061692281620000321830061 146146146146146131155004162 1680 DATA 2221600590321740580961721050 60162000142068002189019060157000006232 69128133016141014210169064141014212169 034141047002141000212198066 1750 DATA 0881620961690121570660030320 86228162220060085061096169003157066003 136208246076000006169015133 DATA 0021690061330031690021330090 169083141000004169058141001 1760 DATA 0041690041570690031690001570 75003157068003169028157074003032086228 76116228173001211009002141001211173001 211041191141001211169007141 1700 DATA 0420061690001600001530000072 162000160002189228006145088 1770 DATA 2002322240082082451690001330 20238000224165020201016208250206000224 00208250238042006174042006224160208240 ΧU 160128153000000200208250032 096133217134218160000132216 1710 DATA 0820061690151330021690061330 1780 DATA 1730012110090011410012111772 03169002133009108250191108254191096086 16170173001211041254141001211138145216 230216208230230217165218197 1790 DATA 2172082220960000000001781611 73128175143179086061086061236224002225 169000133002169006133003165 DATA 0090090021330091201690001410 47002133016141000212141014210141014212 133219169001133066169192162 002000052 TL 1730 DATA 2040321830061692161622240321

Don't type the TYPO II Codes!

DOLLARS AND CENTS WHERE YOU WANT THEM

NUMBER PRINT

Article on page 22

LISTING 1

YM 10 REM PRINT-USR DEMO BY MARC ESCOLA (C) 1988, ANTIC PUBLISHING 20 QH. X5 (9) GOSUB 1000:REM SET UP SUBROUT X\$="XX,XXX.XX":X=10:GOSUB 220 7 X\$;" NORMAL NUMBER" CA 70 GH 80 90 RT ? X\$;" NORMAL NUMBER"

X\$="XX,XXX.XX":X=-10:G05UB 220

? X\$;" NEGITIVE NUMBER"

X\$="X\$,XXX.XX":X=22.25:G05UB 220

? X\$;" FLOATING \$"

X\$="**,XXX.XX":X=5:G05UB 220

? X\$;" ASTERISK FILL"

X\$="*\$,XXX.XX":X=5.1:G05UB 220

? X\$;" ASTERISK FILL,FLOAT \$"

X\$="\$\$,XXX.XX":X=5.1:G05UB 220

? X\$;" LOTS OF MONEY"

5TOP VA 100 110 120 130 ΩZ 140 150 160 OH 189 199 NII STOP ΤT 220 X=USR (ADR (SUB\$), ADR (X\$), LEN (X\$)):R ūΖ **ETURN** 1000 DIM SUB\$ (293) 1010 SUB\$ (1,73) = "hhJNhJNhJNGOO MANDED M&MAND? (CEZTA) DESTAND& (D& HeZJXZ) e (J)

ZONU X DNOUDIX DNSOH" DARID DEMYOLURIZATION"

1040 5 UB \$ (221,293) = "ZUJNYEMBURIN REZEM 04(1140) 000 - 120 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | HOURHOUSENDO FINEDON

1050 RETURN

"N FIKETINESDO"

LISTING 2

YM 10 REM PRINT-USR DEMO REM BY MARC ESCOLA
REM CC 1985,1988 ANTIC PUBLISHING
REM CCREATES LINES 1010-1040 FOR NU 20 MY 30 GD 35 MPRINT . BAS> MPRINT.BA5)
40 REM (LINES 10-250 MAY BE USED WITH
OTHER BASIC LOADERS IN THIS ISSUE.
50 REM CHANGE LINE 70 AS NECESSARY.)
60 DIM FN\$(20),TEMP\$(20),AR\$(93):DPL=P
EEK(10592):POKE 10592,255
70 FN\$="D:LINES.LST":REM THIS IS THE N
AME OF THE DISK FILE TO BE CREATED
80 ? "MDISK OF Bassette?";:POKE 764,25 MO (PEEK (764) = 18 OR PEEK (764) = 90 IF NOT PY 90 IF NOT (PEEK(764)=18 UR PEEK(58) THEN 90 100 IF PEEK(764)=18 THEN FN\$="C:" 110 POKE 764,255:GRAPHIC5 0:? " TIC'S GENERIC BASIC LOADER" 120 ? ,"BY CHARLES JACKSON" 130 POKE 10592,DPL:TRAP 200 UB MY 130 KB

PU 140 ? :? "Creating ";FN\$:? "...plea se stand by." LW 150 RESTORE :READ LN:LM=LN:DIM A\$(LN): 160 ARS="": READ ARS FOR X=1 TO LENCARS> STEP 3:POKE 75 DM 180 LM=LM-1:POSITION 10,10:? "(Countdo wn...T-";INT (LM/10);")

BK 190 A\$ (C,C)=CHR\$ (VAL (AR\$ (X,X+2))):C=C+ 1:NEXT X:GOTO 160

MM 200 IF PEK (195)=5 THEN ? :? "MTOO MANY DATA LINES!":? "CANNOT CREATE FILE!":END 2,255 210 IF C<LN+1 THEN ? :? "ITOO FEW DATA LINES!":? "CANNOT CREATE FILE!":END 220 IF FN\$="C:" THEN ? :? " Prepare ca CM SSETTE, PRESS TRETURNI" 230 OPEN #1,8,0,FN\$ 240 POKE 766,1:? #1;A\$; #1;A\$;:POKE 766,0 CLOSE #1: GRAPHICS 0: ? "MODORGENEOM AL 250 1010 DATA 0490480490480320830850660360

1010 DATA 0490480449048032083085050350
40049044055051041061034104104133206104
133205104104133207198207160
1020 DATA 0021771382010452400032000162
47200177138201063208242136136177138041
127160000132204010010038204
1030 DATA 0100382040241011341332031651
35101204133204162007160009177203149212

136202016248169048034155049 DATA 0480500480320830850660360400

CK

II

136 Z W Z W 16 Z 48 16 Y W 48 W 34 15 S W 49 10 40 DATA 048 05 00 48 03 20 83 08 50 66 03 60 40 0 55 05 20 44 04 90 52 05 40 44 10 61 03 44 14 11 27 00 50 32 23 02 16 17 31 27 00 52 01 04 82 08 01 8 10 50 DATA 16 20 00 16 00 01 18 51 27 00 51 57 12 70 05 20 02 32 20 11 27 04 82 44 01 62 31 16 90 32 13 32 12 13 32 13 16 00 01 17 72 05 20 10 36 24 0 10 60 DATA 00 62 01 04 22 40 00 22 08 00 61 33 21 21 69 08 81 45 20 51 64 20 71 77 03 41 55 10 70 DATA 04 90 48 05 10 48 03 20 83 08 50 66 03 60 40 04 90 52 05 50 44 05 00 50 04 80 41 06 10 34 20 52 01 04 62 40 00 71 36 01 62 47 16 42 07 01 6 10 80 DATA 00 41 36 01 66 01 20 01 62 00 01 89 12 70 05 04 80 10 20 10 45 20 80 04 16 20 00 18 91 27 00 50 48 01 10 20 10 45 20 80 04 16 20 00 18 91 27 00 50 48 01 10 20 10 45 20 80 04 16 20 00 18 91 27 00 50 48 01 10 20 10 45 20 80 04 16 20 00 18 91 27 00 50 48 01 10 20 10 45 20 80 04 16 20 00 18 91 27 00 50 10 45 20 80 04 16 20 00 13 60 48 01 42 02 01 62 19 16 52 12 14 5 13 60 48 01 42 02 01 62 19 16 52 12 14 5 10 00 DATA 20 50 04 49 04 40 50 05 70 51 04 10 61 03 41 65 21 31 33 21 21 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 33 21 21 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 33 21 21 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 33 21 21 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 33 32 12 13 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 33 32 12 13 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 33 32 12 13 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 33 32 12 13 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 33 32 12 13 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 33 32 12 13 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 33 32 12 13 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 33 32 12 13 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 33 32 12 13 36 01 62 45 16 4 00 57 05 10 41 06 1 03 41 65 21 31 31 33 21 21 31 60 16 24 51 64 00 57 05 10 41 06 1 03 41 65 21 31 31 31 20 12 31 60 16 24 51 64 00 57 05 10 41 06 1 00 57 05 10 41 06 1 00 57 05 10 41 0

85U66U36U4UU5UU5U049044050057051041061
0341652131333212136016245164
1110 DATA 2071772052010462400051360162
47048052200162000189127005048029201046
240003232016244232189127005
1120 DATA 0480111452052001962072402430
48241016020041127145205200196207240004
048002016007169048145205200 WI

BP 1130 DATA 016241096034155

BSRk X-10 HOME CONTROLLER

LISTING 1 Don't type the TYPO II Codes! 10 REM BSR INTERFACE PROGRAM
11 REM BY WALTER D. LAZEAR
15 REM (c)1988, ANTIC PUBLISHING
20 GOSUB 400:GOTO 700
49 REM SET 850
50 CLOSE #5:OPEN #5,13,0,"R:":XIO 40,#
5,0,0,"R:":RETURN
99 REM PUT MSG TO BSR
100 FOR N=1 TO LEN(MSG\$>:? #5;MSG\$(N,N)
);:FOR NN=1 TO 5:NEXT NN
110 NEXT N:RETURN
149 REM GET MSG BYTE
150 GET #5,A:RETURN
199 REM GET #CK
200 FOR N=1 TO 7:GOSUB 150:NEXT N:CLOS
E #5:RETURN
249 REM DO CHECKSUM (USE START & FINIS CΩ 750 ? Show Active Records" Show All Records" Load BSR Interface" 760 770 QU Load QP **UK** 250 MSG\$ (FINISH, FINISH) = CHR\$ (0) : FOR N= START TO FINISH-1 260 MSG\$ (FINISH, FINISH) = CHR\$ (ASC (MSG\$ (FINISH, FINISH) + ASC (MSG\$ (N, N) >>
270 NEXT N:RETURN
299 REM PRINT HEADER
300 ? "ID-ST DEV, LOC, DAYS, TON, TOFF, LUL , MODE" 310 ? " ": RETURN 349 REM SHOW RECORD 350 ? " G\$ (18, 18) = CHR\$ (MINUTE) : M5G\$ (19, 19) = CHR PB 350 ? " MTWTFSS"
355 IF NREC<10 THEN ? " ".
360 ? NREC;"-";STAT\$;" ";DEVID\$;",";LO
C\$(1,7);",";B\$;",";TON\$;",";TOFF\$;",";
LEVEL\$;",";MODE\$; RETURN
399 REM INIT PROG \$ CHOURS 2020 M5G\$ (20,20) = CHR\$ (2^ (DAY-1)) : START =18:FINISH=21:GOSUB 250:GOSUB 50:GOSUB 100:GOSUB 200 2030 ? "DONE": RETURN 2030 ? "DONE":RETURN 2999 REM UPDATE RECORD 3000 ? "M":GOSUB 550:? "Record #";:INP UT NREC:IF NREC<0 OR NREC>NRECS THEN 3 HD 399 REM INIT PROG 400 NRECS=24 400 NREC5=24
420 DIM LOC\$(10),MSG\$(50),SYNC\$(16),MO
DE\$(1),5ECT(NREC5),CHAR(NREC5),INDEX\$(
20),RECORD\$(20),REC\$(32),Q\$(9)
430 DIM DEVID\$(2),LEVEL\$(1),TON\$(4),TO
FF\$(4),DAY\$(7),STAT\$(1),B\$(7),Q\$(1):FO
R N=1 TO 16
440 SYNC\$(N,N)=CHR\$(255):NEXT N:CLOSE
#5:XIU 36,#5,9,0,"R1:":XIO 38,#5,32,0, 3010 CLOSE #4:OPEN #4,12,0,RECORD\$:POI NT #4,5ECT(NREC),CHAR(NREC):GOSUB 500 3020 GOSUB 350:? :? "1 = Status" 3030 ? "2 = Device ID" 3040 ? "3 = Location" DH "3 = Location" "4 = Days" 3050 Time ON" Time OFF" 3060 ...5 3070 445 INDEX\$="D:INDEX.BSR":RECORD\$="D:DATA.BSR":RETURN
449 REM WRITE RECORD
450 REC\$(1)=" ":REC\$(32)=" ":REC\$(2)=R QK ...6 = ? "? = Level" ? "8 = Mode" 3080 TA 3090 3095 3100 ? "9 = QUIT UPDATE" 00 3105 460 REC\$(1,2)=DEVID\$:REC\$(3,12)=LOC\$:R EC\$(13,16)=TON\$:REC\$(17,20)=TOFF\$:REC\$ (21,21)=LEVEL\$ 3105 ?
3110 ? "Field";:INPUT FIELD
3111 IF FIELD>0 AND FIELD<10 THEN ON F
IELD GOSUB 3210,3220,3230,3240,3250,32
60,3270,3280,3290
3120 ? "M":GOTO 3020
3210 ? "STATUS (Active, Unactive)";:IN
PUT STATS:IF STATS<>"A" AND STATS<>"I"
THEN 3210 ONS=RECS(13,16):TOFFS=RECS(17,20):LEVE LS=RECS(21,21) 3212 RETURN 3220 ? "Dev 0 ? "Device ID (1-8)";:INPUT DEVID\$ _UAL(DEVID\$) <1 OR VAL(DEVID\$) >8 THE 520 MODE\$=REC\$(22,22):DAY\$=REC\$(23,29)
:STAT\$=REC\$(30,30):GO5UB 6600 : IF N 3226 N 3226 3222 RETURN 3230 ? "Location";:INPUT LOC\$ 3235 Z=LEN(LOC\$):IF Z<7 THEN LOC\$(Z+1, Z+1)=" ":GOTO 3235 3237 RETURN 3240 GO5UB 6200:DAY\$=STR\$(DAY1) 3242 RETURN 3250 ? "Time ON (24HR)";:INPUT TON\$:IF UAL(TON\$)<0 OR UAL(TON\$)>2400 THEN 32 530 RETURN 549 REM GET 549 REM GET INDEX 550 CLOSE #2:OPEN #2,4,0,INDEX\$:INPUT #2; REC5 560 FOR N=1 TO RECS:INPUT #2;SECT:SECT (N)=SECT:INPUT #2;CHAR:CHAR(N)=CHAR:NE BΩ XT N 570 CLOSE #2:RETURN 599 REM PARSE TIME 600 HOUR=INT(TIME/100):MINUTE=TIME-(HO UR*100> : RETURN 3252 RETURN 3260 ? "Tim UN*100):RETURN
649 REM CLEAR INTERFACE
650 ? "Clearing Interface Memory, OK (
Y,N)";:INPUT MSG\$:IF MSG\$<\"" THEN ?
"Interface Not Changed":POP :RETURN
660 MSG\$=5YNC\$:MSG\$<(17,17)=CHR\$(0):MSG\$
\$(18,18)=CHR\$(96) 0 ? "Time OFF <24HR>";:INPUT TOFF\$: VAL<TOFF\$><0 OR VAL<TOFF\$>>2400 THE N 3260 3262 RETURN 3270 ? "Level(0=High,8=Low)";:INPUT LE VEL\$:IF VAL(LEVEL\$)<0 OR VAL(LEVEL\$)>8 670 GOSUB 50:GOSUB 100:GOSUB 200:RETUR THEN 3270
3272 RETURN
3280 ? "Mode (Normal, Mecurity"; INPUT MODE\$()"S" THE REM MATN 700 710 720 730 YP TRAP 700:? "5":? N 3280 3282 RETURN 3290 POINT #4, SECT (NREC), CHAR (NREC): GO 5UB 450: CLOSE #4: POP : RETURN BSR MASTER PROGRAM":? 1. Init Database" 2. Set Time"

Update Records"

740

```
DX 3999 REM SHOW ACTIVE RECORDS
R5 4000 GOSUB 550:CLOSE #4:OPEN #4,4,0,RE
CURD$:GOSUB 300
PF 4010 FOR NREC=1 TO NRECS:GOSUB 500:IF
STAT$="A" THEN GOSUB 350
AC 4020 NEXT NREC:CLOSE #2:CLOSE #4:GOSUB
                        4500 : RETURN
                4500:RETURN
4500: "INDICATE TO THE RESERVATION OF T
 RM
 00
                        4500 : RETURN
                  4500:RETURN
5999 REM WRITE TO INTERFACE
6000 CLOSE #4:OPEN #4,4,0,RECORD$:GOSU
B 550:GOSUB 650:? "WRITING RECORD":FOR
NREC=1 TO REC5:GOSUB 500
6010 IF STAT$="1" THEN 6140
6020 ? NREC;:MSG$=SYNC$:X=NREC*16:MSG$
(17,17)=CHR$(3):IF X>255 THEN X=X-256:
                  GOTO 6020
6030 MSG$ (18,18) = CHR$ (X) : MSG$ (19,19) = C
 HD
                  HR$ (INT (NREC/16)): MSG$ (20,20) = CHR$ (8): IF MODE$ = "5" THEN MSG$ (20,20) = CHR$ (9)
                  6040 MSG$(21,21)=CHR$(VAL(DAY$))
6050 TIME=VAL(TON$):GOSUB 600:MSG$(22,
22)=CHR$(HOUR):MSG$(23,23)=CHR$(MINUTE
  .111
                  6060 X=VAL (DEVID$): IF X (9 THEN M5G$ (24
  JB
                  6070 IF X>8 THEN MSG$(24,24)=CHR$(0):M

5G$(25,25)=CHR$(2^(16-X))

6080 MSG$(26,26)=CHR$(96):MSG$(27,27)=

CHR$((VAL(LEVEL$)*32)+2)

6090 IF LEVEL$()*8" THEN MSG$(27,27)=C

HR$(ASC(MSG$(27,27))+3)

6100 START=20:FINISH=28:GOSUB 250:GOSU

B 50:GOSUB 100:GOSUB 200:? ".";

6110 MSG$(18.18)=CHR$(ASC(MSG$(18,18))
  CD
  ш
                   6110 M5G$ (18, 18) = CHR$ (ASC (M5G$ (18, 18))
                    +83
                   6120 TIME=VAL (TOFF$): GOSUB 600: M56$ (22
  ID
                     , 22) = CHR$ (HOUR) : MSG$ (23, 23) = CHR$ (MINUT
                  6130 MSG$(27,27)=CHR$(3):GOSUB 250:GOS
UB 50:GOSUB 100:GOSUB 200:? ".";
6140 NEXT NREC:? "DONE":CLOSE #2:CLOSE
#4:RETURN
  EU
  NE
                   6200 ? "%
                                                                                                                    DAYS": RESTORE 6500:85
                   6210 DAY1=0:? :FOR X=1 TO 7:READ Q$
6220 ? Q$;" (Wes/No",:INPUT O$
6230 IF NOT (O$="Y" OR O$="N") THEN ?
                  WX
     UR
```

LISTING 2

TB 10 UT 20 REM BSRK, I LISTING 2 20 REM WALTER LAZEAR
30 REM 1985,1988 ANTIC PUBLISHING
40 REM (LINES 10-250 MAY BE USED WITH
OTHER BASIC LOADERS IN THIS ISSUE.
50 REM CHANGE LINE 70 AS NECESSARY.)
60 DIM FN\$ (20), TEMP\$ (20), AR\$ (93):DPL=P
EEK(10592):POKE 10592,255
70 FN\$="D:BSRHAND.OBJ":REM THIS IS THE
NAME OF THE DISK FILE TO BE CREATED
80 ? "MOISK OF Bassette?";:POKE 764,25 LAZEAR EU RD 90 IF NOT (PEEK(764)=18 OR PEEK(764)= PY 58) THEN 90 100 IF PEEK (764) = 18 THEN FN\$="C:" 110 POKE 764,255: GRAPHICS 0:?" 100 IF PEEK(764)=18 THEN FNS="C:"
110 POKE 764,255:GRAPHICS 0:" AN
TIC'S GENERIC BASIC LOADER"
120 ? ,"BY CHARLES JACKSON"
130 POKE 10592,DPL:TRAP 200
140 ? :? :? "Creatins ";FN\$:? "...plea PH se stand by."

150 RESTORE :READ LN:LM=LN:DIM A\$ (LN): LW 160 AR\$="":READ AR\$ 170 FOR X=1 TO LEN(AR\$) STEP 3:POKE 75 2,255 180 LM=LM-1:POSITION 10,10:? "(Countdo 210 IF C<LN+1 THEN ? :? "STOO FEW DATA LINES!":? "CANNOT CREATE FILE!":END 220 IF FN\$="C:" THEN ? :? " Prepare ca 220 1F FNS="C:" THEN 7:7" FREPARE CA SSETTURN]" 230 OPEN #1,8,0,FN\$ 240 POKE 766,1:7 #1;A\$;:POKE 766,0 250 CLOSE #1:GRAPHICS 0:7 "##@@@@@@@@@ 1000 DATA 240 1010 DATA 2552550000560750561690801410 00003169001141001003169063141002003169 064141003003169005141006003 FR CU 064141003003169005141006003
1020 DATA 1410050031690001410040031410
09003141010003141011003169012141008003
032089228016001096162011189
1030 DATA 00000515700000032020162470320
8922804806032006005108012000096226002
227002000056255255000006137
1040 DATA 0061620001890260032010692400
05232232232208244232142105006189026003
133205169107157026003232189
1050 DATA 0260031332061690061570260031
60000162016177205153107006200202208247
169067141111006169006141112
060 DATA 0061690141411106060961721060
06240009185123006206106006160001096138
072174105006165205157026003
1070 DATA 232165206157026003
1070 DATA 232165206157026003 0000000000000000076000000000 1080 DATA 0340830650660460750820830660 58068034078085082255255226002227002000 996

ST RESOURCE BSRk ST

Article on page 20

A

Rem BSRk!
Rem By Walter Lazear
Rem ST Version by Charles Jackson
Rem (c)1988, Antic Publishing
Rez=Xbios(4)
If Rez=0
Alert 1, "Does not work! in low rez",1," OK ",B
End
Endif
Clear
Zp=0
Deftext 2,0,0,20
Cls
'300->9 600->8 1200->7
Void Xbios(15,8,0,136,-1,-1,-1)
@Open_port
Nrecs=24

B.

Record\$="DATA.BSR"

Sync\$=String\$(16,255)

Dim A\$(24)

A\$(0)="Desk "

A\$(1)="About BSRk! "

A\$(2)="----"

For X=1 To 6

A\$(X+2)=Str\$(X)

Next X

A\$(9)="

A\$(10)="Records "

A\$(11)="Update "

A\$(12)="Show Active "

A\$(13)="Show All "

A\$(14)=""

A\$(15)="Options "

C

A\$(16)=" Initialize "
A\$(17)=" Set Time "
A\$(18)=" Load BSR Interface "
A\$(19)="-----"
A\$(20)=" Quit "
A\$(21)=""
Menu A\$()
On Menu Gosub Info
Do
On Menu Loop
'
Procedure Open_port
Close #1
Open "U",#1,"AUX:"

continued on next page

@Checksum

```
Procedure Show_active
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      @Show_records
Return
@Bsr_put
                                               Value=Menu(0)

If Value=1
Alert 1," BSRK: By Walter Lazear | ST Version by Charles Jackson | (c)1988
Antic Publishing ",1," OK ",B
                                                                                                                                                                   On (Value-10) Gosub Update, Show_active, Show_all, Dummy, Dummy, Initialize, Set_t
me, Load_bsr, Dummy, Quit
Endif _
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Days:
Data Monday, Tuesday, Wednesday, Thursday, Friday, Saturday, Sunday
                                                                                                                                                                                                                                                                            Procedure Initialize
Alert 2. "Initialize Database? ",1," OK ! ABORT ",B
Tf B<2 Then
@Open_file
Devides" " "
Locs=" " "
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Day=0
Pay=0
Paint At(27,6);"Day of Week:"
Print At(27,7);"-----------
@Print days
While Not (Day>0 And Day<8 And Day=Int(Day))
Print At(29,16);"Day";
Print At(29,16);"Day";
Input Day
Wend
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Print At(27,9);"Current Time:"
Print At(27,10);"--------
Print At(27,12);" ","Left$(Time$,5)
Print At(27,12);""; "Left$(Time$,5)
Input K$
If Len(X$/>1 Then
X$=Left$(Time$,5)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Mids Alrts, 8, Len(NS))=NS
Mids(Alrts, 27,5)=XS
Alert 2, Alrts, 1," Yes | No ", Its_ok
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Close #4
Duns=" Records | Initialized " Mids(Duns,2)=Strs(N-1)
Alert 1,Duns,1," OK ",B
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     : Time =
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            M9G$=String$(Finish,32)
M4G$(M9G$-1.16)=Sync$
M4G$(M9G$-1.17)=Chr5(2)
M4G$(M9G$-1.19)=Chr5(Mnute)
M4G$(M9G$-1.19)=Chr5(Mnute)
M4G$(M9G$-1.20)=Chr5(Vaur)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Hour=Val(Left$(X$,2))
Minute=Val(Mid$(X$,4,2))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 Stats="I"
For N=1 To Nrecs
Put #4,N
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Restore Days
For N=1 To Day
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           Procedure Set_time
                                                                                                                                                                                                                                                                                                                                                                                     Tons="0000"
Toffs="0000"
Level$="0"
Mode$="%"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Alrt$=" Day =
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Its_ok=2
While Its_ok=2
                                        rocedure Info
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Read NS
                                                                                                                                                                                                                        Menu A$()
Return
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Start=18
Finish=21
```

```
Mod
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Next X
Print Rec;" - ";Stat$;Sp$;Devid$;Sp$;Left$(Loc$,7);Sp$;Day1$;Sp$;Ton$;Sp$;
Print Toff$;Sp$;Level$;Sp$;Mode$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Lvl
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  T.off
                                                                                                                                                                                                                                                                                                                                                                                                                                                    six chars.

OR until

we're tired of trying

( Try > Maxtry )
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                T.On
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Day15="0000000"
Temp5=#145("0000000"+Bin$(Val(Day$)),7)
For X=1 To 7
Mid$(Day15,X,1)=Chr$(45-(Val(Mid$(Temp$,8-X,1))*3))
                                                                                                                                                                                                                                                                                                                                                                            ! Keep trying
                                                                                                                                                                                                                                                                                                                                                                                                                                        UNTIL we get
                                                                                                                                                                                                                                                                                                                                                                                           to get
characters
from BSR
                                                                                                                                                                  ! Transmit & Get Ack
                                                                                                                                                                                                                                          ! Transmit to BSR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               mtwtfss
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Days
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Procedure Print_line
If Len(Devid$)+Len(Loc$)+Len(Day$)<>19 Then
@Fix_lengths
                                                                                                                                                                                                                                                                                                                                                                            While Inp?(1)=0 And Try<Maxtry
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Exit If Try>=Maxtry Or Ack=6
          Temp=0

For N=Start To Finish-1

Temp=Temp+Asc(Mids(Msgs,N,1))

If Temp>255 Then

Temp=Temp-256
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Loc
                                                                                                       Next N
Mid$(Msg$,Finish,1)=Chr$(Temp)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Print At(27,7+X);X;" - ";X$
Next X
                                                                                                                                                                                                                                         For N=1 To Len(Msg$)
Print #1;Mid$(Msg$,N,1);
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Dev
                                                                                                                                                                                                                                                                                                                                                                                                                       If Inp?(1)<>0 Then
A=Inp(1)
                                                                                                                                                                                                                                                                                    While Timer<=Nn+5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Procedure Print_header
Print "ID - St I
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             Loop
While (Inp?(1)<>0)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             Procedure Print_days
Procedure Checksum
                                                                                                                                                                Procedure Bsr_put
                                                                                                                                                                                                                                                                                                                                                                                             Try=Try+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 Loop
Exit If Ack=6
                                                                                                                                                                                                                                                                                                                                                                                                                                                    Ack=Ack+1
                                                                                                                                                                              @Open_port
Local N,Ack,A
Maxtry=10
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               If Rec<10 Then
Print " ;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           Restore Days
For X=1 To 7
Read X$
                                                                                                                                                                                                                                                                        Nn=Timer
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        A=Inp(1)
Wend
Close #1
                                                                                                                                                                                                                                                                                                                 Next N
Ack=0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           Print "-
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           Return
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Return
```

Print #1; Chr\$ (127)

Return

Active=1

Rec=Rec-1

```
";Devids;"
                                                                                                                                                                                                                                                                                                                                                                                          ";Stats;"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Exit If Val(Temp$)>0 And Val(Temp$)<9
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         @Print_line
print At(21,18);"Device (1-8)
print At(39,18);"";
Input TempS
If TempS="" Then
TempS=Devid$
                                                                                                                                                                                                                                                                                                                                                                                @Print_line
Print At(27,18);"Status (A, I)
Print At(40,18);"";
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Exit If Temp$="A" Or Temp$="I"
Endif
Exit If Not (X=43 Or X=45)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        @Print line
Print M(C27.8);"Location
Print A(C35.8);"";
Input Temps,
If Temps="" Then
Temps="" Temps="" Temps="" Temps=""
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Print At(27,19);"Days";
Input Temp$
                                                                                                                                Procedure Fix_lengths
Temps=String$(10,32)
Rset Temps=Devid$
Devids=Right$(Temps,2)
Temps=String$(10,32)
                                                                                                                                                                                                             Lset Temps=Locs
Locs=Lefts(Temps,10)
Temps=Strings(10.32)
Rset Temps=Days
Days=Rights(Temps,7)
Return
                                                                                                                                                                                                                                                                                                                                                                                                                                     Temp$=Upper$(Temp$)
If Temp$="" Then
Temp$=Stat$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 Locs=Lefts(Temps, 10)
                             Loop
Exit If Choice=9
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             Cls
@Print_header
                                                                                                                                                                                                                                                                                                                                                    Cls
@Print_header
                                                                                                                                                                                                                                                                                                                      Procedure Up_stat
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Prucedure Up_day
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Procedure Up_loc
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Procedure Up_dev
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Cls
@Print_header
                                                                                                                                                                                                                                                                                                                                                                                                                          Input Temp$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Loop
Devid$=Temp$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Loop
StatS=Temp$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Return
                                                                                       Cls
                                                         Tonb
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Return
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Choice=Val(Temps)
If Choice<>9 Then
On Choice Gosub up_stat,Up_dev,Up_loc,Up_day,Up_ton,Up_toff,Up_lvl,U
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           Data Status, Device I.D., Location, Days, Time On, Time Off, Level, Mode, Main M
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     '-' Previous record
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Print At(27,10);"Record to update (1-";Nrecs;")";
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           X=Asc(Temp$)
Exit If (X>42 And X<58) And X<>47
                                                                                                                                          @Print_header
For Rec=1 To Nrecs
Get #4,Rec
If (Active=1 And Stat$="A") Or Active=0 Then
@Print_line
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     DO
Rec=Rec+Nrecs*(Rec>Nrecs)-Nrecs*(Rec<1)
Get #4, Rec
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Exit If Choice=9 Or (X>42 And X<46)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 Print At(4,24);"'+' Next record Record"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           Print At(27,18);"Enter Choice
Print At(40,18);"";
Input Temp$
If Temps="Then
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               @Print_line
Restore Actions
For X=1 To 9
Read X$
Print At(27,7+X);X;" - ";X$
Next X
                                                                                                                                                                                                                                                                                                                               Next Rec
Close #4
If Acetwe=1 And Y=0 Then
Print " ( No Active Records: )"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             Input Rec
Exit If Rec>0 And Rec<=Nrecs
```

@Print_header

Choose

p_mode

Endif

If X=43 Then
Rec=Rec+1
Endif
If X=45 Then

Loop @Fix lengths

Put #4, Rec

Loop If X>47 Then

Return

Active=0 @Show_records

Procedure Show records

@Open_file

Y=Y+1 If Y/14=Int(Y/14) Then

Cls @Print_header

Procedure Update Local X

@Press_cr

Return

Endif

Hidem @Open_file Do

@Press_cr

```
Open "R",#4,Records,30
Field #4,2 As Devids,10 As Locs,4 As Tons,4 As Toffs,1 As Levels,1 As Modes,7
As Days,1 As Stats
Return
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Procedure Quit Alex You Sure ; You Want To Quit? ",1," Yes ; No ",B Alext 2." Are You Sure ; You Want To Quit? ",1," Yes ; No ",B If B=1 Then
                                                                                                                                                                                                                                                          Msg$=Msg$+Chr$(3)+Chr$(X)+Chr$(Int(Rec/16))+Chr$(8)
If Mode$="S" Then
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       MidS(MsgS,27,1)=ChrS(Temp)

If LevelS<>"8" Then

MidS(MsgS,27,1)=ChrS(Asc(MidS(MsgS,27,1))+3)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               MidS(MsgS,18,1)=ChrS(Temp)
MidS(MsgS,22,1)=ChrS(Int(Val(Toffs)/100))
MidS(MsgS,23,1)=ChrS(Val(RightS(Toffs,2)))
MidS(MsgS,27,1)=ChrS(3)
@Checksum
                                                                                                                                                                                                                                                                                                                                                       Mids(Msgs,21,1)=chrs(Val(Days))
Mids(Msgs,22,1)=chrs(Int(Val(Tons)/100))
Mids(Msgs,23,1)=chrs(Val(Rights(Tons,2)))
X=Val(Devids)
If X<9 Then
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Print At(27,14); "Sending Record #"; Rec; "
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Procedure Press or
Print At(25,24); "Press any key to continue."
Temp5=Input5(1)
Alert 2," Clear ; BSR? ",1," Yes ; No ",B
If B=1 Then
                                                                                                                                                                                                                                                                                                                                                                                                                                                      Mid$(Msg$,24,1)=Chr$(2'(8-X))
Mid$(Msg$,25,1)=Chr$(0)
Else
Mid$(Msg$,24,1)=Chr$(0)
Mid$(Msg$,24,1)=Chr$(0)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  @Bsr_put
Temp=Asc(MidS(Msg$,18,1))+8
If Temp>255 Then
Temp=Temp=255
                                                                                                                                                                                                                                                                                              Mid$(Msg$,20,1)=Chr$(9)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Endif
Mid$(Msg$,26,1)=Chr$(96)
Temp=Val(Level$)*32+2
If Temp>255 Then
                                        Hidem
MsgS=Sync$+Chr$(0)+Chr$(96)
                                                                                                                 Get #4, Rec
If Stat$="A" Then
Msg$=Sync$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Temp=Temp-255
                                                                               @Ber_put
For Rec=1 To Nrecs
                                                                                                                                                                                              While X>255
X=X-256
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Procedure Open_file
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  @Checksum
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Finish=28
                                                                                                                                                                            X=Rec*16
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Start=20
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   @Bsr_put
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Procedure Dummy
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Next Rec
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        End1f
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Close #4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Showm
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Close
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Return
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 Return
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Return
```

";Level\$;"

Exit If Val(Temp\$)>=0 And Val(Temp\$)<=8

@Print_line
Print At(27.18):"Level (0-H1, 8-Low)
Print At(46,18);"";
Input Temps
If Temps
If Temps="" Then
Temps=Level\$

@Print header

Cls

Procedure Up 1v1

Return

Procedure Up_toff
ImS=Toffs
XS="Time Off (24 hr.)
@Up_time
Toffs=Ims

Tms=Tons Xs=" Time On (24 hr.) @Up_time Tons=Tms

Procedure Up_ton

Loop Tm\$=Temp\$

Return

Endif Exit If Val(Temp\$)<2401 And Val(Right\$(Temp\$,2))<60 And Len(Temp\$)=4

@Print_line
Print At(27,18);X\$,Tm\$;"
Print At(44,18);"";
Input Temp\$
If Temp\$="" Then

Temp\$=Tm\$

@Print header


Cls

Procedure Up time

Exit If D=8

Loop

End1f



Days=Str\$(Val("&X"+Eight\$)) Endif If Temp\$="" Then D=8

If Mids(Eights, Posn, 1)="0" Then Mids(Eights, Posn, 1)="1"

Else Mids(Eights,Posn,1)="0"

Return

Procedure Load_bsr

@Open_file

Print At(20,18);"Mode (N)ormal / (S)ecurity
Print At(47,18);"";
Input Temp\$

@Print_header @Print_line

Procedure Up_mode

Cls

Level\$=Temp\$

Return

Temp\$="S"

Exit If TempS="N" Or

Loop Modes=Temps

Temps=Uppers(Temps) If Temps="" Then

Temp\$=Mode\$

8-BIT PRODUCT REVIEWS

SILICON DREAMS, SIX-SYSTEM BOX

6 SYSTEM BOX

The **6 System Box** is a switchbox for six different operating systems. It works on XL and XE computers. I don't personally know anyone' with six OS chips, but I suppose it could happen. These days we have quite a variety to choose from, including Omnimon, Expander, Supermon, Omniview 80, plus the do-it-yourself chips. I myself use the standard Atari OS and UltraSpeed from CSS (reviewed in **Antic**, October 1987), which are controlled by a built-in switch. (See **Antic**, March 1988, for instructions.)

The box is a 5 1/2 X 3 X 1 inch aluminum project box with a rotary switch and six LEDs on top. Inside is a circuit board with sockets for the OS chips and the jumper cable. The construction is not polished, but it worked without any problems.

Installation is not difficult if the OS chip in your computer is socketed. Otherwise, it should be left to an experienced technician. The instructions included with the 6 System Box are rudimentary and somewhat confusing. They suggest drilling a 1/4-inch hole, but they don't say why. They orient the chips in the box by referring to the "writing on the board." Since the board has writing on both edges, that's not much help. It would have been clearer to refer to the two small chips and the wires which are on the edge they mean.

The only other problem is the shortness of the jumper cable—a 6-inch flat ribbon cable that just barely reaches outside the computer box, where it interferes with cartridges (at least on the 130XE). I realize that there are strict length limits before the data gets scrambled, but this is something to consider.

Overall, the 6 System Box works just fine. If you want to use several OS

chips, it's the only game in town.—
CHARLES CHERRY

\$50, XL/XE. Irata Verlag USA, 1272B Potter Drive, Colorado Springs, CO 80909. (303) 596-0135.



SILICON DREAMS

In a departure from Rainbird's highquality graphic adventures, Pawn and Guild of Thieves, **Silicon Dreams** is a trio of connected adventures with graphics such as you might have expected five years ago. But that's okay because these adventures can stand on their own without hi-res pictures and still be entertaining.

The adventures are called Snowball, Return to Eden and Worm In Paradise, and you can play them in any order you want. However, playing them in correct order lets you carry your score from one adventure to the next and gives you a higher final score as well as a shot at the title of Supreme Adventurer.

In Snowball, you're secret agent Kim Kimberley and you've awakened prematurely from your freezer-coffin on the good ship Snowball, which is on a collision course with the planet Eden. You must get to the main control room and avert disaster. In Return

to Eden, you have landed on the planet and must somehow enter the city of Enoch. Worm in Paradise is set 100 years later. You are now Kim Kimberley III, and your goal is to gain power and influence and to save Eden.

None of the adventures is easy. There are robots aboard Snowball that make life very difficult for Kim. On Eden there are native life-forms to deal with. However, I had a good deal of fun playing the role of Kim Kimberley, avoiding robots and "Star Wars" lightning bolts.

The commands in Silicon Dreams are pretty standard. The Help command was not very helpful, and I found myself wishing for the Hint command from The Pawn. Silicon Dreams came with an clear, interesting, humorous instruction manual, as well as a novella called "Eden Song" which really helped set the scene for the adventure.

Silicon Dreams has some things in common with Pawn and Guild of Thieves, both good and bad. The game understands long command sentences, which is handy when you must enter similar commands over and over. Games can be saved to disk, and the RAM SAVE feature lets you save your current position, then reload it later with the RAM RESTORE command.

What I didn't like about Silicon Dreams was the copy-protection. When you load a saved game, you're asked to type a word from a line in "Eden Song" and this really interferes with game play. Also, Silicon Dreams might not work with your drive if you don't have an Atari 1050.—JOHN MANOR

\$24.95, 64K disk. 1050 disk drive recommended. Rainbird, P.O. Box 2227, Menlo Park, CA 94026. (415) 940-6087.

August 1988

First Look Inside the XE Game System

Hardware surprises revealed!

This look inside the Atari XE Game

System includes two programs.

XEGS Manager is a utility for

convenient control of all the

Game System's built-in features,

but many of its options can also be used

on the other Atari XL/XE computers.

The second BASIC program

is a short "spray-painting"

routine for testing light guns.

tari executives asked the heads of several major toy store chains which product they'd rather sell—the powerful 65XE home computer for about \$80, or a fancy new game system for about \$150. The answer was, "You can keep the computer, give us that game machine!"

This "game machine" is what we now know as the Atari XEGS, the XL-compatible Extended memory Game System. It's simply an enhanced 65XE in a game machine package. It's also a brilliant idea. The XEGS has been selling out almost as fast as toy stores can get them in.

The XEGS may not seem like such a hot idea to serious Atari computer users. But just think about it. If you were afraid of computers or don't have the foggiest idea what to do with one, you'd have absolutely no interest in an Atari 65XE—even if it *could* play great games. However, you'd probably have no compunction about buying a great video game system, the XEGS, as a new addition to the family entertainment center.

Now we'll take a close technical look at the Atari XEGS. I'll explain how some of its changes in physical design have affected the operating system software. I'll also present the XEGS Manager, a utility for controlling all the built-in features of the XEGS.

BY MATTHEW RATCLIFF

KEYBOARD

The keyboard of the XEGS is detachable. When not connected, the XEGS console looks (and acts) like just a tame little game console. In fact, Missile Command is turned on automatically.

Plug in the keyboard and turn on the machine without an external cartridge, and you're running Atari BASIC, Revision C. The keyboard is virtually identical to the one found on the 130XE. It's mushy, but you can get used to it.

The cable on the XEGS keyboard is quite short. There are two brackets at the top of the keyboard case which lock neatly under the front of the console. The keyboard connector is a standard DB15 female. My first XEGS project was to construct an extension cable for the keyboard. I find it far more comfortable to type for a long time with the keyboard on my lap than on a desk.

Inside the XEGS keyboard case is a small circuit board. On it you will find some resistors, capacitors and two CD4051 chips, which decode the keypresses and send an internal keycode back to the POKEY chip in the XEGS. I already made an adapter cable to connect the XEGS keyboard to the 800XL joystick ports.

So far my efforts at "scanning" the external keyboard manually have failed—the POKEY chip does this automatically in the XEGS—but I hope to bring you a laptop keyboard utility program that lets you use the XEGS keyboard on any other Atari computer with minimal hardware hacking—just a cable.

MEMORY

There are only two RAM chips in the XEGS, which deliver a full 64K of RAM. They're Texas Instruments TMS4464-12 64K-by-4-bit chips. In the XL/XE computers, eight 64K-by-1-bit chips are used. Fewer chips improves reliability and generally reduces the cost of producing the machine. In fact, the XEGS contains a total of only 17 chips.

ICD has indicated that it is working on a RAM upgrade kit for the XEGS similar to the RAMBO XL for the Atari 800XL. I've already received a 128K RAM upgrade kit from Innovative Concepts for my XEGS, making it fully 130XE-compatible. See review on this page.

Using higher-density ROM chips, the updated XEGS operating system had 8K of spare ROM. Atari decided to use that extra ROM for the Missile Command game, which is bank-switched in and out much like how Atari BASIC is toggled on and off. Missile Command can be enabled by holding the [SELECT] key during power-up when a keyboard is connected. When in BASIC, you can enter BYE to get to the Self Test. From there, pressing [RESET] while holding the [SELECT] sends control to Missile Command. Press [RESET] in Missile Command, while holding [OPTION], to return to the Self Test. Press [RESET] by itself to return to BASIC. (Reboot if a disk drive is connected.)

LIGHT GUN

The XEGS comes with a light gun called the XG-1. The continued on next page

XE-GM1 UPGRADE

The RAMdrive + XE-GM1 from Innovative Concepts is a RAM upgrade kit for the Atari XE Game System which converts this "game machine" into a powerful 128K computer that's 100% compatible with the Atari 130XE. Having 128K memory gives you access to such goodies as the RAM-resident spelling checker of Paper Clip 2.0, BASIC XE, RAMdisk support and any other software that can use the 130XE's extended RAM

The XE-GM1 kit comes with a pair of 41464 RAM chips for a full 64K, a custom IC chip, two sockets for the RAM chips, wire and a few resistors. Five pages of instructions are included as well as a useful hand-drawn schematic.

Installation requires 26 steps. They're well-documented, and I had no trouble making the upgrade—the entire installation and checkout process took about three hours.

But before you run out to buy this nifty upgrade, I must warn you that this project requires some *real* hardware hacking experience. Although this upgrade has only three chips, it is still a delicate process. And of course, like any hardware modification, it will void whatever Atari warranty you may have left.

The most critical step in the XE-GM1 upgrade is the removal of the original RAM chips. These must be desoldered and removed without any heat damage to the chips or circuit board. I've burned chips to death while removing them, so I was very patient during this process and I never let the chips become uncomfortably warm to the touch. After the chips were out, I carefully cleaned out and inspected the pads.

After soldering in the new RAM sockets, I did *not* plunge into the next process, piggybacking RAM chips. I put the original RAMs back in the computer and hooked it up, making sure not to short out anything or zap myself. I ran the self test and the original RAMs checked out. Then I shut off the XE Game System and repeated the test process on the new RAMs from the kit. They too checked out. I *highly* recommend these steps, in order to prevent performing an upgrade with bad RAMs.

Next the RAMs must be stacked, with pin 16 of the top chips bent out, and soldered together. Here a light, quick touch of the solder iron is recommended. Patience and plenty of cooling

continued on next page

August 1988 43

time between each pin are important.

Next came the custom IC, a 16-pin chip. All its legs were bent out except 8 and 16 (ground and +5 volts, respectively). This chip is soldered piggyback to U13 on the XE Game System. It looks like a squashed bug there—not pretty, but functional.

Some resistors had to be wired to some pins on the Atari's PIA chip. Another resistor had to be wired between pin 16 of the RAM chips and one pin of the custom IC. After that, it was simply a matter of stringing wire from the custom IC to the proper pins on the PIA, ANTIC, RAM and FREDDIE chips. Two pins of the FREDDIE also had to be desoldered and pulled up. I took my time, double-checking all connections and counting pin numbers three or four times before making a connection. You want this installation to work the *first* time.

Each time I piggybacked chips, I did something not mentioned in the instructions. I separated the upper and lower chips very slightly—1/32 to 1/16 of an inch. This helps the chips run cooler and last longer.


Also, it took me only a couple of connections with the wire included with the kit to realize it wasn't suited for the job. The insulation had a very low melting point and it tended to shrink back or melt off the wire completely during the soldering process. To prevent the risk of shorting, I switched to my own Kynar wire from Radio Shack which has a teflon insulation that withstands soldering heat.

Before putting the computer back togther, I hooked up the motherboard and ran some preliminary checks. The upgrade ran just fine, so I buttoned up the system and ran memory tests for over 24 hours without a glitch.


The package includes Atari DOS 2.5 on disk, complete with utilities and RAMdisk software. On the flip side is a complete RAM test by Glenn Smith of Radon Software, which detects all available RAM banks (including the 256K in my upgraded 800XL) and tests them.

If you want the classy package of the XE Game System and all the RAM power of a 130XE, then I highly recommend the XE-GM1 from Innovative Concepts. If you aren't a hardware hacking veteran, I suggest that you seek the assistance of a guru in your users group or have an Atari service center install it for you. The installation fee will be significantly less than repair charges for burnt etch and fiberglass.—MATT RATCLIFF

\$34.95. Innovative Concepts, 31172 Shawn Drive, Warren, MI 48093. (313) 293-0730



This is the small printed circuit board inside the XEGS detachable keyboard. It is sitting on a schematic of the old Atari 800, adjacent to virtually identical keyboard circuitry.



There's room at the top of this keyboard for the START, SELECT, OPTION and RESET keys. But they are in the console. A dead giveaway that this keyboard is identical to that of the 65XE.

Nintendo light gun is more accurate—if something is lined up in its sights, that's exactly what you hit. Not so with the XG-1. You'll find that it often shoots to the left or right, depending on the software you're running.

The XG-1 is simply a specialized light pen. Light pen support was built into the earliest Atari computers, but it never really caught on. In the shape of a gun, the light pen has brought a whole new dimension to video games applications. The light pen horizontal position, LPENH, can be PEEKed at memory location 564, and the vertical position, LPENV, is found at location 565.

Light gun values range from 0 to 227. You will notice that your horizontal readings are quite odd. Try the sample program below, and notice how the GUN-X readings vary as you sweep the gun across the screen, left to right.

- 10 LPENH = 564
- 20 LPENV=565
- 30 GRAPHICS 0:POKE 752,1:POKE 712,15
- 40 POS. 0,0:FOR I=1 TO 4:? "0123456789";:NEXT I
- 50 ? "GUN-X=";PEEK(LPENH);" "
- 60 ? "GUN-Y=";PEEK(LPENV);" "
- 70 ? "TRIGR = ";STICK(0)
- 80 GOTO 50

Point the gun to the far left of the display and GUN-X will read about 88. Moving from left to right, the reading will reach 227 at about column 34. Then suddenly it drops to 0 and increases again to about 30 at column 39. This offset is due to the delay between when a pixel is actually



lit on the display and when the information is relayed from the light gun sensor to the POKEY chip, which latches an internal scan counter for the pen reading.

The old Atari 400/800 Hardware Technical Reference recommends a "calibration procedure" each time the light pen is used, so that the software can compensate for this offset. A calibration procedure would improve the accuracy of the light gun. But Atari's Bug Hunt and Barnyard Blaster games both have "hard-coded" values—different ones in fact. While Bug Hunt appears to shoot slightly to the left, Barnyard Blaster seems to shoot a tad to the right. The Y readings for the gun are more predictable, equal to half the number of the currently displayed scan line. You'll notice with your test program that GUNY only varies from about 17 to 115. Note that you get much better performance out of the light gun near the screen edges, when you use a light colored border achieved with the POKE 712,15 above.

You'll need to perform some computations to adjust for these unusual readings, to convert gun coordinates to screen coordinates. Different conversion factors are required for each graphics mode (and P/M graphics).

The gun won't return reliable readings at all if the intensity of the display is too low. That's why the screens for Atari light gun games may be brighter than usual. The game screen will momentarily flash white whenever you press the trigger in either Bug Hunt or Barnyard Blaster. While the screen is all white, the software reads the gun position and provides the most accurate values.


Listing 1, DRAWGUN.BAS, presents a Graphics "spraypainting" program for testing the XG-1. Dots are drawn whenever the fire button is pressed. Try holding the gun very steady to see how much jitter you get in the readings. These inaccuracies are reflected in your games as well. I feel that, at the higher levels of play, Bug Hunt and Barnyard Blaster both require more accuracy for continued play than the XG-1 can deliver.

Atari has informed me, however, that the XG-1 and a revised Bug Hunt will be released as a separate package. If you're tired of waiting, you may wish to pick up the Sega light gun, for about \$25 (when on sale) and modify it for the Atari.

To modify the Sega gun for the Atari, you'll have to cut off the incompatible connector. The wires must be stripped back and soldered into an Atari joystick connector as follows:

SEGA GUN	ATARI JOYSTICK PORT
Blue wire	Pin 1 stick FWD
Gray wire	Pin 6 trigger
Green wire	Pin 7 +5 volts
Black wire	Pin 8 Ground

Because of the close-fitting connections for the XEGS ports, don't wire in a DB9 female connector that has "ears." Most joysticks don't have wires for unused signals, so cutting up an old joystick cable may not work. Specifically, an Atari joystick does not need the +5 volts, so there isn't likely to be a wire connected to Pin 7. However, you can find joystick extension cables at Radio Shack, which have all nine pins wired from male to female. **Antic** disclaims responsibility for any damages that might occur during improper implementation of this, or any, hardware



modification project we publish.

Once it's all hooked up, you'll notice that gun fires when you release the trigger, which is annoying. The Sega trigger wiring is the opposite of what the Atari light gun uses. To rewire the trigger switch, remove the five screws (one is under the Sega logo on the side). Find the trigger micro switch with three connections. Wire to the normally closed contacts instead of normally open.

XEGS MANAGER

Listing 2, XEGSMGR.BAS, is a BASIC loader that lets you create a machine language file on disk. Type it in, check it with TYPO II and SAVE a copy before you RUN it. The file XEGSMGR.EXE can then be loaded from DOS or renamed AUTORUN.SYS. Many of the program's features also can be applied to Atari XL/XE computers.

Antic Disk owners will also find the MAC/65 assembly language source code for Listing 2 on this month's disk, under the filenames XEGSMGR.M65 and RAMOS-DAT.M65. If you wish to recompile this code, you'll need the MAC/65 files IOMAC.LIB and SYSEQU.M65.

Normally you must press the [OPTION] key at boot time to disable BASIC and go directly to DOS. And once BASIC is off, the only way to get it back on is rebooting. Option 1 of XEGS Manager is to turn internal BASIC on, and option 2 turns it off.

Disabling BASIC while in DOS provides an additional 8K buffer for file copying. This is an important feature for owners of a single drive. Quite often, BASIC must be off before certain machine language files can be loaded and run. The XEGS Manager eliminates the need of re-

booting every time that BASIC must be re-enabled.

SELF TEST

The XEGS Self Test lets you test the computer's sound registers, keyboard, and memory. However, BASIC is not turned off automatically when Self Test is run from the BYE command. This means that the 8K of RAM under BASIC isn't tested. Option 3 from the XEGS Manager lets you run the Self Test with BASIC off, so that the maximum amount of RAM is tested.

RAM OS

All of the operating system of the XEGS (and 64K or more XL/XE machines) is "shadowed" by RAM. Some disk operating systems, such as DOS XL and SpartaDOS, use hidden RAM for many of their own functions. However, if you're using Atari DOS 2.0 or 2.5, then there is a lot of RAM going to waste in your machine.

Option 4 of the XEGS Manager lets you enable a RAM-based operating system so you can do some real "hacking"—disassembling and adjusting parts of the XEGS operating system to suit your needs. Even if you're not a hacker, there are other practical features of a RAM OS.

Once the RAM operating system is enabled, you are prompted for a disk drive number, 1-8 or 0 to exit. A custom font can be loaded in place of the standard one in the OS ROMs: enter the drive number to display a directory of all .FNT files. Then enter the name of the font file to load, or simply press [RETURN] to change drives or disks.

You needn't enter the drive specifier or extender—the

XEGS Manager will take care of that for you. The font file is loaded into memory at \$E000 (57344). Then you're prompted to (1) repeat the process and try a different font, or (2) exit. (You will find some font files on this month's disk as a bonus.)

Your RAM OS and font are reset-proof, too. Pressing the [RESET] key causes the XEGS to re-enable the ROM-based operating system, but a special handler in Page 6 of memory takes control after that. The handler converts the ROM back to RAM, recopying all the essential parts of the ROM OS, in case part of this RAM area got clobbered while you were hacking about. The handler does *not* recopy the ROM OS font, however, leaving yours intact. Should your RAM font get garbled somehow, press [RESET] while holding the [START] console key to return to the ROM font. Each time that [RESET] is pressed, a RAM OS prompt is displayed at the top of the screen as a reminder.

If you enable a RAM OS while running SpartaDOS, the XEGS Manager detects it and prevents the installation and subsequent system crash. The Manager does *not* automatically detect any other DOS, such as DOS XL, which may crash when a RAM OS is enabled.

MISSILE COMMAND

Again, if you turn on your XEGS without the keyboard connected (or hold down the [SELECT] key at power-up), Missile Command fires up automatically. Option 6 of the XEGS Manager will get you into Missile Command with-

out having to mess with any console keys or power switches.

CONCLUSIONS


The XEGS is a superb little computer. It's still a hacker's system too. I've found that the PBI ROM routines are intact, which means that you should be able to hack in your own custom PBI connector and use the XEGS with ICD's MIO board, if you're a real solder jockey.

The XEGS has brought along a lot of new software too, something Atari was counting on. Much of it includes repackaged classics or cartridge conversions from disk-based software, but there are a few new titles such as Battle Zone. Atari's new 256K bank-switch cartridges are not likely to be pirated. This means that the piracy threat for 8-bit Atari software should be minimal, thus attracting more new software vendors from the traditional Apple and Commodore markets.

If Atari can provide a responsive cartridge production service for third party software vendors (something the old Atari *never* would have done), then we're likely to see the software base for the 8-bit Ataris grow with the popularity of the game industry, which is definitely on the rise again.

Matt Ratcliff is a St. Louis aerospace engineer and a longtime Antic contributing writer.

Listing on page 33



START.

ELSSIFS!

hat's right! START, the Number 1 Atari ST magazine has doubled its frequency.

Subscribe today and throughout the next year you will receive 8 issues of *START*, each with its own disk filled with word processors, graphics and music software, time-saving tax templates and plenty of games. All this and you save an incredible 70% off the newsstand price.

Subscribe today and learn

about MIDI, Desktop Publishing, Laser Printers, CD-ROM, Desktop Video, Multi-tasking and so much more. And with the variety of useful programs on disk, you are ready to use the Atari ST in ways you never dreamed.

With the in-depth features, the monthly columns, the



great ads and of course the disk full of programs, this really is the ultimate subscription offer for you, the Atari ST user.




ST Educational Software

All the latest news for the ST user



ABZoo



Preschool KidProgs



Invasion

Reviewed by Jim Pierson-Perry

August 1988

ABZoo and

PreSchool

KidProgs are for children aged 3 to 6.

Invasion providestyping practice for

ages 6 to adult.

Fortunately I was

able to get evaluation

help from my four

daughters, aged 3 to

8. These three

MichTron programs

cost \$29.95 apiece,

require a color

monitor and are not

copy protected.

continued on next page

ABZOO

ABZoo is aimed at introducing children to the computer keyboard and developing letter recognition skills. Three levels of work are provided, each increasingly harder. For the beginner, the letters of the keyboard are displayed onscreen. Pressing a key displays a picture of an animal whose name begins with that letter.

At the next level, the computer randomly picks a picture and displays it with the animal's name. The picture disappears, and the child must type the letters of the name as it was displayed on the screen. At each correct keypress, pieces of the picture appear—it's like doing a jigsaw puzzle. The highest level briefly shows the picture and name, then the child must correctly type the name from memory. The [HELP] key will redisplay the picture as a memory jogger.

Levels 1 and 2 are fine for preschool children. Some will use it just to look at the pictures, while others can begin to learn the keyboard. Level 3 is more demanding of memorization skills and not necessarily appropriate for children at this age level. A nice touch is the musical cues that reinforce correct responses.

Two different sets of pictures are provided—realistic and cartoon-style. There are some differences between the picture sets, which were all done with DEGAS Elite. The program and both picture sets can be installed on a double-sided disk.

One minor complaint is that the only way to exit the program is by pressing [SHIFT] [UNDO]—difficult for little ones to remember. But ABZoo is a fun introduction to learning the keyboard. Even my 3 year old was able to use it without supervision.

PRESCHOOL KIDPROGS

PreSchool KidProgs is actually three programs in one—graphics, music and puzzle-solving activities. You can exit an activity whenever you want and return to the master menu.

The menu items are KidGrid+, KidKeys and KidBlocks. All program operations require the mouse. But my youngest children, ages 3 and 5, had a hard time coordinating mouse movement, although they understood exactly what they were trying to do with the program. With time they improved, but I think a joystick option would have been better for small hands.

KidGrid+ displays a drawing area containing 192 small triangles. The object is to create pictures by filling the triangles with any of 12 colors from a predefined palette. The program provides a starter set of 12 sample pictures. This is a good format for young artists, because it's much easier to fill in than draw freehand. Unfortuately, the pictures cannot be saved to disk. A way around this is to use a public domain program, such as SCRNDR.TOS from CompuServe, that redefines the [ALT] [HELP] printerdump sequence to saving the screen as a DEGAS-format picture file.

Making music is the object of KidKeys. A keyboard is

displayed on screen, and notes are played through the internal speaker as they are selected with the mouse. Two different types of sounds, piano and organ, are available. There are 20 pre-recorded nursery rhymes, selected from a pictorial menu, and sing-along lyrics are provided in the manual.

The final activity is a 16-piece jigsaw puzzle in Kid-Blocks. Each piece can show one of six different faces, a different face for each of six possible puzzles. Pointing at a piece and clicking changes the face. The child goes through each piece, changing them as necessary, until an entire puzzle is completed, which is then rewarded by a short piece of music or animation.

KidProgs was rated far and away the best of the three by my panel of experts. Aside from the mouse-handling difficulties, they were all able to use the program without supervision and kept coming back for more.

INVASION

Invasion is designed as a typing drill instructor *a la* Space Invaders. Words from a list appear and drop down from the sky, imperiling the city below. The only defense is to type each word accurately and blow it up before it hits ground. There are three rounds of increasing difficulty and three different speed levels.

Word lists are easily created and edited with an auxiliary program. They can be tailored to use with spelling lessons or typing instruction word lists (of increasing difficulty). You can't change word lists during a game without returning to the desktop and restarting. A list can contain 20 entries of 29 characters each.

Numeric keypad typing skills are developed by typing math problems. These use math lists, similar to word lists, where simple equations are entered. Two math play modes are used—training, where the answers are shown, and testing, where the answers are hidden by question marks. To win, the entire equation must be typed. The [Enter] key is used as a substitute for the [=] key, a questionable practice for teaching accuracy.

This program has several problems. One is a delay caused by type-ahead: you can easily type faster than the letters are "exploded." This makes it hard to see and correct typing errors. Also, the program is simply too fast, even at a novice setting, for many beginners. My 7- and 8-year-olds really had to work to get even simple three- and four-letter words. For math problems, it's hard enough to type part of the equation—let alone have time to solve it.

As a typing instructor, Invasion suffers from a lack of graded word lists. While you can create your own, there should have been a set of lists ranging from single letters through words of increasing difficulty. The program also provides no rating indicators of typing speed and accuracy. When you finish with a list, the program always tries to access the disk. If it's protected, you get two bombs and its restart time.

\$29.95 each. Color monitor required. MichTron Inc., 576 South Telegraph, Pontiac, MI 48053. (313) 334-5700.

ST New Products

By GREGG PEARLMAN, Antic Assistant Editor

PRODIGY

Prodigy, which Antic saw demonstrated at the West Coast Computer Faire in April, 1988, may well revolutionize online information gathering—and especially online shopping. Trintex, along with IBM and Sears, Roebuck and Co., offers a truly interactive service featuring colorful graphics screens and easy menus—all for \$9.95. No, not \$9.95 per hour, \$9.95 per month. How? That's where the "shopping" part comes in. Across the bottom of each screen is a text "commercial" from which you can buy merchandise directly.

The main drawback to Prodigy is that it's not available for the ST—yet. **Antic** has run Prodigy's IBM demonstration software on an ST using PC-Ditto, but it's mighty slow.

Prodigy *might* develop an ST-specific version of the software needed to access the service. With its graphics capabilities, the ST should be a natural for Prodigy. If you agree, you might give Trintex a gentle nudge via a tastefully written letter.

Trintex, 445 Hamilton Avenue, White Plains, NY 10601. (914) 993-8800.

AUTOGRAPHS, ANYONE?

At Spectrum Holobyte's booth at the West Coast Computer Faire, **Dondra**'s heroine, Terna, the Polythene Pam of the graphics-adventure game set, posed for pictures and signed autographs. At home in futuristic Dondra, she's the last of the Tellasien race. Dondra is full of colorful cartoon-style graphics. As Terna, you'll fight Mutoids and encounter a strangely attractive lioness, but you'll have to keep an eye out for a wildebeest with a grudge.

\$39.95. Spectrum Holobyte, 2061 Challenger Drive, Alameda, CA 94501. (415) 522-0107.

SQL

The SQL Database Add-On for LDW BASIC is a relational system for the ST. It extends the instruction set of LDW BASIC by adding commands to store, retrieve and modify information saved in a set of databases. No special knowledge of database programming is needed—anyway, the 36-page manual includes a large tutorial.

\$30. Regent Software, 7131 Owensmouth #45A, Canoga Park, CA 91303. (818) 882-2800.

BECKEMEYER PAIR

SDS (Software Development System) lets you develop sophisticated applications that take advantage of the multitasking features of Beckemeyer's MT C-Shell. Written in Mark Williams C, SDS includes several Unix-compatible routines to help in porting Unix applications to MT C-Shell, and the package also provides sample programs. SDS costs \$59.95, but registered MT C-Shell owners can get it for \$49.95.

MT C-Shell UUCP (Unix to Unix Copy) is a file and electronic mail facility that can talk to any Unix or UUCP-compatible system. Once you've set it up, you can send and receive electronic mail, telexes, news and data files of all kinds. UUCP costs \$49.95, but registered MT C-Shell owners can get it for \$35.

Beckemeyer Development Tools, 478 Santa Clara Avenue, Oakland, CA 94610. (415) 452-1129.

PLATOON

Based on the Oscar-winning film, **Platoon** is a realistic simulation of the war in Vietnam—and here, just as in the movie, there's no winner.

In Platoon, you'll find yourself leading your five cohorts through six increasingly hazardous situations. First you traverse a jungle to blow up a bridge, keeping an eye out for booby traps and snipers. Searching a village for a hidden trap door is the next challenge. Then you must navigate through underground tunnels, shooting the guerrilla fighters on sight.

You'll also find yourself in a bunker night-fight, surrounded by the enemy. Your platoon must find a safe jungle foxhole before a napalm airstrike. Finally, the platoon must use grenades to take out a sergeant who betrayed them.

The factors of your condition include morale, hits (the number of "strikes" you can sustain before you become "retired in action"), ammunition and score.

\$44.95. Data East USA, Inc., 470 Needles Drive, San Jose, CA 95112. (408) 286-7074.

QUIZMASTER ST

EZuse has ported its popular and inexpensive 8-bit Quiz Master Construction Set over to the Atari ST. The new Quiz Mas-

ter Construction Set ST combines all of the standalone 8-bit programs into one ST program that allows multiple choice answers, prints a score at the end of the game and has four ways to print the quiz.

\$11.50. EZuse Software, 2850 Enea Way, Antioch, CA 94509. (415) 754-6026.

JUGGLER REDUX

Juggler II partitions the memory of your ST into two, four or eight equal sections, each of which acts as if it were the only one in the computer. Pushing [SHIFT] [ALTERNATE] suspends operations in the active partition before moving to the next one, so you can load and swap programs between partitions—you could even juggle, say, seven GEM programs and one non-GEM program. Owners of the original Juggler can receive free upgrades.

\$49.95. MichTron, 576 \$. Telegraph, Pontiac, MI 48053. (313) 334-5700.

CUIDADO! LLAMAS!

Artworx' **Spanish Verb Tutor** helps both the beginning student and the fluent Spanish speaker handle all Spanish verbs, including all modes, tenses and persons of all regular verbs and some irregular verbs. Each lesson is followed by a practice quiz. Spanish Verb Tutor furnishes the exact forms of over 12,000 verbs—giving you more than a million Spanish words.

\$39.95. Artworx Software, 1844 Penfield Road, Penfield, NY 14526. (800) 828-6573, (716)385-6120.

QUESTRON II

You have the dubious fortune of being in possession of the Evil Book of Magic, which you stole from Mantor the nut in Questron, and which is SO evil that it can't be destroyed in the way you might normally destroy books. Now in Questron II you must go back in time to Landor to ensure that the book is never created. You must use weapons and spells (such as sonic whine and time sap) to defeat the various creatures you'll encounter.

\$49.95. Strategic Simulations Inc., 1046 N. Rengstorff Avenue, Mountain View, CA 94043. (415) 964-1353.

continued on page 54

ST Games Gallery

Gunship, Gone Fishin', GFL Football, Alien Fires

GFL CHAMPIONSHIP FOOTBALL

GFL Championship Football is exciting and adds a few new tricks. Your viewpoint is from the receiver's or runner's position on the field. This gets you involved in ways that a view from above the field can't. You hear your footsteps as you run and you almost feel the impact when you get tackled.

To start playing GFL, you and another player select your teams from four divisions—North, South, East and West. In a one-player game, you select the computer's team too. Each position is rated from 1 to 3. Use the joystick to call plays from an offensive or defensive play list. You also control your movements with the joystick.

Passing and running take practice. On offense you can pass short or long, or run up the middle or down the sidelines. On defense you can blitz or look for a passing play. Guess wrong and your opponent will gain big. Guess correctly, and you could throw him for a loss.

On passing plays, you move the receiver downfield after the snap. You must take the exact number of steps in the right directions to catch the ball. This is as hard as it sounds, but I managed to get the hang of it after a couple of games.

Special teams are important. You can block field goals by maneuvering a defensive player in front of the kicker and jiggling the joystick. During field goal attempts, if you kick too soon, the ball will go wide—too late, and it'll be blocked. When running the ball back after a punt, you can outrun or stiff-arm tacklers. My team got creamed a few times because the computer is pretty good at running back punts.

GFL comes with clear instructions,

helpful play diagrams and a glossary of football terms. It lacks interesting sound effects, however, and some of the graphics could be better.

But it's fun, especially for football fans who are also computer enthusiasts. It's not a game for statistics freaks. GFL just gives you a grunting, sweaty, nitty-gritty real-life football game. Learning the plays is a little hard, but the fun of breaking tackles or crushing an opponent's offensive drive makes it all worthwhile.—JOHN MANOR

\$39.95, color and joystick required. Activision, 3885 Bohannon Drive, Menlo Park, CA 94025. (415) 329-0880.

GONE FISH'N

Gone Fish'n mimics every nuance of bass fishing. In your quest to catch the most and the biggest fish, your first decision is when to try your luck. Do you wait until Saturday, when weather conditions might not be prime, or do you skip work and set



sail on Friday, a perfect day? Unfortunately, you're not on salary so a skipped workday will cost you. And you'll need plenty of cash to afford all the state₇of-the-art fishing paraphernalia on your wish list. Start with a simple lure, then choose the lake. Navigate to a prime location, attach your lure and let loose your line.

And wait.

Unfortunately, just like real fishing, I find this expedition boring. I just lack the patience to wait for a hungry fish to make a mistake. I want to pursue my adversary actively, not to outwait him. But the game really does simulate every aspect of fishing, so I'm sure some fishing enthusiasts will love it. Capable graphics heighten the realism of the experience. You'll actually see the stupid, starving bass dash toward vour lure and vou'll actually jerk back on the rod to set the hook (although I felt that the control interface left a lot to be desired). The jerky, mouse-controlled rod quickly became annoying, and a good read through the lengthy manual will also be necessary to master this nonintuitive game.

All in all, Gone Fish'n does just what it sets out to do—except lie about the size of your catch. But don't despair, as there's still latitude to fib about the one that got away.—STEVE PANAK

\$44.95, color. Electronic Arts (Interstel), 1820 Gateway Drive, San Mateo, CA 94404. (415) 571-7991.

GUNSHIP

The AH-64A Apache is the hottest helicopter in the sky— with a top speed of 224 mph, a maximum climbing rate of 2,880 feet per minute and a ceiling of 20,500 feet. In **Gunship** your goal is to maneuver the Apache through a series of military operations, usually seeking to take out the primary target, an enemy installation or base. You select mission parameters, weapons, weather conditions, day or night and difficulty level. After successful missions you'll be promoted and receive medals and commendations.

The Apache is controlled with the keyboard and either a mouse or joystick. I recommend a joystick. A keyboard overlay noting each key's functions is included with the package.

What I like about Gunship is that you can fly the Apache in Easy or Realistic mode. In Easy mode, movements such as pitch, roll and altitude changes don't effect lift, but in Realistic mode, they do. So if you move from a hover to forward flight, keep



on your toes, or else you'll lose altitude.

Once you've mastered flight, the next goal is avoid getting shot down. The Apache uses a TADS (Target Acquisiton & Designation System). The pilot and gunner wear special helmets that track their viewpoints in three dimensions—when a crewman looks at a target, the TADS "knows" where he's looking. When it locks onto a target, it will stay locked until the target is neutralized or a new one is selected.

When a target is located, its image appears on a video monitor showing distance, zoom factor and the display functions in daylight and darkness. In combat, you just *look* at a target, select a weapon and fire.

Of the four offensive weapons, the chain gun works best against ground troops and slow-flying aircraft. The Hellfire missile is for knocking out enemy tanks, using a laser to locate its target and firing a beam that "breaks up" when it bumps into a tank—the Hellfire "sees" that breakup and homes in. The unguided FFAR rocket works best against ground troops and installations, and the sole purpose of the AIM-9L Sidewinder missile, an infrared-homing air-to-air missile, is to take down enemy

aircraft.

If an incoming missile is radarhoming, the "R" light above your Apache's radar screen will flash. If it's a heat-seeker, the "I" light will flash. You'll want to choose either the radar or infrared jammers and change course. If you still can't lose the missile, then chaff or a flare should be deployed.

The tougher the mission, the better the enemy's skill and weapons. Sometimes deploying a decoy or jamming still won't shake a missile, so you have to take evasive action. This isn't easy in a helicopter.

The Gunship manual is the best game manual I've read—a piece of art. It includes detailed gameplay information, general helicopter information, weapons and tactics, Apache stats and complete mission briefings. It's clearly organized, and the learning process is a joy.

Gunship is the hottest helicopter simulation, period. Flying the Apache takes a bit if getting used to, but with practice you will be able to strafe those enemy fortifications with the best of them.—SCOT TUMLIN

\$49.95, color. MicroProse Simulation Software, 120 Lakefront Drive, Hunt Valley, MD 21030. (301) 771-1151.

ALIEN FIRES—2199 A.D.

The superb cover art of Alien Fires—2199 A.D. sparked my imagination. And my expectation was fueled by the sight of not one, not two, but *three* disks holding worlds beyond my imagination. Unfortunately, the fire was extinguished soon after I booted up.

Your goal in Alien Fires is to travel to a planet called Galaxy's End and

destroy a time machine created by Dr. Kurtz, a benevolent genius driven insane by his own intellect. Skill points are assigned to each of seven attributes to determine your Time Lord's overall ability. As in most games of the Dungeon & Dragons genre, these values increase and decrease based on your performance.

Probably my biggest disappointment resulted from the lackluster graphics. The ST *is* the premier graphics-oriented personal computer,



but no one seems to have mentioned this to Paragon. The vector graphic corridors quickly become boring, and the creatures you meet, while colorful and interesting at times, become a dull gray when superimposed on the corridor.

The screen photos on the rear of the box are quite different from what you'll see at home. Movement through the corridors is annoyingly jerky and few options are open to you. While I'm sure that the three disks contained tons of data for generating limitless worlds and creatures, I felt little compulsion to explore. It's too bad.—STEVE PANAK


\$39.95. Electronic Arts (Paragon), 1820 Gateway Drive, San Mateo, CA 94404. (415) 571-7991.

This month's ST Resource type-in software is BSRk, a flashy GFA BASIC version of our X-10 home controller program. You'll find the ST instructions in a special section of the 8-bit BSRk article in this issue.

By PATRICK MCSHANE, PCS School

Prolong the Life of Your ST Mouse

One school's maintenance method. at least once a week.



The most vulnerable piece of hardware on the ST is the mouse. At PCS computer school we have kept ours alive for over a year—through heavy use by 152 kids—by performing the following maintenance procedures:

- 1. Always use a mouse pad. This keeps the ball from picking up deposits of oil and dirt that stick to furniture surfaces. Vacuum the mouse pad at least once a week.
 - 2. Once a week:
 - a. Remove the mouse ball and wipe it off with a clean, soft cloth.
 - b. Unscrew the top plate, exposing the inside of the mouse.
- c. Using cotton swabs and a light solution of isopropyl alcohol, clean the deposits on the thick surfaces of the sensor wheels—the three surfaces that come in direct contact with the mouse ball—to assure smooth and even wear of the mouse ball. You may need a small, plastic-tipped tool to scrape away the deposits if the cotton swabs don't work.
- d. Gently blow out any dust that may have settled into the cavity. Replace the top and secure the screws.

Since the article Maverick Atari School appeared in the October, 1987 issue of Antic, Patrick McShane's PCS School of Advanced Learning in Nampa, Idaho has grown from 85 to 152 students. This summer, for the first time, PCS hosts students from other parts of the U.S. in a National Summer Camp, August 8-19. Cost for the session is only \$100, because visiting campers will stay with PCS student families. In addition to the daily classes a raft trip down the "River of No Return" is planned.—ANTIC ED

ST New Products

continued from page 51

VROOM VROOM

Zoom from Florida to California in your Mercedes 560 SEC—or one of three other Crazy Cars: a Porsche 911 Turbo, a Lamborghini Countach 500 S and a Ferrari GTO. Crazy Cars features 72 skill levels and 3-D action as you do your best to beat not only the clock but every other car you see.

\$39.95. Titus Software Corp., 20432 Corisco Street, Chatsworth, CA 91311. (818) 709-3692.

FOUNDATION'S WASTE

Escape a hostile planet in a stolen spaceship and defeat your captors in **Foundation's Waste**, Scorpion's new arcade game featuring colorful graphics and the planet's scrolling background.

\$39.95. Scorpion, 19 Harbor Drive, Lake Hopatcong, NJ 07849. (201) 663-0202.

MINI-LEDGER

Rascom's GEM-oriented Mini-Ledger for small businesses features an integrated expense sheet, income sheet and final profit/loss summary sheet to document your activities. Control the data with search, sort and update functions. Other features include built-in help screens, an integrated spreadsheet and report capability.

\$30. Rascom, 22128 Newkirk Ave., Carson, CA 90745.

ST VIDEOS

Video SIG has produced three instructional video tapes for the Atari ST: "Dr. T's Music Software," "MidiSoft Studio" and "The Amazing Atari ST." The first two demonstrate and explain those ST music packages, and the third gives an overview of the ST and explains various software packages that can be used with it.

\$14.99 (\$39 for all three). Video Software Interest Group, 1030 E. Duane Avenue, Suite C, Sunnyvale, CA 94086. (408) 730-9291.

M

M is an interactive composing and performing system that lets you specify basic musical material as notes and chords, then determine ways to transform that basic material and perform the music via screen controls and a MIDI keyboard. You can also "conduct" with the mouse in a multidirectional grid.

\$200. Intelligent Computer Music Systems, P.O. Box 8748, Albany, NY 12208. (518) 434-4110.

New ST product notices are compiled from information provided by the products' manufacturers. **Antic** assumes no responsibility for the accuracy of these notices or the performance of the product.

Hard-Disk Backups

Weighing the advantages of contrasting styles

Reviewed By MARTIN BROWN

When I purchased an Atari 20Mb hard disk for my ST, my reasons for buying were *not* to obtain massive storage, but to gain fast access to my different programs and to speed up saves and retrieves of files. However, I soon realized that the best thing about a hard drive is never having to read "Disk Full" again.

But along with the large storage comes the necessity of backing up all that data. Failing to do so is foolish.

So now every morning I immediately copy my most important work files onto floppies and I use a different floppy for each work day. If I really foul up, I have at least four successively older backups. While copying a few critical daily-use files is easily accomplished using a "point-click-and drag" technique, faster methods are available for copying entire partitions of hard disk drives.

As the ST software marketplace matured, tools available for the Mac and IBM made their way into our arena—including software that considerably speeds up the backup process from a hard disk drive to a floppy, catalogs your backups more accurately, and selectively backs up changed files but skips files you haven't touched since the last backup.

Among the most noteworthy of these ST hard disk backup utilities are Beckemeyer's **Hard Disk Toolkit** and **Backup!** by MichTron. Interestingly, these two products take quite different approaches to the backup process, so they both have comparative advantages and disadvantages.

HARD DISK TOOLKIT

Beckemeyer's Hard Disk Toolkit is amazingly fast, copying about 1Mb per minute. Operation is also much easier than the documentation would have you believe. You can designate the partition to back up, decide whether you want automatic formatting of the floppies and away you go.

The program scans the drive partition being copied, tells you how many floppies are required and then backs up that partition at your command. At the end of the process, Toolkit marks each file on your hard disk partition that was copied so that next time you can simply back up changed files. Sound simple? It is. Even if you put an unformatted disk in the drive during the backup, Hard Disk Toolkit will recognize the problem and automatically format it.

However, Toolkit is not without problems. First, illegal file names that non-GEM programs can use stopped my first backup cold. I used file names starting with non-alphabetic characters, which Beckemeyer apparently never thought would happen. Toolkit simply locked up—and only after three reboots did I determine that the file name was the culprit.

Second, Toolkit's manual is a relic from other days—its style reminds me of a fire insurance policy I once canceled. The Beckemeyer seven-page manual, if followed step by step, does not explain the options very well at all. Toolkit's Update, which allegedly lets you copy only certain directories, simply does not work for me, even if I follow the sparse directions as closely as possible.

More serious a flaw is the method Toolkit uses to copy data. A floppy disk used by Toolkit is not readable by GEM. The information is packed onto the disk in a way that can't be read by your system without restoring the entire partition.

One of the options in the backup process is "verify," which allows you to turn off the write-verify process. The manual indicates this speeds up the backup slightly, but at the sacrifice of some reliability. I could live with a minor sacrifice here, but I discovered that the chain is only as good as its Toolkit's weakest link. I once found it necessary to restore the partition of my hard drive with all my word processing files.

Knowing that what I was doing was serious, I backed up right before formatting that partition. My default method for backup was without write verify, and unknown to me, the next-to-last floppy disk had a bad sector. Toolkit gave no warning—I had verify turned off. When I went to restore, the first six disks seemed fine, but number seven gave me a "bad disk—re-enter" message. Nothing worked, and consequently Toolkit couldn't restore *any* of my files, not even those on the six good disks.

Toolkit's restore procedure calls for the floppies to be loaded in the proper order, making it hard to scramble files by restoring them in an incorrect order. This prevented my completing the restore with a bad disk. Without disk number seven, Toolkit refused to budge—no quitting and salvaging the first six disks, then rebooting and trying again. And since the floppies are not readable from the GEM desktop, I had nothing left to use.

So, when I really needed this program to help, its strengths became its major weakness. I suggest that if you want to use Hard Disk Toolikit—don't turn off write-verify and don't settle for less than the best floppies you can afford.

\$29.95. Beckemeyer Development Tools, 478 Santa Clara Avenue, Oakland, CA 94610. (415) 452-1129.

CIRCLE 259 ON READER SERVICE CARD

continued on page 57

Power Add-Ons for GFA BASIC

3-D graphics plus a treasury of turbo routines

GFA BASIC BOOK

GFA BASIC is one of the most widely used languages for the ST, particularly by hobbyist programmers. This inexpensive (\$79.95) language is **Antic's** first-choice BASIC for ST program listings. It provides a full-featured, structured programming environment with excellent GEM support and execution speed. Several add-on programs have been released in the series including a compiler and support for vector graphics. The only real shortcoming has been a lack of information besides the terse users manual.

Now the **GFA BASIC Book** (\$39.95) goes a long way to fill this void, with a 306-page collection of tips and sample programs. It comes with a single-sided disk containing the samples described in the book. Author Frank Ostrowski certainly has the necessary credentials, since he wrote GFA BASIC in the first place.

The book is intended for mid-level programmers—those who know standard BASIC and want to learn how to use the advanced features of GFA BASIC. Although beginning programmers will find the book useful, particularly for graphics and sorting, the main thrust of the book is how to make use of system calls to GEM and GEMDOS functions. These discussions assume some preliminary knowledge on the reader's part and will need to be supplemented by more elementary ST reference books such as those in the Abacus series.

Topics include code optimization for speed, graphics and sound, accessing disk files, recursive programming and dealing with .RSC files. All are written clearly with numerous code examples. Missing from the book is a discussion on effective use of blocks for structured programming—which can be a problem for those used to "spaghetti-code" BASIC implementations.

Sample programs on the disk include routines for using the sound chip, creating dialogue boxes, accessing disk directories, screen flipping and scrolling, loading screen fonts, sorting and including assembly code within a GFA BASIC program. Another set of programs deals with GEM and GEMDOS applications such as creating multiple windows, building slider boxes, making icons and dealing with the resource construction set.—JIM PIERSON-PERRY

GFA VECTOR

If you've played games like ST-Wars, Star Glider or R.P.V., you know how exciting 3-D graphics can be. However, 3-D graphics require powerful computer processors and large amounts of memory to display them. To create a 3-D application requires extensive knowledge in programming (usually a high-level compiled language or Assembly) and strong math skills. Until now, the only feasible hardware solution was a mainframe system. But with the introduction of the 16-bit personal computer, 3-D graphics are now possible. However, the software required to display and manipulate the 3-D objects is still complex.

GFA Systemtechnik, makers of GFA BASIC, the most powerful BASIC for

the Atari ST, have done it again. **GFA Vector** (\$49.95) is a utility package that creates and manipulates 3-D graphics.

The GFA Vector package comes with a 43-page manual and a disk containing the utilities. The manual takes users step-by-step from object creation to using the finished objects in their own GFA BASIC programs. The manual explains how to create 3-D objects in two ways, with numerical input or the graphics editor. Numerical input consists of entering the x, y and z locations of every point of the object and the connecting lines between those points. The graphics editor lets the user draw the top, side and front views of the objects, making sure that selected points match in at least two of the three windows. I found it easier to break out the pencil and graph paper, design my objects and enter them numerically.

After objects are created, they can be manipulated in the user's GFA BASIC programs. Four files make up a GFA Vector application. The module file contains the actual 3-D routines called in the program. The disk contains a series of module files not clearly explained by the manual.

Second file is your GFA BASIC program or GFA Runtime program. If you plan on giving your application to others, make sure you use the runtime program. The users file must be merged with the install.lst file on the GFA Vector disk. The install.lst file contains the major call routines that the user will be activating. The final program is the object file containing

Antic Magazine/Disk—\$5 per issue, if you subscribe now!

the created 3-D objects. Doubleclicking on the module program will start the application.

Watching a 3-D application written in BASIC can be a painful experience. But the GFA Vector program updates complex 3-D objects in a smooth, real-time fashion. Only when the zoom factor is high and the object very large does the display slow down. I created a program that flew through the 3-D environment. By increasing the Zoom increment rate I achieved speeds close to Star Glider. Not bad for a BASIC program.

Manipulating objects is straightforward. The user only needs to call a particular array with the proper variables and the object or objects are updated. For example, Scale %(1) = 32would set the size of object 1 to 32. A For/Next loop could be used to make the object move closer or farther away from the user's perspective. Some other possible calls are object selection, object color, object position and object rotation. In addition the user can draw the objects in or mode or xor mode, send picture data to alternate screen pages and then switch the data in those screen pages.

The GFA vector package is a great addition to any GFA BASIC programmer's library. It is also a must for anyone who is interested in 3-D graphics. My complaints are few, GFA Vector objects can be displayed in wire-frame mode only, I would have liked the ability to create solid objects, even if the refresh rate is slow.

An object can be rotated around an axis center. However, rotation around an arbitrary point is not available. The ability to create my own call functions would be nice. And finally, an additional utility should be included to convert the four support files into one file and/or compile the .bas file and remove the need for the runtime program altogether. All in all, GFA Vector is great. If you enjoy playing Flight Simulator, then pick up GFA BASIC and GFA Vector and make your own 3-D simulation.—SCOT TUMLIN

MichTron, 576 South Telegraph, Pontiac, MI 48053. (313) 334-5700.

CIRCLE 257 ON READER SERVICE CARD

HARD DISK BACKUPS continued from page 55

BACKUP!


Backup! is almost the opposite of the Hard Disk Toolkit in its advantages and drawbacks. Where Hard Disk Toolkit is super fast, Backup! is painfully slow. Toolkit backs up a partition with about 1Mb of storage in about 90 seconds. Backup! takes just over six minutes, but uses the most secure of the several backup approaches. Where Toolkit produces floppies that are unusable from the desktop, Backup! lets you choose between that kind of file or standard GEM-readable files. Backup! has a better manual than Toolkit plus online help screens. However, the Backup! manual could still be improved. It's skimpy on details in a couple of places that new users of hard drives would appreciate, such as setting the path for backups to begin, or skipping system files in the backup process.

Backup! is full of options. You can choose to only copy certain paths within a hard drive partition, or to back up only changed files either by date or by actual file structure changes. Backup! helpfully creates a history file that keeps track of the files you have copied for use in subsequent incremental saves. But even this can be switched off if you want to maintain more than one set of backup floppies.

Accompanying this GEM program on the Backup! disk are SBackup and SRestore, which work under a shell environment. Their functions are identical to those under the GEM program, but they let you accomplish the same tasks in an auto-execute file using a shell program. These specialized programs may not be used by a large number of Backup! buyers, but Michtron's inclusion demonstrates the company's concern for ST users.

(As we went to press, MichTron was planning to sell Backup! in a new combination package with two other utilities, M-Cache—reviewed February 1988—and Tuneup!—ANTIC ED)

\$59.95. MichTron Inc., 576 S. Telegraph, Pontiac, MI 48053. (314) 334-5700. CIRCLE 260 ON READER SERVICE CARD



SOFTWARE DISCOUNTERS F AMERICA

S.D. of A Free shipping on orders

For Orders Only - 1-800-225-7638 PA Orders - 1-800-223-7784

over \$100 in continental USA

Customer Service 412-361-5291

 No Surcharge for VISA/MasterCard Your card is not charged until we ship

ABACUS BOOKS
ST Disk Drives \$19
ST Gem Prog. Ref\$15
ST Disk Drives \$19 ST Gem Prog. Ref. \$15 ST Graphics & Sound \$15 ST Internals \$15 ST 3-D Graphics \$19 ST Tricks & Tips. \$15 ACADEMY
ST Internals \$15
ST 3-D Graphics \$19
51 Iricks & Tips\$15
ACADEMY Typing Tutor ST \$23
ACCESS
Leader Board Golf ST \$25
Leader Board Golf ST \$25 Leader Board Golf &
Tourn. Disk(D)\$9.88 Tenth Frame ST\$25 Triple Pack: BH1, BH2, Raid Over Moscow (D)\$14
Tenth Frame ST \$25
Triple Pack: BH1, BH2, Raid
Over Moscow (D)\$14
ACCOLADE
Bubble Ghost ST . \$23 Hardball (D) . \$9.88 Hardball ST . \$25 Test Drive ST . \$25
Hardball ST\$25
Test Drive ST \$25
ACTIVISION
Cross Country
Road Race (D)
Ghostbusters (D)\$9.88
Music Studio 51
Pitfall/Demon Attack (D) \$9.88
AEGIS
Animator ST\$44
Animator ST
AMERICAN EDUCATION
Biology (D)
Grammar (D)
Science (D) Call U.S. Geography (D) \$12
U.S. Geography (D) \$12
U.S. History (D)
World History (D) \$12
AKIWOKX
Bridge 5.0 ST\$23 Centerfold Squares STCall
Centerfold Squares ST Call
Cycle Knight (D) \$14
Cycle Knight (D) \$14 Linkword French (D) \$16 Linkword French 1 or 2 ST \$19 Ea.
1 or 2 ST \$19 Fa
Linkword German (D) \$16
Linkword Russian ST \$19
Linkword Spanish (D)\$16
Linkword Spanish ST \$19
Strip Poker (D)\$21
Strip Poker SI
Linkword French 1 or 2 ST \$19 Ea. Linkword German (D) \$16 Linkword Russian ST \$19 Linkword Spanish (D) \$16 Linkword Spanish ST \$19 Strip Poker (D) \$21 Strip Poker ST \$25 Fernale Data Disk 2(D) \$14 Male Data Disk 2(D) \$14 Female Data Disk 3(D) \$14 Female Data Disk 4(ST \$14 Female Data Disk 5(ST \$14 AMALON HILL
Female Data Disk 3(D) \$14
Female Data Disk#4 ST \$14
Female Data Disk#5 ST \$14
AVALON HILL
Gulf Strike (D)
Spittire '40 (D) \$23
AVANTE GARDE
PC Ditto ST Call
BATTERIES INCLUDED
Degas Elite ST \$39
Thunder: Writers
Assistant ST\$26
PALIDA/ILLE
Award Maker Plus ST
Blazing Paddles (D) \$23
Kainy Day Games (D) \$19
Video Vegas (D) \$10
BRODERBUND
Karateka (D)\$9.88

CENTRAL POINT
Copy 2 ST \$23
DATASOFT
THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAM
Alternate Reality:
The City (D) \$19
The City ST\$26
The Dungeon (D) \$26
Battle Droidz ST \$23
Global Commander ST \$26
Hunt for Red October ST . \$32
Tomahawk 64K (D) \$21
Video Title Shop 64K (D) . \$21
DAVIDSON
Math Blaster (D) \$32
Spell It (D)\$32
Word Attack (D) \$32
ELECTRONIC ARTS
Software Classic Series:
Age of Adventure (D) \$9.88
Archon 1 or 2 (D) \$9.88 Ea.
Financial Cookbook (D) . \$9.88
Lords of Conquest (D) \$9.88
Mail Order Monsters (D) \$9.88
Movie Maker (D) \$9.88
Music Const. Set (D)\$9.88

9-21
Pitstop 1 or 2(D)\$6.88 Ea. Spy vs. Spy 3: Arctic Antics (D)\$14 Street Cat ST\$16 Sub Battle Simulator ST\$24 Summer Games (D)\$14 Temple Apshai Trilogy (D) .\$14 Temple Apshai Trilogy ST .\$14 Winter Games ST\$18 World Games ST\$24
FIREBIRD
Adv. OCP Art Studio ST \$19 Carrier Command ST \$29
Guild of Thieves ST\$29
Jinxter ST
The Pawn ST
Universal Military Simulator ST\$33 FERST BYTE
First Letters & Words ST\$33
First Shapes ST
Math Talk ST

ICD
BBS Express ST \$57
PR Connection\$59
Rambo XL \$29
US Doubler:
with Sparta DOS \$49
without Sparta DOS\$29 INFOCOM
Beyond Zork ST\$33
Leather Goddesses ST \$25
Sherlock: The Riddle of
the Crown Jewels ST\$25
Zork Trilogy (ST) \$33
INTERSECT
Interlink ST \$25
ISD
Vip Professional ST \$95
LDW
Basic Compiler 2.0 ST\$59
Club Backgammon ST \$23
Vegas Craps ST\$23
Vegas Gambler ST \$23
MASTERTRONIC
Action Biker (D) \$4.88
Chopper X ST\$14

7	
	Baseball 2 ST\$39
	Box Score Stats (D) \$16
	General Manager (D) or ST . \$19
	1987 Team Data (D) or ST \$14
	WWF Wrestling ST \$33
	MICROPROSE
	F15 Strike Eagle (D) \$23
	F15 Strike Eagle ST\$25
	Gunship ST\$33
	Silent Service (D)\$23
	Silent Service ST \$25
	MINDSCAPE
	Balance of Power ST \$33
	Blockbuster ST\$25
	Bop & Wrestle 64K (D) \$19
	DelaVu ST
	*Deeper Dungeons (D) \$16
	Gauntlet ST \$33
	Gauntlet 64K (D)\$23
)	Harrier Combat Sim. ST \$33
1	Infiltrator 64K (D) \$19
1	Into the Eagle's Nest ST \$25
1	Paperboy ST\$33
	Plutos ST
}	Q-Ball ST
١.	Shadowgate ST\$33
_	

PRINGBOAL	
Certificate M	aker \$T \$25
C.M. Libraryi	1 ST \$19
Newsroom 64	IK (D) \$33
SSI	
	quest ST \$25
Phantasia 1 s	40cs(31 \$25 E2
Phantasic 1	or 2 (D) \$25 Ea. 2 or 3 ST \$25
Dings of Villi	. CT
Rings of Zittl	n ST\$25 opa ST\$29
Roadwar Eur	0 ST\$25
Stollan Causa	de ST\$36
Men Como C	36 21
War Game C	onst. Set (D) .\$19
war Game C	onst. Set ST . \$23 wn (D) or ST \$25
Wizard's Cro	wn (D) or 51 \$25
SUBLOGIC	
Flight Sim. 2	(D) or ST \$33 Ea.
F.S. Scenery I	Disks Call
THREE SIXTY	
Dark Castle 5	T\$25
THUNDER M	IOUNTAIN
Tau Ceti: The	Lost
Star Colony	ST\$9.88
Top Gun ST	\$9.88
Winter Challe	enge ST\$9.88
Wizball ST .	\$9.88
TIMEWORKS	
	r ST \$49
Deskton Publ	r ST\$49 isher ST\$87
Partner ST	\$33
Swiftcalc ST	\$49
Word Writer	\$49 ST\$49
UNICORN	31
	s ST\$29
Docimal Dun	geon ST\$23
Exaction Acti	geon oryzo
Vindosama S	t #22
Minderalia 3	on ST\$23 F\$23 ST\$23
Dood P Dhom	ne ST \$23
Read & Rnyn	ET 630
Mead-A-Rama	ST\$29 ST\$29
UNISON WO	
Art Gallery:	Fantasy ST \$19
Art Gallery 1	or 2 ST .\$19 Ea.
	Plus ST \$25
	Borders ST \$23
VERSASOFT	

Space Quest 1 or 2 ST \$33 Ea. SIMON & SCHUSTER Star Trek ST SOFTLOGIC

Font Disk #1 or #2 ST . \$19 Ea. Publishing Partner ST\$59
Publishing Partner
Professional ST\$129

SOFTREK SPRINGBOARD

Dataso

for the ATARI ST!

As captain of Russia's newest state-of-the-art sub your goal is to cross the Atlantic and rendevous with the American navy. The Russians are after you and will do anything they can to keep your boat from falling into U.S. hands-even sink you if necessary.

Maps, sonar sweeps, periscope and recognition charts make your escape easier, but using them may also give away your position. Some tough decisions will be yours as you become more proficient in submarine captaincy.

Our Discount Price \$32



Ninja (D)\$4.88
Ninja Mission ST \$14
Speed King (D) \$4.88
The Last V8 (D)\$4.88
Vegas Poker &
Jackpot(D) \$4.88
MICHTRON
Airball ST\$25
Airball Const. Set ST \$16
GFA Artist ST\$49
GFA Basic Book ST \$25
GFA Basic Int. ST \$39
GFA Basic Compiler ST\$39
GFA Companion ST \$33
GFA Draft Plus ST\$99
GFA Object ST\$49
GFA Vector ST\$33
Goldrunner 2 ST \$25
Juggler ST\$33 Karate Kid 2 ST\$25
Karate Kid 2 ST\$25
Leatherneck ST \$25
Slaygon ST \$25
Stuff ST
Tanglewood ST\$25
Time Bandit ST \$25
Tune Up \$T\$33
MICROLEAGUE
Baseball (D)\$25

	Art Gallery 1 or 2 ST .\$19 Ea.
Super Star Hockey ST \$33	Print Master Plus ST \$25
Uninvited ST\$33	P.M. Fonts & Borders ST \$23
*Requires Gauntlet!	VERSASOFT
MINDSCAPE CINEMAWARE	dB Man V4.0 ST\$149
Defender of Crown ST\$33	WEEKLY READER
S.D.I. ST	Stickybear ABC's (D) \$19
OMNITREND	Stickybear Numbers (D) \$19
Breach ST \$25	Stickybear Opposites (D) \$19
Breach Scenario Disk ST \$16	Stickybear Shapes (D) \$19
Universe (D) \$33	MARK WILLIAMS
Universe 2 ST \$33	Mark Williams C ST\$119
ORIGIN	WORD PERFECT
Autoduel (D) or ST\$33	WP Word Processor ST \$199
Moebius ST	ACCESSORIES
Ultima 3 (D) or ST\$25	Bonus 51/4 SS, DD \$4.99 BX
Ultima 4 (D) or ST \$39	Bonus 514 DS, DD \$5,99 BX
PROGRESSIVE	Compuserve Starter Kit \$19
Superbase Professional ST\$189	Disk Case (40-3½) \$6.88
QMI	Disk Case (75-51/4) \$6.88
Desk Cart \$T\$69	Disk Drive Cleaner-31/2 .\$6.88
SIERRA	Disk Drive Cleaner-514 .\$6.88
Black Cauldron ST\$25	Epyx 500XJ Joystick \$14
King's Quest	Suncom TAC 5 J.S\$16
1, 2, or 3 ST \$33 Ea.	Supra 20 Meg Drive ST Call
Leisure Suit Larry ST \$25	Wico Bat Handle\$19
Mixed-Up Mother Goose ST\$19	Wico Ergostick J.S \$19
Police Quest ST\$33	Xetec Printer Int \$33

Datasoft

P.O. BOX 111327 — DEPT. AT — BLAWNOX, PA 15238

*Please Read The Following Ordering Terms & Conditions Carefully Before Placing Your Order: Orders with cashiers check or money order shipped immediately on in stock items! Personal & Company checks, allow 3 weeks clearance. No C.O.D.'s! Shipping: Continental U.S.A.-Orders under \$100 add \$3; free shipping on orders over \$100. AK, HJ, FPO, APO-add \$5 on all orders. Canada & Puerto Rico-add \$10 on all orders. Sorry, no other International orders accepted! PA residents add 6% sales tax on the total amount of order including shipping charges. CUSTOMER SERVICE HOURS: Mon.-Fri. 9 AM-5:30 PM Eastern Time. REASONS FOR CALLING CUSTOMER SERVICE—412-361-529 (Instance of order or back order (2)lif any merchandise purchased within 60 days from S.D.of A. is defective, please call for a return authorization number. We will not process a return without a return auth. #! Defective merchandise will be replaced with the same merchandise only. Other returns subject to a 20% restocking charge! After 60 days from your purchase date, please refer to the warranty included with the product purchased & return directly to the manufacturer. Customer service will not accept collect calls or calls on S.D.of A's 800% order lines! Prices & availability are subject to change! New titles are arriving daily! Please call for more information. NEW, MORE CONVENIENT ORDER LINE HOURS: Mon.Thurs. 8:30 AM-5:00 PM Fri. 8:30 AM-5:30 PM Sat. 10:00 AM-4:00 PM Eastern Time.

Special Summer Subscription Drive Limited Time Only...

Antic Magazine & Disk Only \$59.95 for 12 Issues

That's just \$5 for each Antic magazine and double-sided disk

Dius: FREE

credit-card calculator with Atari logo

EXTRA BONUS FOR PHONE ORDERS: This month's Antic Disk FREE shipped within 24 hours!

Phone Toll-Free to Antic Disk Desk [800] 234-7001 for Visa/MasterCard orders! Or send your check for only \$59.95 to Antic, 544 Second Street, San Francisco, CA 94107

> Help Antic continue bringing you the Atari news every month! Subscribe Now!

Procopy BACKUP UTILITY

You can't backup your software because copy protection locks you out. **ProCopy** is the key!

- Protects against the accidental loss of expensive software
- Works with all Atari STs
- Copies both S/S & D/S disks
- Use with 1 or 2 disk drives

Not copy protected

- FREE shipping and handling
- TOLL-FREE telephone number
- Updates are only \$12 with return
- Orders shipped same day
- Disk analyze function included





and C.O.D. orders

Dealer

Inquiries

Welcome

Call (800) 843-1223

Send check for \$34.95 (overseas add \$2.00 for air mail) to:

PROCO PRODUCTS

P.O. BOX 665, CHEPACHET, RHODE ISLAND 02814 USA (401) 568-8459

Available **Internationally** in Europe and Australasia

THE MOVING FINGER CO. Building 2 Shamrock Quay Southampton, SO1-1QL England Tel. 0703-227274

NEW Atari 520ST FM CPU

W/BUILT-IN SF354 DRIVE Only \$299 with trade-in of 130XE, 1050 Drive, color monitor.

NEW Atari 1040ST CPU W/BUILT-IN SF314 DRIVE Only \$349 with trade-in of 520ST CPU (TOS,RF) and SF354.

> **NEW PRODUCT PRICES** - ATARI ST -1040ST Color System \$959 Atari SF314 Drive \$219

Atari SF314 Drive \$219

GBG Color Monitor \$279

- 400/800 -- XL/XE -- 130XE Computer \$149

RGB 40/80 Monitor \$229

Avatex 2400hc \$199

Atari SX212 \$89

256K XL RAM UG w/o F.AM\$35 256K 800 RAM UG w/o RAM\$79 RAM chips 256K \$Call

- PC COMPATIBLES -— PC COMPATIBLES —

IBM XT COMPATIBLE — Color (CGA) or Mono graphics card, 4.77/10 MHz Turbo 8088, Phoenix BIOS. More than 2x as fast as the IBM XT, 640K RAM, 360K Drive, Printer/Modem/-Mouse/Game ports. Clock/Calendar. Only \$625*

*Options, Monochrome monitor \$79, CGA color monitor \$229, EGA color monitor \$439.

Hard drives: Miniscribe 30MB w/XT cont \$369, 20MB w/XT cont \$349 installed

\$45

| 349 | Sparta Dos Const. Kit | \$15 | MYDOS 4 2A | \$19 | \$10 | MIO 256K | \$19 | \$1ar Nx-1000, 144cps | \$189 | \$1249 | XEP80 80 col. upgrade | \$6 | Wico Black Max | \$11 | Books/Software | \$CALL | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15 | \$15

Printer Connection

TECH-SOFT COMPUTER WHOLESALE 324 Stirling Highway Claremont Western Australia 6010 Tel. 09-385-1885

AUTHORIZED ATARI ST/XL/XE All Hardware/Software & Accessories

BUY, SELL OR TRADE!!!

COMMODORE/AMIGA DEALERS

512K RAM FM Installed\$249

SM124 Mono Monitor \$159

\$169

\$29

Supra 20MB ST

XF551-360K Drive

Magnavox 80 Mono Prac. Per. 2400hc XM301 Modem US Doubler

Plus IBM Compatibles & Equipment

NEW Atari 130XE Only \$108 with trade-in of 800XL or 800-48K.

NEW Atari XF551-360K Drive \$109 with trade-in of 1050-127K Drive.

NEW SUPRA 20MB ST HARD DRIVE Only \$479 with trade-in of SF314 Disk Drive.

NEW AMIGA 500 Only \$49

with trade-in of Atari 520ST (TOS,RF), SF354 drive and SC1224 RGB monitor.

USED PRODUCT PRICES

130XE Computer \$125 SF354 Disk Drive SM124 Mono Monitor 1200XL Computer Hayes Smartmoder Atari 1025 Printer \$59 800XL Computer \$64 400-16K Computer 1050 Disk Drive \$79 Okimate 10 w/PIP \$35 Atan 850 Interface \$35 Digitizer/recognition \$139 \$99 \$69 Atari 1027LQ Printer
ATR-8000 64K, Slaves
Commodore 1702 Mon \$135
Software/Books from \$1 Slave Drives from \$59 Koala Touch Tablet

Hundreds of software & book titles for 400-800 & XL/XE from \$1.00. Call our computer with your 300/1200 baud modem 24 hours a day for software quotes. (303) 939-8174.

We buy/sell/trade new & used Commodore/ CUSTOMER SATISFACTION GUARANTEED with our exclusive 10 day return/refund policy.

Amiga, IBM compatibles, Atari/ST including

hardware, software and accessories. All refer ences to trade-ins assume equipment to be in good working condition. Shipping/handling will be added to all prices.

Prices shown reflect a 3% discount for cash Add 3% for credit card purchases Prices shown are mail order only

WE CHECK FOR CREDIT CARD THEFT!

2017 13th Street, Suite A Boulder, CO 80302

Computer Repeats, Inc

Modem software quotes: (303) 939-8174 We Accept Master Card/VISA/American Express and C.O.D.

520ST FM Mono Svs 1-4MB UG w/o RAM

XE Game System

1802C Color Monitor Avatex 1200hc SmartLink 2400hc

Happy Rev. 7.1 R-Time 8 Cart ICD MIO 1 MEG Star NX-1000 Color

SpectraVideo Joystick

SM1224 Color Monitor \$325

\$149

\$149

\$189

\$99

\$49


\$249

Orders/Questions: (303) 939-8144

We will pay you \$CASH\$ for your equipment and accessories. Call for a price quote today. \$CASH\$ in on your damaged equipment too! Authorized Dealer/Service Center for Commodore/Amiga, Atari ST/XL/XE computers and accessories



Authorized Dealers for COMMODORE/AMIGA and ATARI ST/XL/XE Computers and Accessories.



ST TOOLBOX

dBMan 4.0, OmniRes

DBMAN 4.0

Application programs that let you build independent applications are among the most powerful software around. On IBM PC compatibles, a prime example is Ashton-Tate's dBase III Plus, which enables you to create highly powerful standalone databases that can run without dBase. On the Atari ST, dBMan software is command compatible with dBase III Plus and reads dBase files directly. In fact, dBMan applications can easily be migrated to just about any major operating system, from Macintosh to Unix.

When **Antic** reviewed the first version of dBMan in the August 1986 issue, we already called it "an important dBase III workalike." But two years later, dBMan 4.0 is much smoother and delivers even more power.

The main power of dBMan is in its application language, which has many characteristics of a programming language, such as decision words (IF, FOR, CASE), loop structures (LOOP, DO, WHILE), procedures and advanced mathematical functions. However, it also includes special keywords for working with data and databases. You can CREATE databases, create and use REPORT FORMs, specify FIELDs, FIELDSPECs, FIELDTYPEs and FILEs, MODIFY STRUCTUREs of files, etc.

The dBMan interactive mode is a mostly blank screen where you can type almost any command. Commands are executed immediately, not unlike the immediate mode in a language like ST BASIC. Of course, some commands don't work properly from this mode.

You can also operate dBMan from the menu-driven Assist shell, which lets you get at some of the program's power without actually programming. You can create a database, enter data, sort and more in Assist mode—which is actually an application written in dBMan's application language.

The most powerful way to work with dBMan is to use the built-in text editor to create a script (program) using the commands and functions available in the application language. These scripts can be linked and even call one another to form a complete standalone application that's indistinguishable from a program written in C or assembly language. In fact, several standalone programs on the market today were written in dBMan's application language.

Commands include display or print data, change data from the keyboard, get data from the keyboard, manipulate a data file, sort the data, move the record pointer, plus the programming structure commands discussed above.

The specialized programming language provides tools and commands you don't see in a normal programming language, such as BROWSE, which provides all the records and fields in a table on the screen. Then you can scroll through the data and make changes that will be reflected in the data when you're done editing. You can also LOCATE or DELETE a record, SORT or INDEX a file, create a new file, APPEND records, and SET FILTER to look only at records which meet the given criteria. Other commands let you build a database interactively and design a report.

dBMan is a fully relational database. That is, by establishing the relationship between two files (a field which contains the same unique data in each file), you can get the contents of any fields in the other file by reference to the relation field in the first file. Let's say one of your files contains customer number, name, address and

phone number and the other contains customer number and amount owed. Because both files contain the customer number, you can create a report that lists customer names, addresses and amounts owed, even though this data is in two different files.

There are a number of interesting differences between dBMan and the PC's dBase III Plus. dBMan's Assist mode is more oriented toward using it as a standard database, while dBase's Assist is better for building relational database structures. Also, dBMan doesn't let you design custom screen layouts, and you can't use CATALOG or SET VIEW to establish a set of files to load automatically.

On the other hand, dBMan includes commands for specifying drop-down menus and reading which menu item was selected in order to design applications that look like standard GEM programs on the ST. Also, dBMan doesn't suffer from the dBase III Plus limitation of only having a single relation for any given file—dbMan files can be related to several other files through one or more relational fields. Unfortunately, dBMan duplicates dBase's lack of arrays, making some operations quite difficult.

The dBMan manual is quite good. It includes a tutorial and large sections detailing the commands and functions, as well as quick reference cards for commands and functions. It's not well-organized—some sections that are too technical would have been easy to understand had they appeared later. The built-in text editor does not use the mouse and can handle only a limited amount of text. For larger dBMan programs, you may need to use a word processor and save the text as an ASCII file.

Overall, dBMan is a powerful tool for building applications, and is virtually the only such program for the

Atari ST. A runtime package is available, so users can run the final application without owning a copy of dBMan. Contact VersaSoft for information on licensing the runtime package. Now also shipping from the manufacturer is the Greased Lightning Compiler (\$249.95), which is claimed to make make dBMan applications run four to 20 times faster.

Technical support by telephone costs \$25 for six calls, which seems a little steep for a product of this complexity. But if you want to build and sell standalone applications that manipulate data on the Atari ST, you must give serious consideration to dBMan.—DAVID PLOTKIN

\$249.95. VersaSoft, 4340 Almaden Expressway, Suite 250, San Jose, CA 95118. (408) 723-9044.

OMNIRES

If you own only the SC1224 monochrome monitor for your ST, you've undoubtedly found yourself locked out of tons of color-only software. And it's almost as bad the other way around. Well, you've got two choices—buy the monitor you don't have (expensive), or buy **OmniRes** software (not expensive at all) which lets you run monochrome-only programs on color monitors and vice versa.

Of course you won't get color images on a monochrome screen and you won't get true high-resolution detail on a color screen. OmniRes is really eight separate programs, allowing four different options for going in either direction. The different conversion options yield varying results.

There are also a couple of side effects. First, mouse movements and response rates slow down. Second, various program elements also slow

down in different ways. For example, when I run SSI's President Elect on a real color monitor, a couple of bars of "Hail to the Chief" are played at the beginning, and the quick play option runs through the nine weeks of campaign screens faster than I can see. But with OmniRes and a monochrome monitor, "Hail to the Chief" sounds like a dirge and the flash through the campaign screens is slow enough for me to read.

With OmniRes installed, color-only software programs run with varying success. Heavily protected games may not run at all. Unless you copy the OmniRes program to Accolade's Hard-Ball! program disk (which is *not* recommended), there's no way to run it in monochrome.


Putting monochrome-only software on a color screen works much better. There *isn't* much monochrome-only software around, but I tried the public domain JIL CAD program. When I ran it with Monoware, another public domain program that displays mono-only software on a color screen, it left a fuzzy, muddy impression. The OmniRes display was significantly clearer.

Should you buy OmniRes? Yes, if you own a monochrome monitor and want to run color-only programs such as unprotected games or database files created using dBMaster or BaseTwo. However, if you want to run a color-only game which has a protection scheme that makes the guys at Fort Knox look careless, you'll get unpredictable results. However, the package comes with a list of successfully converted software. And you could phone E. Arthur Brown for updates before you buy.—MARTIN BROWN

\$34.95, E. Arthur Brown Company, 3404 Pawnee Drive, Alexandria, MN 56308. (612) 762-8847, (612) 763-6393.

Lowest price ever for Antic Disk Subscriptions

just \$5 per issue!



New! 3-D Graphic WW11 Sea Game

Now play "Destroyer Warship" on your XL/XE Computer System! It is a WWII arcade type Sea Battle against Japan! You are captain and protect Midway Island and the Shipping Lanes! Its a hard war if you can take it! Play it! Be a hero and play "Destroyer Warship"!!! * Now Only! \$14.95

+ 2.95 shipping & handling. (Continental U.S.).

* Requires XL/XE, joysticks & 1050 drive.

New! "Lem Landing Simulator & Fastbudget". Land the LEM on the planets or figures your budget! (Order Yours Today!)

LEM Landing Simulator & Fastbudget

- * Now Only \$9.95 + \$2.95 shipping & handling. (Continental U.S.).
- * Requires XL/XE, joystick & 1050 drive. 64K
- * Cashier's Check or Money Order only!
- * Michigan Residents add 4% Sales Tax. Send To: IntelaSoft

P.O. Box 102 St. Charles, MI 48655

Prices are subject to change without notice. Due to low prices all sales are final.



TIRED OF TYPING? BUGGED BY DEBUGGING?

GET ALL THE PROGRAMS WITH ANTIC ON DISK!

MORE THAN 40 % OFF REGULAR PRICE!

ANTIC'S MAGAZINE DISK ONLY \$5.95
(plus 2.00 shipping and handling)

FOR SAME DAY SERVICE CALL
(415) 957-0886 between 8am and 3pm

Ask for the DISK DESK.

Use your Visa or Mastercard.
Or send check or money order to:

ANTIC PUBLISHING

544-2ND ST.

SAN FRANCISCO, CA 94107

Antic Classifieds

SOFTWARE, ETC.

Public Domain Disks ST: \$4.00 each, 800/XL/XE: \$3.00 each. Call Toll Free or write for FREE Catalog. Please specify computer. Double Sided Disks, Lifetime Warranty, 3 1/2 \$1.25, 5 1/4 \$.35. Atari SX212 Modem \$89.95, Supra 2400 Modem \$149.95. Visa/Mastercard welcome. BRE Dept. A, 6210 N. First, Ste. 130, Fresno, CA 93710, (800) 622-7942, (209) 432-2159 in CA. (8/88)

DISK-A-MONTH PROGRAM

Receive the latest/best public domain releases automatically—monthly—for your 8-bit or ST computer. Twelve monthly disks packed with applications, utilities, games, tutorials—all in ARCED format—the most for your money. Subscribers receive extra disks twice each year. Only \$39.95 for annual subscription; \$3.50 for sample. VISA/MASTERCARD holders call 800-862-2345 (dialtone) then dial "PAT" to subscribe, or send check/moneyorder to PATNOR, POB 370782, El Paso, TX 79937. (8/88)

ATTENTION ATARI XL/XE PROGRAMMERS Now any BASIC programmer can build and interface to screens that in the past only experts could. The SCREEN GENERATOR enables full

could. The SCREEN GENERATOR enables full screen data entry and display of your custom built screens. Many features. \$14.95 or for information write: SYNCSOFT PO Box 5862 Aloha, OR 97006. (8/88)

Public domain software for the 8-bits. Excellent selection. Send \$3 for packed demo disk and catalog listing to: AAPDS 6-18th Edgemore, Hutchinson, KS 67502. (8/88)

Try us for your Atari Public Domain software needs. Good prices, fast service, Write for free catalog. Vulcan Software PO Box 692 Manassas, VA 22111-0692. (1/89)

ST PUBLIC DOMAIN SOFTWARE

Library containing over 100 Public Domain programs, Art, Demos, Games, Music, Utilities. At amazing low cost and FREE air mail postage anywhere in the world. Send now for large free catalogue. To:StockSoft, 15 Woodbrooke Rd., Birmingham B30 1UE, England UK. (8/88)

The RAMDISK PROTECTOR. A plug-in module for the 8-bit. Recover from any lock-up or crash. Now \$19.95. Send to Logic One PO Box 18123, Cleve. Hts. OH 44118-0123. (8/88)

COMPREHENSIVE COMIC BOOK SYSTEM! ATARI 8-bits, 48-K, disk drive. Excellent manual! \$19.95. SASE->More infor. BUECO, 3900 Hampton Dr., Anchorage, AK 99504. (8/88)

ST THIRD DRIVE CABLE

Now with a flick of the switch you can easily change access between your 2nd and 3rd ST drives. Our 6' Third Drive Cable works on all Atari ST systems. Especially useful for 5.25" PC DITTO compatible drives. Send \$31.95 + \$3 shipping to: MARS MERCH., (Fourth Planet Products), 15W615 Diversey, Elmhurst,IL 60126-1257. PH: (312) 530-0988. Dealer enquiries welcome.(9/88)

XL/XE PD CLASSICS. Games, productivity, utilities, communications, more. FREE catalog. HOMEMADE, 6011 Hyde Park Circle, Suite 207, Jacksonville, FL 32210.(8/88)

AMAZING ATARI 8-BIT SOFTWARE!!!

Choose from over 240 Public Domain Theme Disks or pick individual programs. Free 55page Catalog! BELLCOM, Box 1043-A, Peterborough, Ontario, Canada K9J 7A5.(8/88)

Large library of the best public domaian software for the 800/XL/XE. Low prices and fast service. Send SASE for list. C&T Active, Box 893-A, Clinton, OK 73601.(8/88)

GFA BASIC USERS GROUP. Worldwide membership, monthly newsletter with programming tips. Details: Send large SASE. RASCOM, 22128 Newkirk Ave., Carson, CA 90745.(8/88)

DEVOTED to playful connections of computers and math. Featuring programming, fun, challenges, humor, card tricks, and more. \$24 annual, eight issues. REC Newsletter, 129 Carol Dr., Clarks Summit, PA 18411.(8/88)

\$\$\$WIN with Thoroughbred/Harness, Greyhound Handicapping Software. . . \$52.95. Football, Baseball, Basketball Handicapping Software. . . \$52.95 each. Software Exchange, Box 5382-AN, W. Bloomfield, MI 48033. Free information. (313) 626-7208. VISA/MC. Orders: 1-800-527-9467.(8/88)

SPHERE of INTERNMENT-Largescale adventure with many castles, villages, dungeons, etc., to explore. Can you save Irata from Vaol? With map \$25 postpaid. 25 new double-sided, double-density disks \$15 postpaid. For 8-bit. F.H.S., Rt. 1, Carlstad, MN 56732, (218) 436-2835.(8/88)

C-64 MIDI SOFTWARE- public domain collection- CZ Librarian-editor + 200 patches-Terminal- Monitor- Printer Song player- more! Any interface- documented- \$7.50- INNO-CEPT Box 277, Jacksonville, OR 97530. (8/88)

ACCESSORIES

MIDI Music? We've got instantmod for CZ101/1000; MIDI thru Box, MIDI Switcher. Quality, low prices. Blacet research, 18405 OMRR, Guerneville, CA 95446.(8/88)

MIDI ACCESSORY PLANS- 4x4 or 8x8 patchbays plus 1x4 splitter and muting footswitch. 18 pgs circuits, drawings, data! \$7.50- INNO-CEPT Box 277, Jacksonvile, OR 97530. (8/88)

Advertising Sales



Advertisers List

Be sure to mention ANTIC when contacting these advertisers—all of whom support the Atari 8 bit and ST computer. This list is provided as a courtesy to our advertisers. ANTIC does not guarantee accuracy or comprehensiveness.

PAGE NO.	PAGE NO.
ALPHA SYSTEMS19	INTELASOFT61
AMERICAN TECHNAVISION	LYCO COMPUTERIFC
ANTIC-BACK ISSUES18	LYCO COMPUTER6,7
ANTIC-SUBSCRIPTION 16	MICROMISER SOFTWARE 17
B&C COMPUTERVISIONS	MICROTYME
COMPUSERVE65	PROCO PRODUCTS59
COMPUTABILITY	PSYGNOSIS BC
COMPUTER MAIL ORDER 12,13	SOFTWARE DISCOUNTERS OF AMERICA 58
COMPUTER REPEATS	START48
COMPUTER SOFTWARE SERVICES 2	TWENTYFIFTH CENTURY
HARTECH USA	

Advertising Deadlines

October 1988

Insertion Orders: June 30

Artwork: On Sale:

July 7 Last week of August November 1988

Insertion Orders: August 2 Artwork:

On Sale:

August 9

Last week of September

December 1988

Insertion Orders: September 1 Artwork: September 9

On Sale:

Last week of October

An Ad In Antic Reaches More Than 100,000 Serious

Classifieds

BUY-SELL-TRADE-SWAP IN THE CLASSIES

Antic Classifieds

Karen Gordon, Advertising Sales Coordinator 544 Second Street, San Francisco, CA 94107 Telephone (415) 957-0886

Name Company Address Phone City/State/Zip MasterCard/Visa Number Expiration Date Issue(s) Ad To Appear Atari Users. Enclosed is my payment for \$

RATE: \$1.00 PER WORD—twenty (20) word minimum.

BOLDFACE: Add \$7.50 per line for boldface words or add \$40.00 for the entire ad set in boldface (any number of lines).

STARS: Add \$6.50 for one (1) line of six (6) stars **** at top of ad.

TERMS: Prepayment is required. Check, Money Order, Visa or MasterCard is accepted. Make check payable to Antic Publishing.

FORMS: Ads are subject to publisher's approval and MUST BE TYPED. Please underline

GENERAL INFORMATION: Advertisers using Post Office Box numbers in their ads must supply permanent address and telephone numbers. Ad will appear in the next available

issue after receipt unless otherwise specified. DEADLINE: 90 days prior to cover date (e.g., September 1988 closes June 1, 1988—September issue on sale August 1, 1988).

Clip this coupon, attach to typewritten copy and send with remittance to address above.

HANDWRITTEN COPY WILL NOT BE ACCEPTED.

Tech Tips

WINDOW OPENE

his tip comes from Antic Technical and Online Editor Charles Jackson. Window Opener is a short, simple demonstration of a useful method for controlling text windows in BASIC. When RUN, the program draws an attractive moire pattern in Graphics 8. Afterwards, press [D] to bring up the text window without clearing your screen. Press [K] to remove the text window and restore the underlying graphic.

The trick is in the Graphics command. Add a 32 to the Graphics mode number to add a text window to your screen (see line 200). Add a 48 to the mode number to remove the window and restore your screen (see line 110).

Don't type the TYPO II Codes!

```
10 REM TYPE A 'D' TO DISPLAY THE TEXT
           20 REM TYPE A 'K' TO KILL IT
30 GRAPHICS 8+16:POKE 710,0
 00
BT 30 GRAPHICS 8+16:POKE 710,0
YM 40 COLOR 1
DH 50 FOR X=0 TO 319 STEP 5:PLOT 0,0:DRAW
TO X,191:NEXT X
IG 60 FOR X=191 TO 0 STEP -5:PLOT 0,0:DRA
WTO 319,X:NEXT X
NP 70 FOR X=0 TO 319 STEP 13:PLOT 0,191:D
RAWTO X,0:NEXT X
YO 80 FOR X=0 TO 191 STEP 13:PLOT 0,191:D
RAWTO 319,X:NEXT X
UV 90 IF PEEK(764)=255 THEN 90
LJ
DI 100 IF PEEK(764)=58 THEN GOSUB 200
110 IF PEEK(764)=5 THEN POKE 559,0:GRA
PHICS 8+48:POKE 710,0:POKE 559,34:POKE
            764,255
120 FOR Y=1 TO 100:NEXT Y:GOTO 90
200 POKE 559,0:GRAPHIC5 8+32:POKE 710,
0:POKE 752,1:? "M Type a 'K' to KILL t
  FC 210 POKE 559,34:POKE 764,255:RETURN
```

Antic pays \$25 for every original and exclusive Tech Tip submission that we publish. Send your 8-bit or ST disk and printout to: Antic Tech Tips, 544 Second Street, San Francisco, CA 94107. Tech Tips welcomes very short programs that demonstrate the Atari's powers, simple bardware modifications, or useful macros for popular software.

PARTIAL SCREEN CLEAR

Robby Chavers of Tampa, Florida, contributed this little program that lets you choose any point on a Graphics 0 screen and clear all the screen area below it, leaving the remainder intact.

This program fools BASIC into thinking that the screen position was moved down by changing the values in memory locations 88 and 89. To change the number of screen lines you don't want to clear, change the value of LINE in line 120 to any number up to 23.

> 100 POKE 82,0:? CHR\$(125); 110 FOR P=0 TO 340:? P;:NEXT P 120 LINE = 18:GOSUB 1000 130 END 1000 C = PEEK(88):D = PEEK(89)1005 ADD = C + D * 256 + LINE * 401010 A = INT(ADD/256):B = ADD-A * 2561020 POKE 88,B:POKE 89,A:? CHR\$(125) 1030 POKE 88,C:POKE 89,D 1040 POSITION 0, LINE: RETURN

CURSOR XL/XE FAST

vast Cursor comes from Trevor Maingot of Ventura, California. Cursor speed is \P controlled in memory location 730, which normally has a value of 6. This program stores a 2 in location 730, thus greatly increasing cursor speed. NOTE: Fast Cursor doesn't work on the Atari 800 or 400 models.

When you see the onscreen message saying that the Fast Cursor routine is installed, press [RESET] to activate it. Now the only way to get rid of Fast Cursor is to turn the 10 FOR I=260 TO 277:READ A:POKE I,A:NEXT I computer off.

12 ? "FAST CURSOR INSTALLED, PRESS RESET, THEN TYPE'NEW'AND GO ABOUT YOUR BUSINESS"

15 X = USR(260)

16 END

20 DATA 169,2,141,218,2,169,4,133,2,169,1,133,3,169,3,133,9,96



CONNECT YOUR COMPUTER TO A HIGHER INTELLIGENCE.

CompuServe's reference databases make you more productive, competitive, and better informed.

Remember the last time you tried to get your hands on hard-to-find facts? In a magazine article you read a year ago. In a news report you never saw. Or in a table of data you didn't know existed.

Imagine those facts just a few keystrokes away on your personal computer. Through CompuServe.

Your personal research center.

Save hours of research by going

straight to the reference information you need in seconds.

Access thousands of sources of information in the areas of business, finance, medicine, education, demographics, science, law, news, popular entertainment, and sports.

What you know can help you.

Research an industry or company through articles, financial statements, and other sources. Analyze an investment. Assist in a job search. Follow market competition. Investigate a business opportunity.

Check characteristics such as age,

income, and occupation in any U.S. community. For a geography report, a business plan, or a family move.


All you need to access CompuServe's unlimited world of information is a modem and just about any personal computer. Visit your computer dealer today. To order direct, or for more information, call or write:

CompuServe®

Information Services, P.O. Box 20212 5000 Arlington Centre Blvd., Columbus, OH 43220 800-848-8199

In Ohio and Canada, call 614 457-0802 An H&R Block Company









OBLITERATOR

Obliterator is a new and very exciting product from Psygnosis, which takes full advantage of the features of the Commodore Amiga and Atari ST, whilst supporting the full range of 68000, 68010 and 68020 processors.

68000, 68010 and 68020 processors.

When compared to Psygnosis's previously released animated graphic adventure - Barbarian, the player will find over 100 separate locations within the products three-dimensional playfield. The effect of the detail and complexity of the graphics must be seen to be fully appreciated. Two other features which Psygnosis have added to this product are a "Save Game" facility and stunning music and amazing sound effects.

All this should combine to make for

All this should combine to make for yet another award winning product from Psygnosis.

OBLITERATOR - \$39.95

Other Psygnosis Titles

Terrorpods - \$39.95

\$39.95 Barbarian **Deep Space** \$39.95

- \$39.95 Arena

All available for 512K Colour, Atari ST, Commodore Amiga.

PSYGNOSIS

1st Floor Port of Liverpool Bldg. Pier Head, Liverpool. L3 1BY. United Kingdom.

Tel. No. 011 44 51 236 8818 Fax. No. 011 44 51 207 4498

